

[Create Email/Fax Request](#)

apps.barnesdistribution.com

Click [here](#) to go back to MSDS



Barnes Distribution

1301 E. 9th Street, #700
Cleveland OH 44114
(800) 726-9626



Material Safety Data Sheet

MSDS Form No. : 022624
Item No. : 22004, 22803N, 22804
MATERIAL SAFETY DATA SHEET

HENKEL

REVISION NUMBER: 006.0

ISSUE DATE: 01/11/2012

-----1. PRODUCT AND COMPANY IDENTIFICATION -----

PRODUCT NAME: BARNES(R) MEDIUM STRENGTH THREAD LOCKER REMOVABLE

PRODUCT TYPE: ANAEROBIC SEALANT

IDH NUMBER: 229611

ITEM NUMBER: 17833

REGION: UNITED STATES

COMPANY ADDRESS:
HENKEL CORPORATION
ONE HENKEL WAY
ROCKY HILL, CONNECTICUT 06067

CONTACT INFORMATION:
TELEPHONE: 860.571.5100

MEDICAL EMERGENCY PHONE:
POISON CONTROL CENTER: 1-877-671-4608 (TOLL FREE) OR 1-303-592-1711

TRANSPORT EMERGENCY PHONE:
CHEMTREC: 1-800-424-9300 (TOLL FREE) OR 1-703-527-3887

INTERNET: WWW.HENKELNA.COM

-----2. HAZARDS IDENTIFICATION -----

EMERGENCY OVERVIEW:

PHYSICAL STATE: LIQUID

COLOR: BLUE

ODOR: MILD

HMIS:
HEALTH 2*
FLAMMABILITY 1
PHYSICAL HAZARD 1
PERSONAL PROTECTION SEE MSDS SECTION 8

WARNING:
CAUSES EYE IRRITATION.
MAY CAUSE SKIN IRRITATION.
MAY CAUSE ALLERGIC SKIN REACTION.
MAY CAUSE RESPIRATORY TRACT IRRITATION.

RELEVANT ROUTES OF EXPOSURE: SKIN, INHALATION, EYES

POTENTIAL HEALTH EFFECTS:
INHALATION: MAY CAUSE RESPIRATORY TRACT IRRITATION.
SKIN CONTACT: MAY CAUSE ALLERGIC SKIN REACTION. MAY CAUSE SKIN IRRITATION.
EYE CONTACT: CONTACT WITH EYES WILL CAUSE IRRITATION.
INGESTION: NOT EXPECTED TO BE HARMFUL BY INGESTION.

EXISTING CONDITIONS AGGRAVATED BY EXPOSURE:
EYE, SKIN, AND RESPIRATORY DISORDERS.

THIS MATERIAL IS CONSIDERED HAZARDOUS BY THE OSHA HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200).

SEE SECTION 11 FOR ADDITIONAL TOXICOLOGICAL INFORMATION.

-----3. COMPOSITION / INFORMATION ON INGREDIENTS -----

HAZARDOUS COMPONENTS	CAS NUMBER	%
POLYGLYCOL DIMETHACRYLATE	25852-47-5	60 - 100
OLEIC ACID 5.5EO	9004-96-0	10 - 30
SACCHARIN	81-07-2	1 - 5
SILICA, AMORPHOUS, FUMED, CRYSTAL-FREE	112945-52-5	1 - 5
CUMENE HYDROPEROXIDE	80-15-9	1 - 5
PROPANEDIOL-1,2	57-55-6	1 - 5
TITANIUM DIOXIDE	13463-67-7	0.1 - 1
CUMENE	98-82-8	0.1 - 1

-----4. FIRST AID MEASURES -----

INHALATION:
MOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE OXYGEN. IF BREATHING HAS STOPPED, GIVE ARTIFICIAL RESPIRATION. KEEP WARM AND QUIET. GET MEDICAL ATTENTION.

SKIN CONTACT:
WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING AND FOOTWEAR. WASH CLOTHING BEFORE REUSE. IF SYMPTOMS DEVELOP AND PERSIST, GET MEDICAL ATTENTION.

EYE CONTACT:
FLUSH WITH COPIOUS AMOUNTS OF WATER, PREFERABLY, LUKEWARM WATER FOR AT LEAST 15 MINUTES, HOLDING EYELIDS OPEN ALL THE TIME. GET MEDICAL ATTENTION.

INGESTION:
DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM. GET MEDICAL ATTENTION.

-----5. FIRE FIGHTING MEASURES -----

FLASH POINT: >93.3 DEG. C (>199.94 DEG. F) TAGLIABUE CLOSED CUP

FLAME PROJECTION: NOT APPLICABLE

AUTOIGNITION TEMPERATURE: NOT DETERMINED

FLAMMABLE/EXPLOSIVE LIMITS - LOWER: 2.6 % (PROPYLENE GLYCOL)

FLAMMABLE/EXPLOSIVE LIMITS - UPPER: 12.5 % (PROPYLENE GLYCOL)

EXTINGUISHING MEDIA: FOAM, DRY CHEMICAL OR CARBON DIOXIDE.

SPECIAL FIREFIGHTING PROCEDURES: NONE

UNUSUAL FIRE OR EXPLOSION HAZARDS: NONE

HAZARDOUS COMBUSTION PRODUCTS:

OXIDES OF CARBON. OXIDES OF SULFUR. OXIDES OF NITROGEN. IRRITATING ORGANIC VAPOURS.

-----6. ACCIDENTAL RELEASE MEASURES -----

USE PERSONAL PROTECTION RECOMMENDED IN SECTION 8, ISOLATE THE HAZARD AREA AND DENY ENTRY TO UNNECESSARY AND UNPROTECTED PERSONNEL.

ENVIRONMENTAL PRECAUTIONS: DO NOT ALLOW PRODUCT TO ENTER SEWER OR WATERWAYS.

CLEAN-UP METHODS:

SOAK UP WITH INERT ABSORBENT MATERIAL (E.G. SAND, SILICA GEL, ACID BINDER, UNIVERSAL BINDER, SAWDUST). STORE IN A PARTLY FILLED, CLOSED CONTAINER UNTIL DISPOSAL.

-----7. HANDLING AND STORAGE -----

HANDLING:

PREVENT CONTACT WITH EYES, SKIN AND CLOTHING. DO NOT BREATHE VAPOR AND MIST. WASH THOROUGHLY AFTER HANDLING.

STORAGE:

FOR SAFE STORAGE, STORE AT OR BELOW 38 DEG. C (100.4 DEG. F)
KEEP IN A COOL, WELL VENTILATED AREA AWAY FROM HEAT, SPARKS AND OPEN FLAME.
KEEP CONTAINER TIGHTLY CLOSED UNTIL READY FOR USE.

FOR INFORMATION ON PRODUCT SHELF LIFE CONTACT HENKEL CUSTOMER SERVICE AT (800) 243-4874.

-----8. EXPOSURE CONTROLS / PERSONAL PROTECTION -----

EMPLOYERS SHOULD COMPLETE AN ASSESSMENT OF ALL WORKPLACES TO DETERMINE THE NEED FOR, AND SELECTION OF, PROPER EXPOSURE CONTROLS AND PROTECTIVE EQUIPMENT FOR EACH TASK PERFORMED.

HAZARDOUS COMPONENTS	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
POLYGLYCOL DIMETHACRYLATE	NONE	NONE	NONE	NONE
OLEIC ACID 5.5EO	NONE	NONE	NONE	NONE
SACCHARIN	NONE	NONE	NONE	NONE
SILICA, AMORPHOUS, FUMED,	10 MG/M3 TWA	20 MPPCF TWA	NONE	NONE

CRYSTAL-FREE	INHALABLE DUST. 3 MG/M3 TWA RESPIRABLE FRACTION.	0.8 MG/M3 TWA		
CUMENE HYDROPEROXIDE	NONE	NONE	1 PPM (6 MG/M3) TWA (SKIN)	NONE
PROPANEDIOL-1,2	NONE	NONE	10 MG/M3 TWA AEROSOL.	NONE
TITANIUM DIOXIDE	10 MG/M3 TWA	15 MG/M3 TWA TOTAL DUST.	NONE	NONE
CUMENE	50 PPM TWA	50 PPM (245 MG/M3) TWA (SKIN)	NONE	NONE

ENGINEERING CONTROLS:

NO SPECIFIC VENTILATION REQUIREMENTS NOTED, BUT FORCED VENTILATION MAY STILL BE REQUIRED IF CONCENTRATIONS EXCEED OCCUPATIONAL EXPOSURE LIMITS.

RESPIRATORY PROTECTION:

USE NIOSH APPROVED RESPIRATOR IF THERE IS POTENTIAL TO EXCEED EXPOSURE LIMIT(S).

EYE/FACE PROTECTION: SAFETY GOGGLES OR SAFETY GLASSES WITH SIDE SHIELDS.

SKIN PROTECTION:

USE IMPERMEABLE GLOVES AND PROTECTIVE CLOTHING AS NECESSARY TO PREVENT SKIN CONTACT. NEOPRENE GLOVES. BUTYL RUBBER GLOVES. NATURAL RUBBER GLOVES.

-----9. PHYSICAL AND CHEMICAL PROPERTIES -----

PHYSICAL STATE: LIQUID

COLOR: BLUE

ODOR: MILD

ODOR THRESHOLD: NOT AVAILABLE.

pH: NOT APPLICABLE

VAPOR PRESSURE: <5 MMHg (27 DEG. C (80.6 DEG. F))

BOILING POINT/RANGE: >149 DEG. C (>300.2 DEG. F)

MELTING POINT/ RANGE: NOT AVAILABLE.

SPECIFIC GRAVITY: 1.1 AT 23.9 DEG. C (75.02 DEG. F)

VAPOR DENSITY: NOT AVAILABLE.

FLASH POINT: >93.3 DEG. C (>199.94 DEG. F) TAGLIABUE CLOSED CUP

FLAME PROJECTION: NOT APPLICABLE

FLAMMABLE/EXPLOSIVE LIMITS - LOWER: 2.6 % (PROPYLENE GLYCOL)

FLAMMABLE/EXPLOSIVE LIMITS - UPPER: 12.5 % (PROPYLENE GLYCOL)

AUTOIGNITION TEMPERATURE: NOT DETERMINED

EVAPORATION RATE: NOT AVAILABLE.

CORROSIVE, IRRITANT, MUTAGEN

PROPANEDIOL-1,2

IRRITANT

TITANIUM DIOXIDE

IRRITANT, RESPIRATORY, SOME EVIDENCE OF
CARCINOGENICITY

CUMENE

CENTRAL NERVOUS SYSTEM, IRRITANT, LUNG

-----12. ECOLOGICAL INFORMATION -----

ECOLOGICAL INFORMATION: NOT AVAILABLE.

-----13. DISPOSAL CONSIDERATIONS -----

INFORMATION PROVIDED IS FOR UNUSED PRODUCT ONLY.

RECOMMENDED METHOD OF DISPOSAL:

FOLLOW ALL LOCAL, STATE, FEDERAL AND PROVINCIAL REGULATIONS FOR DISPOSAL.

HAZARDOUS WASTE NUMBER: NOT A RCRA HAZARDOUS WASTE.

-----14. TRANSPORT INFORMATION -----

THE SHIPPING CLASSIFICATIONS IN THIS SECTIONS ARE FOR NON-BULK PACKAGING
ONLY (UNLESS OTHERWISE SPECIFIED). SHIPPING CLASSIFICATION MAY BE DIFFERENT
FOR BULK PACKAGING.

U.S. DEPARTMENT OF TRANSPORTATION GROUND (49 CFR):

PROPER SHIPPING NAME: NOT REGULATED

HAZARD CLASS OR DIVISION: NONE

IDENTIFICATION NUMBER: NONE

PACKING GROUP: NONE

INTERNATIONAL AIR TRANSPORTATION (ICAO/IATA):

PROPER SHIPPING NAME: NOT REGULATED

HAZARD CLASS OR DIVISION: NONE

IDENTIFICATION NUMBER: NONE

PACKING GROUP: NONE

WATER TRANSPORTATION (IMO/IMDG):

PROPER SHIPPING NAME: NOT REGULATED

HAZARD CLASS OR DIVISION: NONE

IDENTIFICATION NUMBER: NONE

PACKING GROUP: NONE

-----15. REGULATORY INFORMATION -----

UNITED STATES REGULATORY INFORMATION:

TSCA 8 (B) INVENTORY STATUS:

ALL COMPONENTS ARE LISTED OR ARE EXEMPT FROM LISTING ON THE TOXIC SUBSTANCES
CONTROL ACT INVENTORY.

TSCA 12(B) EXPORT NOTIFICATION: NONE ABOVE REPORTING DE MINIMUS

CERCLA/SARA SECTION 302 EHS: NONE ABOVE REPORTING DE MINIMUS

CERCLA/SARA SECTION 311/312: IMMEDIATE HEALTH, DELAYED HEALTH

CERCLA/SARA 313:

THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICALS SUBJECT TO THE REPORTING
REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY
RIGHT-TO-KNOW ACT OF 1986 (40 CFR 372). CUMENE HYDROPEROXIDE (CAS# 80-15-9).

CALIFORNIA PROPOSITION 65:

THIS PRODUCT CONTAINS A CHEMICAL KNOWN IN THE STATE OF CALIFORNIA TO CAUSE CANCER. THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

CANADA REGULATORY INFORMATION:

CEPA DSL/NDL STATUS:

ALL COMPONENTS ARE LISTED ON OR ARE EXEMPT FROM LISTING ON THE CANADIAN DOMESTIC SUBSTANCES LIST.

WHMIS HAZARD CLASS: D.2.A, D.2.B

-----16. OTHER INFORMATION -----

THIS MATERIAL SAFETY DATA SHEET CONTAINS CHANGES FROM THE PREVIOUS VERSION IN SECTIONS: 3, 8, 11

PREPARED BY: KYRA KOZAK WOODS, MANAGER, REGULATORY AFFAIRS

DISCLAIMER:

THE DATA CONTAINED HEREIN ARE FURNISHED FOR INFORMATION ONLY AND ARE BELIEVED TO BE RELIABLE. HOWEVER, HENKEL CORPORATION AND ITS AFFILIATES ("HENKEL") DOES NOT ASSUME RESPONSIBILITY FOR ANY RESULTS OBTAINED BY PERSONS OVER WHOSE METHODS HENKEL HAS NO CONTROL. IT IS THE USER'S RESPONSIBILITY TO DETERMINE THE SUITABILITY OF HENKEL'S PRODUCTS OR ANY PRODUCTION METHODS MENTIONED HEREIN FOR A PARTICULAR PURPOSE, AND TO ADOPT SUCH PRECAUTIONS AS MAY BE ADVISABLE FOR THE PROTECTION OF PROPERTY AND PERSONS AGAINST ANY HAZARDS THAT MAY BE INVOLVED IN THE HANDLING AND USE OF ANY HENKEL'S PRODUCTS. IN LIGHT OF THE FOREGOING, HENKEL SPECIFICALLY DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM SALE OR USE OF HENKEL'S PRODUCTS. HENKEL FURTHER DISCLAIMS ANY LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES OF ANY KIND, INCLUDING LOST PROFITS.