

SAFETY DATA SHEET

1. Identification

Product identifier	NAPA® Battery Cleaner with Acid Indicator		
Other means of identification			
Product code	095023		
Recommended use	Battery cleaner		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier	/Distributor information		
Manufactured or sold by:			
Company name	CRC Industries, Inc.		
Address	885 Louis Dr.		
	Warminster, PA 18974 US		
Telephone			
General Information	215-674-4300		
Technical Assistance	800-521-3168		
Customer Service	800-272-4620		
24-Hour Emergency	800-424-9300 (US)		
(CHEMTREC)	703-527-3887 (International)		
Website	www.crcindustries.com		
2. Hazard(s) identification	n		
Physical hazards	Gases under pressure Liquefied gas		
Health hazards	Not classified.		
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		
Label elements			
	\wedge		
Signal word	Warning		
Hazard statement	Contains gas under pressure; may explode if heated.		
Precautionary statement			
Prevention	Do not puncture or incinerate container. Do not expose to heat or store at temperatures above		
	49°C/120°F. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying.		
Response	Wash hands after handling.		
Storage	Protect from sunlight. Store in a well-ventilated place. Exposure to high temperature may cause can to burst.		
Disposal	Dispose of contents/container in accordance with local/regional/national regulations.		
Hazard(s) not otherwise classified (HNOC)	None known.		

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Water		7732-18-5	80 - 90
Liquefied Petroleum Gas		68476-86-8	5 - 10
2-Butoxyethanol		111-76-2	1 - 3

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Rinse skin with water/shower. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Call a POISON CENTER or doctor/physician.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Fire-fighting equipment/instructions	In case of fire: Stop leak if safe to do so. Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up.	
General fire hazards	Contents under pressure. Pressurized container may rupture when exposed to heat or flame.	

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Wear appropriate protective equipment and clothing during clean-up. Emergency personnel need self-contained breathing equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. This product is miscible in water. Stop the flow of material, if this is without risk. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke

	or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Use caution around energized equipment. The metal container will conduct electricity if it contacts a live source. This may result in injury to the user from electrical shock and/or flash fire. Do not get in eyes, on skin, or on clothing. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. For product usage instructions, please see the product label.
Conditions for safe storage, including any incompatibilities	Level 1 Aerosol.
	Contents under pressure. Do not expose to heat or store at temperatures above 120°F/49°C as can may burst. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Dccupational exposure limit US. OSHA Table Z-1 Lin	nits for Air Contamina	•		
Components	Ту	ре	Va	llue
2-Butoxyethanol (CAS 111-76-2)	PE	L	24	0 mg/m3
			50	ppm
US. ACGIH Threshold L	imit Values			
Components	Ту	ре	Va	lue
2-Butoxyethanol (CAS 111-76-2)	TV	VA	20	ppm
US. NIOSH: Pocket Guid		-		
Components	Ту	ре	Va	lue
2-Butoxyethanol (CAS 111-76-2)	TV	VA	24	mg/m3
			5 p	opm
Biological limit values				
ACGIH Biological Expos	sure Indices			
Components	Value	Determinant	Specimen	Sampling Time
2-Butoxyethanol (CAS 111-76-2)	200 mg/g	Butoxyacetic acid (BAA), with hydrolysis	Creatinine in urine	*
* - For sampling details, p	lease see the source de	ocument.		
xposure guidelines				
US - California OELs: SI	kin designation			
2-Butoxyethanol (CA	S 111-76-2)	Can be	e absorbed throu	igh the skin.
US - Minnesota Haz Sub	s: Skin designation a	pplies		
2-Butoxyethanol (CA US - Tennessee OELs: \$		Skin d	esignation applie	2S.
2-Butoxyethanol (CA	S 111-76-2)	Can b	e absorbed throu	igh the skin.
US NIOSH Pocket Guide	e to Chemical Hazards	: Skin designation		
2-Butoxyethanol (CA US. OSHA Table Z-1 Lin	,		e absorbed throu 00)	igh the skin.
2-Butoxyethanol (CA	S 111-76-2)	Can be	e absorbed throu	igh the skin.
Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation should be matched to conditions. If applicable, use process enclosures, local exhaust or other engineering controls to maintain airborne levels below recommended exposur exposure limits have not been established, maintain airborne levels to an acceptable le		cess enclosures, local exhaust ventilation, ls below recommended exposure limits. If		
ndividual protection measu Eye/face protection	•	protective equipments ses with side shields		
Skin protection				
Hand protection	Wear protective g	loves such as: Nitrile	e.	
Other	Wear suitable protective clothing.			
Respiratory protection	NIOSH-approved breathing appara	If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.		
Thermal hazards	Wear appropriate	thermal protective c	othing, when ne	cessary.
General hygiene considerations	after handling the	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		

9. Physical and chemical properties

Appearance		
Physical state	Liquid.	

Form	Aerosol.
Color	Clear.
Odor	Odorless.
Odor threshold	Not available.
рН	8.5
Melting point/freezing point	-103 °F (-75 °C) estimated
Initial boiling point and boiling range	212 °F (100 °C) estimated
Flash point	None (Tag Closed Cup)
Evaporation rate	Slow.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	osive limits
Flammability limit - lower (%)	1.3 % estimated
Flammability limit - upper (%)	10.6 % estimated
Vapor pressure	265.9 hPa estimated
Vapor density	> 1 (air = 1)
Relative density	1.01
Solubility (water)	Soluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	446 °F (230 °C) estimated
Decomposition temperature	Not available.
Viscosity (kinematic)	Not available.
Percent volatile	94.3 % estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Heat, flames and sparks. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Carbon oxides.

11. Toxicological information

Information on likely routes of exposure				
Inhalation	Prolonged inhalation may be harmful.			
Skin contact	2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged. These effects have not been observed in humans.			
Eye contact	Direct contact with eyes may cause temporary irritation.			
Ingestion May cause discomfort if swallowed.				
Symptoms related to theDirect contact with eyes may cause temporary irritation.physical, chemical andtoxicological characteristics				
Information on toxicological effects				
Acute toxicity Not available.				

Product	Species	Test Results
NAPA® Battery Cleaner with Acid	Indicator	
<u>Acute</u>		
Dermal		
LD50	Rabbit	15187 mg/kg estimated
Inhalation		
LC50	Rat	83 mg/l, 4 hours estimated
Oral		
LD50	Rat	21294 mg/kg estimated
* Estimates for product may b	e based on additional component da	ata not shown.
Skin corrosion/irritation	Prolonged skin contact may cause	e temporary irritation.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
IARC Monographs. Overall Evaluation of Carcinogenicity 2-Butoxyethanol (CAS 111-76-2) 3 Not classifiable as to carcinogenicity to humans		
		Not classifiable as to carcinogenicity to humans.
Reproductive toxicity	This product is not expected to ca	use reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	May be harmful if absorbed throug	Jh skin.
	2-Butoxy ethanol may be absorbe prolonged. These effects have no	d through the skin in toxic amounts if contact is repeated and t been observed in humans.

12. Ecological information

otoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment		
Product		Species	Test Results
NAPA® Battery Clean	er with Acid Indicat	or	
Aquatic			
Acute			
Crustacea	EC50	Daphnia	54385.9648 mg/l, 48 hours estimated
Fish	LC50	Fish	5472.7153 mg/l, 96 hours estimated
Components		Species	Test Results
2-Butoxyethanol (CAS	5 111-76-2)		
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	1550 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	>= 1000 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow) 2-Butoxyethanol 0.81, log Pow		
Mobility in soil	No data available.	
Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone potential, endocrine disruption, global warming potential) are expected from this com		
13. Disposal considerati	ons	
Disposal of waste from residues / unused products	The dispensed liquid product is not a RCRA hazardous waste (See 40 CFR Part 261.20 - 261.33). Consult authorities before disposal. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national regulations.	
Hazardous waste code	Not regulated.	
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.	

14. Transport information

i il il allopol i illoritation	
DOT	
UN number	UN1950
UN proper shipping name	Aerosols, non-flammable, limited quantity
Transport hazard class(es)	
Class	2.2
Subsidiary risk	-
Label(s)	2.2
Packing group	Not applicable.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	Not available.
Packaging exceptions	306
Packaging non bulk	None
Packaging bulk	None
ΙΑΤΑ	
UN number	UN1950
UN proper shipping name	Aerosols, non-flammable, limited quantity
Transport hazard class(es)	
Class	2.2
Subsidiary risk	-
Packing group	Not applicable.
Environmental hazards	No.
ERG Code	10L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo	Allowed.
aircraft	
Cargo aircraft only	Allowed.
IMDG	
UN number	UN1950
UN proper shipping name	AEROSOLS, LIMITED QUANTITY
Transport hazard class(es)	
Class	2
Subsidiary risk	-
Packing group	Not applicable.
Environmental hazards	
Marine pollutant	No.
EmS	Not available.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Not regulated. US. OSHA Specifically Regu Not listed. SARA 304 Emergency releas Not regulated.	llated Substances (29 CF	FR 1910.1001-1050)
SARA 304 Emergency release Not regulated.		
	se notification	
· · · ·	Section 313 - Toxic Chem	ical: Listed substance
2-Butoxyethanol (CAS 11 CERCLA Hazardous Substa		
2-Butoxyethanol (CAS 11	· · · ·	Listed.
CERCLA Hazardous Substa	nces: Reportable quanti	ty
Not listed.		
		ient at or above its RQ require immediate notification to the National I Emergency Planning Committee.
Clean Air Act (CAA) Section	112 Hazardous Air Pollu	utants (HAPs) List
Not regulated.	112(r) Assidantal Palas	se Prevention (40 CFR 68.130)
Not regulated.	TTZ(r) Accidental Releas	se Prevention (40 CFR 66.130)
Safe Drinking Water Act	Not regulated.	
(SDWA)		
Food and Drug Administration (FDA)	Not regulated.	
Superfund Amendments and	d Reauthorization Act of	1986 (SARA)
Section 311/312	Immediate Hazard - No	
Hazard categories	Delayed Hazard - No Fire Hazard - No	
	Pressure Hazard - Yes	
	Reactivity Hazard - No	
SARA 302 Extremely hazardous substance	No	
state regulations		
US. California. Candidate Cl (a))	nemicals List. Safer Con	sumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subc
Liquefied Petroleum Gas	· · · · · · · · · · · · · · · · · · ·	
2-Butoxyethanol (CAS 11 US. California Controlled Su		nt of Justice (California Health and Safety Code Section 11100)
Not listed.		
US. New Jersey Worker and 2-Butoxyethanol (CAS 11		low Act
US. Massachusetts RTK - Si		
2-Butoxyethanol (CAS 11	,	
US. Pennsylvania Worker ar		Know Law
2-Butoxyethanol (CAS 11 US. Rhode Island RTK	1-76-2)	
2-Butoxyethanol (CAS 11	1-76-2)	
US. California Proposition 6	-	
WARNING: This product reproductive harm.	contains a chemical know	n to the State of California to cause cancer and birth defects or other
=		e/Carcinogenic substance
1,4-Dioxane (CAS 12 Ethylene oxide (CAS		Listed: January 1, 1988 Listed: July 1, 1987
	ion 65 - CRT: Listed date	•
Ethylene oxide (CAS		Listed: August 7, 2009
US - California Proposit	ion 65 - CRT: Listed date	e/Female reproductive toxin
Ethylene oxide (CAS		Listed: February 27, 1987
US - California Proposit Ethylene oxide (CAS		e/Male reproductive toxin Listed: August 7, 2009
	10-21-01	LISIEU. AUGUSI 1, 2003
terial name: NAPA® Battery Clean	er with Acid Indicator	SD

Volatile organic compounds (VOC) regulations

EPA	
VOC content (40 CFR	7.9 %
51.100(s))	
Consumer products	Not regulated
(40 CFR 59, Subpt. C)	

State

Consumer products	Not regulated
VOC content (CA)	7.9 %
VOC content (OTC)	7.9 %

International Inventories

Country(s) or region	Inventory name Or	n inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
	and the first of the second second second to the second second second second second second second second second	

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	04-29-2015
Prepared by	Allison Cho
Version #	01
Further information	CRC # 530C
HMIS® ratings	Health: 1 Flammability: 0 Physical hazard: 0 Personal protection: B
NFPA ratings	Health: 1 Flammability: 0 Instability: 0
NFPA ratings	
Disclaimer	The information contained in this document applies to this specific material as supplied. It may not

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries.