SECTION 1. IDENTIFICATION

Product identifier used on the label

: FPPF Truck Wash

Product Code(s) : 00361, 00362P, 00363 Recommended use of the chemical and restrictions on use

Vehicle wash

No restrictions on use known. .

Chemical family : Mixture.

Name, address, and telephone number of the manufacturer:

Crescent Manufacturing

10285 Eagle Drive P.O. Box 1500 North Collins, NY,

14111

Manufacturer's Telephone # : 716-337-0145

Name, address, and telephone number of the supplier:

FPPF Chemical Company, Inc.

117 West Tupper Street Buffalo, NY, USA

14201

Supplier's Telephone # : 1-800-735-3773

24 Hr. Emergency Tel # : Chemtrec 1-800-424-9300 (Within Continental U.S.); Chemtrec 703-527-3887

(Outside U.S.).

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Orange liquid. Faint odour.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Classification:

Skin Corrosion/Irritation - Category 1

Serious eye damage/eye irritation - Category 1

Label elements

Hazard pictogram(s)



Signal Word

DANGER!

Hazard statement(s)

Causes severe skin burns and eye damage.

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 4.23%

Precautionary statement(s)

Do not breathe dust or mist. Wash hands and face thoroughly after handling. Wear protective gloves/clothing and eye/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTRE or doctor/physician. Wash contaminated clothing before re-use.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Immediately call a POISON CENTRE or doctor/physician.

If swallowed: Rinse mouth. Do NOT induce vomiting.

Other hazards

No OSHA defined hazard classes.

Other hazards which do not result in classification: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. If mists are formed, inhalation may cause moderate irritation of the nose, throat and respiratory tract. Prolonged or repeated contact may cause drying, cracking and defatting of the skin.

Environmental precautions: Avoid release to the environment. See ECOLOGICAL INFORMATION, Section 12.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

emical name	Common name and synonyms	CAS#	Concentration	
sodium metasilicate - pentahydrate	Sodium silicate	6834-92-0	3.0 - 5.0	
Tetrasodium ethylenediamine tetraacetate	Edetate sodium; Edetic acid tetrasodium salt; Na4EDTA; Tetrasodium EDTA	64-02-8	3.0 - 5.0	
Sodium xylene sulphonate	Sodium dimethylbenzene sulfonate; Benzene sulfonic acid; Dimethyl, sodium salt; Xylene sulfonic acid, sodium salt	1300-72-7	3.0 - 5.0	
Sodium lauryl ether sulphate	(C10-C16)Alkyl ethoxylate sulfuric acid, sodium salt	68585-34-2	1.0 - 3.0	
sodium hydroxide	Caustic soda soda lye	1310-73-2	0.1 - 0.9	
Sulfuric acid disodium salt	Sodium sulfate decahydrate; Disodium sulphate Sodium sulphate	7757-82-6	0.1 - 0.9	
Water	Dihydrogen oxide	7732-18-5	87.0 - 89.0	

The exact concentrations of the above listed chemicals are being withheld as a trade secret.

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

Ingestion : If swallowed: Rinse mouth. Do NOT induce vomiting. Never give anything by mouth

to an unconscious person. If vomiting occurs spontaneously, keep victim's head $\,$

lowered (forward) to reduce the risk of aspiration.

Inhalation : Immediately remove person to fresh air. If breathing has stopped, give artificial

respiration. If breathing is difficult, give oxygen by qualified medical personnel only.

Get medical attention if symptoms persist.

Skin contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower. Immediately call a POISON CENTRE or doctor/physician. Wash

contaminated clothing before re-use.

Eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or

doctor/physician.

Most important symptoms and effects, both acute and delayed

: Causes severe skin burns and eye damage. Symptoms may include severe pain, blurred vision, redness and corrosive damage. Direct skin contact may cause corrosive skin burns, deep ulcerations and possibly permanent scarring. May cause severe irritation to the nose, throat and respiratory tract. Symptoms may include coughing, choking and wheezing. Ingestion may cause severe irritation to the mouth, throat and stomach. Symptoms include: Gastrointestinal discomfort, nausea, vomiting, cramping and diarrhea.

Indication of any immediate medical attention and special treatment needed

: Immediate medical attention is required. Causes burns. Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

: Dry chemical, foam, carbon dioxide and water fog.

Unsuitable extinguishing media

: Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture / Conditions of flammability

 Not flammable under normal conditions of use. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.

Flammability classification (OSHA 29 CFR 1910.106)

: Non-flammable.

Hazardous combustion products

: Carbon oxides; Silicon oxides; Sulfur oxides.; Sodium oxides; irritating fumes and smoke

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode.

Special fire-fighting procedures

Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply or any natural waterway. Dike for water control.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Keep all other personnel upwind and away from the spill/release. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Individuals involved in the cleanup must wear alkali resistant personal protective equipment. Restrict access to area until completion of clean-up. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply.

Methods and material for containment and cleaning up

: Ventilate the area. Prevent further leakage or spillage if safe to do so. Dilute alkali with water and neutralize with acids (e.g. acetic acid/vinegar) For spilled liquids: absorb spill with inert, non-combustible material such as sand, then place into suitable containers. Pick up and transfer to properly labeled containers. Contaminated absorbent material may pose the same hazards as the spilled product. Contact the proper local authorities.

Special spill response procedures

In case of a transportation accident, in the United States contact CHEMTREC at 1-800-424-9300 or International at 1-703-527-3887. If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).

US CERCLA Reportable quantity (RQ): sodium hydroxide (100 lbs / 45.4 kg)

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

: Wear protective gloves and eye/face protection. Wash hands and face thoroughly after handling. Do not ingest. Do not eat, drink, smoke or use cosmetics while working with this product. Avoid breathing vapour or mist. Avoid contact with skin, eyes and clothing. Avoid contact with incompatible materials.

Conditions for safe storage

Store in a cool, dry, well-ventilated area. Store away from incompatibles and out of direct sunlight. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking in the area.

Incompatible materials

: Strong acids, bases and oxidizing or reducing agents.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Chemical Name	ACGIH	TLV	OSHA F	<u>PEL</u>
	<u>TWA</u>	STEL	PEL	STEL
odium metasilicate - entahydrate	N/Av	N/Av	N/Av	N/Av
etrasodium ethylenediamine etraacetate	N/Av	N/Av	N/Av	N/Av
Sodium xylene sulphonate	N/Av	N/Av	N/Av	N/Av
Sodium lauryl ether sulphate	N/Av	N/Av	N/Av	N/Av
odium hydroxide	2 mg/m³ (Ceiling)	N/Av	2mg/m³ (Ceiling)	N/Av
Sulfuric acid disodium salt	N/Av	N/Av	N/Av	N/Av
Vater	N/Av	N/Av	N/Av	N/Av

Exposure controls

Ventilation and engineering measures

: Use in a well-ventilated area. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. In case of insufficient ventilation wear suitable respiratory equipment.

Respiratory protection

: If engineering controls and work practices are not effective in controlling exposure to this material, then wear suitable approved respiratory protection. If the TLV is exceeded, a NIOSH/MSHA-approved respirator is advised. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02.

Skin protection

: Wear protective gloves. Where extensive exposure to product is possible, use resistant coveralls, apron and boots to prevent contact. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye / face protection

 Wear eye/face protection. Chemical splash goggles are recommended. A full face shield may also be necessary.

Other protective equipment

Ensure that eyewash stations and safety showers are close to the workstation location. Other equipment may be required depending on workplace standards.

General hygiene considerations

: Avoid breathing vapour or mist. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove and wash contaminated clothing before re-use. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Clear liquid. Odour Not reported N/Av Odour threshold : 13.0 пΗ N/Av Melting/Freezing point

Initial boiling point and boiling range

: 103°C / 217°F

Flash point : >200°F / >93.3°C Flashpoint (Method) Tag closed cup

Evaporation rate (BuAe = 1) N/Av : N/Ap Flammability (solid, gas)

Lower flammable limit (% by vol.)

N/Av

Upper flammable limit (% by vol.)

N/Av

None known. Oxidizing properties

: N/Av **Explosive properties** Vapour pressure : N/Av : N/Av Vapour density

Relative density / Specific gravity

: 1.075

Soluble Solubility in water Other solubility(ies) : N/Av

Partition coefficient: n-octanol/water or Coefficient of water/oil distribution

: N/Av

: N/Av Auto-ignition temperature **Decomposition temperature** N/Av : N/Av Viscosity : N/Av Volatiles (% by weight) Volatile organic Compounds (VOC's)

: N/Av

Absolute pressure of container

: N/Ap

Flame projection length : N/Ap

Other physical/chemical comments

: None reported by the manufacturer.

SECTION 10. STABILITY AND REACTIVITY

Not normally reactive. Reactivity

Stable under normal conditions. **Chemical stability**

Possibility of hazardous reactions

Hazardous polymerization will not occur. Decomposition may occur at extremely high

temperatures.

Conditions to avoid Ensure adequate ventilation, especially in confined areas. Keep away from direct

sunlight. Avoid contact with incompatible materials.

Incompatible materials Strong acids, bases and oxidizing or reducing agents.

Hazardous decomposition products

None reported by the manufacturer. Refer also to hazardous combustion products,

Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry inhalation : YES
Routes of entry skin & eye : YES
Routes of entry Ingestion : YES

Routes of exposure skin absorption

: NO

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

May cause severe irritation to the nose, throat and respiratory tract. Symptoms may

include coughing, choking and wheezing.

Sign and symptoms ingestion

: Ingestion may cause severe irritation to the mouth, throat and stomach. Symptoms

include: Gastrointestinal discomfort, nausea, vomiting, cramping and diarrhea.

Sign and symptoms skin : Causes severe burns. Direct skin contact may cause corrosive skin burns, deep

ulcerations and possibly permanent scarring.

Sign and symptoms eyes : Causes serious eye damage. Symptoms may include severe pain, blurred vision,

redness and corrosive damage.

Potential Chronic Health Effects

: Prolonged exposure may cause chronic effects.

Mutagenicity : Not expected to be mutagenic in humans.

Carcinogenicity : No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

Reproductive effects & Teratogenicity

: Not expected to cause reproductive effects.

Sensitization to material : Not expected to be a skin sensitizer.

Not expected to be a respiratory sensitizer.

Specific target organ effects: Eyes, skin, respiratory system, digestive system.

Not classified as a specific target organ toxicity-single exposure. Not classified as a specific target organ toxicity-repeated exposure.

Medical conditions aggravated by overexposure

: Pre-existing skin and respiratory disorders.

Synergistic materials: None reported by the manufacturer.

Toxicological data : There is no data available for this product.

The calculated ATE values for this mixture are:

ATE oral = 6329mg/kg ATE dermal = Not applicable.

ATE inhalation (dust/mist) = Not applicable.

See below for individual ingredient acute toxicity data.

	LC50(4hr)	LD ₅₀			
Chemical name	inh, rat	(Oral, rat)	(Rabbit, dermal)		
sodium metasilicate - pentahydrate	> 2.06 mg/L (mist) (No mortality)	1152 - 1349 mg/kg	> 5000 mg/kg (No mortality)		
Tetrasodium ethylenediamine tetraacetate	N/Av	1700 - 1913 mg/kg	N/Av		
Sodium xylene sulphonate	> 6.41 mg/L (aerosol) (No mortality)	7200 mg/kg	> 2000 mg/kg (No mortality)		
Sodium lauryl ether sulphate	N/Av	>2000mg/kg	> 2000 mg/kg		
sodium hydroxide	N/Av	N/Av	N/Av		
Sulfuric acid disodium salt	> 2.4 mg/L (dust) (No mortality)	> 5000 mg/kg	N/Av		
Water	N/Av	>90 mL/kg	N/Av		

Other important toxicological hazards

: None known or reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

: No data is available on the product itself.

See the following tables for individual ingredient ecotoxicity data.

Ecotoxicity data:

		Toxicity to Fish				
<u>Ingredients</u>	CAS No	LC50 / 96h	NOEC / 21 day	M Factor		
sodium metasilicate - pentahydrate	6834-92-0	260 - 310 mg/L (Rainbow trout)	N/Av	None.		
Tetrasodium ethylenediamine tetraacetate	64-02-8	792 mg/L (medium hard water) (Bluegill sunfish)	26.8mg/L (35 day) (Zebra fish) (Read-across)	None.		
Sodium xylene sulphonate	1300-72-7	> 400 mg/L (Fathead minnow)	N/Av	None.		
Sodium lauryl ether sulphate	68585-34-2	15 mg/L (Rainbow trout)	0.12mg/L 28-day (Rainbow trout) (Read-across)	None.		
sodium hydroxide	1310-73-2	125 mg/L (Mosquito fish)	N/Av	None.		
Sulfuric acid disodium salt	7757-82-6	7960 mg/L (Fathead minnow)	N/Av	None.		
Water	7732-18-5	N/Ap	N/Ap	N/Ap		

<u>Ingredients</u>	CAS No	Toxicity to Daphnia				
		EC50 / 48h	NOEC / 21 day	M Factor		
sodium metasilicate - pentahydrate	6834-92-0	1700 mg/L (Daphnia magna)	N/Av	None.		
Tetrasodium ethylenediamine tetraacetate	64-02-8	625 mg/L/24hr (Daphnia magna)	22 mg/L Daphnia magna (Water flea)	None.		
Sodium xylene sulphonate	1300-72-7	> 408 mg/L (Daphnia magna)	N/Av	None.		
Sodium lauryl ether sulphate	68585-34-2	18 mg/L (Daphnia magna)	0.72 mg/L (Daphnia magna) (Read-across)	None.		
sodium hydroxide	1310-73-2	40 mg/L (Daphnia magna)	N/Av	None.		
Sulfuric acid disodium salt	7757-82-6	1766 mg/L (Daphnia magna)	N/Av	None.		
Water	7732-18-5	N/Ap	N/Ap	N/Ap		

<u>Ingredients</u>	CAS No	Toxicity to Algae				
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor		
sodium metasilicate - pentahydrate	6834-92-0	> 345 mg/L/72hr (Green algae)	160 mg/L/72hr	None.		
Tetrasodium ethylenediamine tetraacetate	64-02-8	2.77mg/L/72hr (Green algae)	0.39mg/L/72hr	None.		
Sodium xylene sulphonate	1300-72-7	230 mg/L/96hr (Green algae)	> 240 mg/L/96hr	None.		
Sodium lauryl ether sulphate	68585-34-2	N/Av	0.35 mg/L/72hr (Green algae) (Read-across)	None.		
sodium hydroxide	1310-73-2	N/Av	N/Av	N/Av		
Sulfuric acid disodium salt	7757-82-6	N/Av	N/Av	N/Av		
Water	7732-18-5	N/Ap	N/Ap	N/Ap		

Persistence and degradability

: No data is available on the product itself. The following ingredients are considered to be readily biodegradable: Sodium xylenesulfonate, Sodium lauryl ether sulphate

Bioaccumulation potential

: No data is available on the product itself.

See the following data for ingredient information.

<u>Components</u>	Partition coefficent n-octanol/ater (log Kow)	Bioconcentration factor (BCF)		
sodium metasilicate - pentahydrate (CAS 6834-92-0)	N/Ap	Not expected to bioaccumulate.		
Tetrasodium ethylenediamine tetraacetate (CAS 64-02-8)	-13.17 (estimated)	Not expected to bioaccumulate		
Sodium xylene sulphonate (CAS 1300-72-7)	- 3.12	0.500 (estimate)		
Sodium lauryl ether sulphate (CAS 68585-34-2)	No data available.	Not expected to bioaccumulate		
sodium hydroxide (CAS 1310-73-2)	N/Ap	No data available.		
Sulfuric acid disodium salt (CAS 7757-82-6)	- 3	0.5 (calculated)		
Water (CAS 7732-18-5)	-1.38	N/Ap		

Mobility in soil : No data is available on the product itself.

: The ecological characteristics of this product have not been fully investigated. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal

: Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8.

Methods of Disposal

RCRA

: Dispose of in accordance with federal, provincial and local hazardous waste laws.

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

SECTION 14. TRANSPORTATION INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
49CFR/DOT	UN3253	Disodium trioxosilicate	8	III	3 8
49CFR/DOT Additional information	exceeding 30 kg	as a Limited Quantity when transported in containers no larger that (66 pounds) gross mass. Until December 31, 2020, a limited quandodity' and reclassed as ORM-D, when shipping by ground within	ntity package ma	y be rename	d as
TDG	UN3253	DISODIUM TRIOXOSILICATE	8	III	<u> </u>
TDG Additional information	Litres; in package	as 'Limited Quantity' or 'Consumer Commodity' when transported es not exceeding 30 kg gross mass. Under the TDG, refer to Sect shipping under this exemption.			

Special precautions for user

: None known or reported by the manufacturer.

Environmental hazards

: This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not available.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

<u>Ingredients</u>		TSCA	CERCLA Reportable	SARA TITLE III: Sec. 302, Extremely	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical		
	CAS#	Inventory	Quantity(RQ) (40 CFR 117.302):	Hazardous Substance, 40 CFR 355:	Toxic Chemical	de minimus Concentration	
sodium metasilicate - pentahydrate	6834-92-0	Yes	N/Ap	N/Ap	No	N/Ap	
Tetrasodium ethylenediamine tetraacetate	64-02-8	Yes	N/Ap	N/Ap	No	N/Ap	
Sodium xylene sulphonate	1300-72-7	Yes	N/Ap	N/Ap	No	N/Ap	
Sodium lauryl ether sulphate	68585-34-2	Yes	N/Ap	N/Ap	No	N/Ap	
sodium hydroxide	1310-73-2	Yes	1000 lb/ 454 kg	N/Ap	No	N/Ap	
Sulfuric acid disodium salt	7757-82-6	Yes	N/Ap	N/Ap	No	N/Ap	
Water	7732-18-5	Yes	N/Ap	N/Ap	No	N/Ap	

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Acute Health Hazard Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

Ingredients	CAS#	California Proposition		State "Right to Know" Lists					
ingrodients	CAS#	Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
sodium metasilicate - pentahydrate	6834-92-0	No	Not listed	No	No	No	No	No	No
Tetrasodium ethylenediamine tetraacetate	64-02-8	No	Not listed	No	No	No	No	No	No
Sodium xylene sulphonate	1300-72-7	No	Not listed	No	No	No	No	No	No
Sodium lauryl ether sulphate	68585-34-2	No	Not listed	No	No	No	No	No	No
sodium hydroxide	1310-73-2	No	Not listed	Yes	Yes	Yes	Yes	Yes	Yes
Sulfuric acid disodium salt	7757-82-6	No	Not listed	No	Yes	No	No	Yes	Yes
Water	7732-18-5	No	Not listed	No	No	No	No	No	No

Canadian Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

WHMIS Classification: See Section 2.

International Information:

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	CAS#	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
sodium metasilicate - pentahydrate	6834-92-0	229-912-9	Present	Present	(1)-508	KE-12354	Present	HSR003511
Tetrasodium ethylenediamine tetraacetate	64-02-8	200-573-9	Present	Present	(2)-1265	KE-13654	Present	HSR003275
Sodium xylene sulphonate	1300-72-7	215-090-9	Present	Present	(3)-1909	KE-11217	Present	HSR003382
Sodium lauryl ether sulphate	68585-34-2	N/Av	Present	Present	(7)-120; (7)-155	KE-32438	Present	HSR003213
sodium hydroxide	1310-73-2	215-185-5	Present	Present	(2)-1972; (1)-410	KE-31487	Present	HSR001547
Sulfuric acid disodium salt	7757-82-6	231-820-9	Present	Present	(1)-501	KE-31609	Present	May be used as a single component chemical under an appropriate group standard
Water	7732-18-5	231-791-2	Present	Present	Not listed	KE-35400	Present	May be used as a single component chemical under an appropriate group standard

SECTION 16. OTHER INFORMATION

Legend

: ACGIH: American Conference of Governmental Industrial Hygienists

AICS: Australian Inventory of Chemical Substances

ATE: Acute Toxicity Estimate

CA: California

CAS: Chemical Abstract Services

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

of 1980

CFR: Code of Federal Regulations CSA: Canadian Standards Association DOT: Department of Transportation EC50: Effective Concentration 50%.

EINECS: European Inventory of Existing Commercial chemical Substances

ENCS: Existing and New Chemical Substances

EPA: Environmental Protection Agency

HMIS: Hazardous Materials Identification System HSDB: Hazardous Substances Data Bank

IARC: International Agency for Research on Cancer

Inh: Inhalation

IMDG: International Maritime Dangerous Goods KECI: Korean Existing Chemicals Inventory KECL: Korean Existing Chemicals List

LC: Lethal Concentration

LD: Lethal Dose MA: Massachusetts MN: Minnesota

MSHA: Mine Safety and Health Administration

N/Ap: Not Applicable N/Av: Not Available

NFPA: National Fire Protection Association

NIOSH: National Institute of Occupational Safety and Health

NJ: New Jersey

NTP: National Toxicology Program NOEC: No observable effect concentration

OECD: Organisation for Economic Co-operation and Development

OSHA: Occupational Safety and Health Administration

PA: Pennsylvania

SDS Preparation Date (mm/dd/yyyy): 08/14/2015

SAFETY DATA SHEET

PEL: Permissible exposure limit

PICCS: Philippine Inventory of Chemicals and Chemical Substances

RCRA: Resource Conservation and Recovery Act

RI: Rhode Island

RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act

STEL: Short Term Exposure Limit

TDG: Canadian Transportation of Dangerous Goods Act & Regulations

TLV: Threshold Limit Values
TPQ: Threshold Planning Quantity
TSCA: Toxic Substance Control Act
TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Identification System

: Canadian Centre for Occupational Health and Safety, CCInfoWeb Databases, 2015

(Chempendium, RTECs, HSDB, INCHEM).

OECD- The Global Portal to Information on Chemical Substances - eChemPortal,

2015

European Chemicals Agency, Classification Legislation, 2015

Material Safety Data Sheets from manufacturer.

Information taken from reference works and the literature.

Preparation Date (mm/dd/yyyy)

: 08/14/2015

Other special considerations for handling

: Provide adequate information, instruction and training for operators.

Prepared for:

References

FPPF Chemical Company, Inc. 117 West Tupper Street Buffalo, NY, USA 14201 Telephone: 1-800-735-3773

Please direct all enquiries to FPPF Chemical Company

Prepared by:

ICC The Compliance Center Inc.

Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada)

http://www.thecompliancecenter.com



DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc using information provided by / obtained from FPPF Chemical Company, Inc and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and FPPF Chemical Company, Inc expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc and FPPF Chemical Company, Inc.

END OF DOCUMENT