y Chemical BLUESKY

rechnology co.Ltd.

Ltd.

td.

}-

MATERIAL SAFE DATE SHEET

3D Gel (6625H-1)

Guangziio

MSDS#20240722N

3D Gel (6625H-1)
N/A
Bluesky

Guangzhou Bluesky Chemical 7

Blue

Guangzhou prueses

Guangzhou

Guangzhou

Date: 11-Jul-2024

1. PRODUCT AND COMPANY INFORMATION

1.1 Product identifiers

Product name

Product number **Brand** Bluesky 1.2 Relevant identified uses of product and uses advised against Identified uses: nail

1.3 Details = 1... N/A Index-No

ngzhou Bluesky Chemical Technology Guangzhou Bluesky Chemi

Floor 16, GreenLand Building 2 hemical Techn Company:

NO.129 Huangyuan Road, Baiyun District

Guangzhou, Guangdong

ology Co.Ltd. ent Uangzhou Bluesky Chemical Technology Co.Ltd. Company name: Guangzhou Bluesky Chemical Technology Co., Ltd.

Telephone:

szhou Bluesky 2. HAZARDS IDENTIFICATION

2.1 Emergency Overviews

Physical state:Liquid Color: Transparent

uangzhou Bluesky Chemical Technology C Physical hazard: 1 2.2 Classification of the substance or mixture GHS Classification in accord-

GHS Classification in accordance with 29 CFR 1910(OSHA HCS)
Flammable liquids(Category 4), H227
Acute toxicity, Oral(Category 4). H302
Acute toxicity Acute toxicity, Dermal(Category 4), H302

Acute toxicity, Dermal(Category 4), H302

באָב וויתנation(Category 2), H319
Skin sensitisation(Category 1), H317

2.3 GHS Label elements, including ביר Hazard state: 2.3 GHS Label elements, including precautionary statements
Hazard statement(s)

Chemical Technology Co.Ltd. Guangzhou Bluesky Chemical Technology

Guangz

hnology Co.Ltd.

H227 Flammable liquid.

Lony Co.Ltd.

H302+H312 Harmful if swallowed or contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Tology Co.Ltd. Causes serious eye irritation.

y Chemical Te Precautionary statement(s)

rechnology co.Ltd.

Keep cool. P235

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash skin thoroughly after handling. ingzhou Blues

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace

Guangano

Guangzhou prueses

co.Ltd.

Guangzhou

P280

IF ON COMMENTAL PROBLEM 1. IN THE ONE PROBLEM 1. IN THE ON P301+P312+P330

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to the second se P302+P362+P352 IF ON SKIN: Remove/Take off contaminated clothing; Rinse skin

with water.

P305+P351+P338 nology Co.Ltd.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

. აპ/+P313 P370+P378 If eye irritation persists: Get medical advice/attention.

Guangzhou In case of fire: Use foam, dry chemical or carbon dioxide for

extinction.

Dispose of contents/container to an approved waste dispose plant

. 501 2.3 **Label of WARNINGS** HARMFULUE C

2.4 Personal Protection

MIN-	O NOT HEAT. MAY CAUSE ALLE N AND RESPIRATORY TRACT IF	CITI-	ION.	rechnic
2.4 Personal Protection	1	45.5	-mical	
Refer to Section 8.	anzhou	-KA Che	311	
Gua	ODMATION ON INCOMPLETA	Bluesky		ch
3.1 components	ORMATION ON INGREDIENTS		RIVE	sky Ch
Trade name	INCI NAME/Chemical name	GL CAS GZI	EC NUMBER	CONC
	Bis-Hema Poly (1,4-Butanediol) -14/IF	2134098-86-3	no record	84.29
UV oligomer Silica	Silica	7631-86-9	231-545-4	7.5
Hydroxypropyl Methacrylate	7.80	27813-02-1	248-666-3	4
Hydroxypropyl Methacrylate Hydroxyethyl Methacrylate	НЕМА	868-77-9	212-782-2	2 chi
Guang TPO	TRIMETHYLBENZOYL DIPHENYLPHO	75980-60-8	278-355-8	2
2,6-Di-tert-butyl-4-methylph	enol BHT	128-37-0	204-881-4	o.2
y Co.Ltd.	Guangzho	128-37-0	Bluesk	A Cur
alogy co.	+A.	TOUZHOU		nezhol

	co.Ltd.	Guangz	No	zhou Bluesh
Lechnolog)	Co.Ltd.	co.Ltd.	d. Guans	- Jangzhou
mical	D&C Violet #2	CI 60725/D&C Violet #2	110	353-5 0.01
A Cheir	4. FIRST AID MEAS	sures Tech		co.Ltd-
ingzhou Bli	4.1 Description of find If inhaled Move to fresh air	SURES rst aid measures . If symptoms develop and persist, ge	et medical attention imme	ogy co.Ltd. diately.
00	In case of skin o	contact Chel		ical Tech

Guangzhou

Blue

Technology Co.Ltd. Remove contaminated clothing and shoes. Wash clothing before reuse.

Get medicate medical attention if symptoms.

In case of eye contact

Immediately.

Immediately flush skin with plenty of water(using soap, if available).

Guangzhou Bluesky Chemi

Immediately flush eyes with plenty of water for at least 15 minutes.

Get immediate medical attention.

If ingestic

Do not induce vomiting. Keep individual calm. Get medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed

No date available.

zhou Bluesky

Use foam, dry chemical or carbon dioxide.

5.2 Unusual fire or explosion hazards
Uncontrolled polymerization may occur of rupture of storage containers

5.3 Hazard ical Technology C zhou Bluesky Chemical

5.3 Hazardous combustion products

Oxides of carbon. Oxides of nitrogen. Irritating organic vapors.

5.4 Advice for firefighters

Guangzhou Bl Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate nation. Remove all sources of ignition. Evacuate paragraphs. ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

For personal protection see section 8.

6.2 Environmental al Technology

stony Co.Ltd.

Remove sources of ignition. Prevent product from entering drains or open waters.

hnology Co.Ltd.

6.3 Clean-up methods Guangzhou Bluesky Chemical 7 Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up. Soak up with inert absorbent. Store in a partly filled, closed container until disposal.

achnology Co.Ltd.

rechnology co.Ltd.

inology Co.Ltd. 7.1 Precautions for safe handling

7. HANDLING AND STORAGE
7.1 Precautions for 5 Avoid contact with eyes, skin and clothing. Do not breathe vapor and mist wash thoroughly only in area provided with appropriate exhaust ventilation.
7.2 Conditions for safe storage after handling. Do not heat or spray. Use only with adequate ventilation.Refer to Section8. Use

Guangzhou prueses

Guangzhou Bluesky Chemical 7

Blue

Guangzhou

Keep in a cool, well-ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use.

For safe storage, store at or below 30°C. Extreme temperature range of this product is from Jangzhou Bluesky Chemi ou Bluesky -20 to 80℃.

Incompatible products: Refer to Section 10.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Appropriate engineering controls

general ventilation is not sufficient to control airborne contamination below occupational exposure limits.

8.2 Personal protective control

Eye/face protection

chemical goggles should be used in combination with a full face shield.

Skin protection

Use impermedation Safety goggles or safety glasses with side shields. In a splash hazard environment,

rechnology (Use impermeable gloves(such as neoprene gloves) and protective clothing as necessary to prevent skin contact. Wash and dry hands.

Respiratory protection

Bluesky Chemical Use COSHA approved respirator if there is potential to exceed exposure limit(s). If this material is handled at elevated temperatures or under mist forming conditions, without engineering controls, a COSHA approved respirator must be used.

Control of environmental exposure

Guangzhou Bl Prevent further leakage or spillage if safe to do.Remove sources of ignition. Prevent product from entering drains or open waters.

9. PHYSCIAL AND CHEMICAL PROPERTIES

nical Technology Co.Ltd. 9.1 Information on basic physical and chemical properties

emical Tec

ou Bluesky

3 -

Guang

hnology Co.Ltd.

yallable

y)Water solubility: Slight

h)Vapor pressure: Not available

i) Boiling point/range: Greater than 0

stony Co.Ltd.

Guangzhou Bluesky Chemical Technology

j)Evaporation rate: Not available y chemical T

k)Specific gravity: 1.0-1.3

mology co.Ltd. Technology Co.Ltd. I)Partition coefficient (n-octane/water): Not available zhou Bluesky Chemical Technology Co.Ltd.

m)Flash point: 87°C

o)Upper/lower flammable limits%: Not available p)Upper/lower explosive limits⁰/ دورود می التحادی ال

10. STABILITY AND REACTIVITY

10.1 Reactivity

rechnology co.Ltd.

Ltd.

nology co.

hemical T

ou Bluesky

hnology Co.Ltd.

) -

10.2 Chemical Stability

Conemical Stability
Stable under normal conditions of storage and use.
Possibility of Hazardous polymerization
May occur
Conditions

10.3 Possibility of Hazardous polymerization

10.4 Conditions to avoid

Flames, sparks and other sources of ignition.

10.5 Incompatible materials

Strong acids, strong oxidizing agents and bases.

10.6 Hazardous decomposition products

pology co.Ltd. thou Bluesky Chemical Technology Co.Ltd. Oxides of carbon. Oxides of nitrogen. Dimethylamine. Irritating organic vapors.

Guangziio

Guangzhou prueses

Guangzhou Bluesky Chemi

Guangzhou Bluesky Chemical 7

Blue

Guangzhou

Guangzhou

zhou Bluesky

No date available
Respiratory or skin sensitization
No date available
Germ cell mutagenicity
No date available Carcinogenicity
This produced This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is tified as probable, possible or confirmed by the confirm identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is stiffied as a carcinogen or potential carcinogen by OSHA. Guangzhou Bluesky Chemical identified as a carcinogen or potential carcinogen by OSHA. Guan

Specific target organ toxicity

Lony Co.Ltd.

No date available.

logy Co.Ltd. Other health effects

rechnology co.Ltd.

Ltd.

) -

hnology Co.Ltd.

Technology Co.Ltd. Other healt No records.

ingzhou Bluesl

Chemical Technology Co.Ltd. Dispose of according to P.R.C, province and local governmental regulations.

ECE hazardous waste number: Not a RCRA hazardous waste.

Contaminated packaging

Guangziio

Guangzhou bruesn.

Guangzhou

Blue

Guangzhou Blu

Dispose of as unused product.

14. TRANSPORT INFORMATION

Juangzhou Bluesky Chemi nology co.Ltd. Guangzhou The shipping classifications in this section are for non-bulk packaging only (unless Proper shipping name:Unrestricted otherwise specified). Shipping classification may be different for bulk packaging. Chemical Technology Co.Ltd.

Packing group: None Identification number: None

Bluesky Chemical Technology Co.Ltd. Water Transportation (IMO/IMDG) Proper shipping name:Unrestricted Hazard class or division:None

Packing group: None 15. REGULATORY INFORMATION

SLOW CO.Ltd.

hnology Co.Ltd. All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory. All co Inventory.

y Co.Ltd.

The ingredients are legally permitted as per Cosmetic Regulation(EC) No1223/2009, and mendments and the safety assessment has been carried out in accordance to the contract of the contract o Guangzhou Bluesky Chen its amendments and the safety assessment has been carried out in accordance to Article 3 of this regulation. Guangzhou Bluesky Chemical T Guangzhou

logy Co.Ltd. 16. OTHER INFORMATION

hemical Technology Co.Ltd.

zhou Bluesky Chemical Technology Co.Ltd.

ou Bluesky Chemical Technology Co.Ltd.

Logy Co.Ltd.

rechnology Co.Ltd.

Ltd.

td.

}-

hnology co.Ltd.

hnology Co.Ltd.

emical Technology Co.Ltd.

OTHER INFORMATION
DISCLAIMER
The data contained herein are furnished for information only and are believed to be y chemical determine the suitability of BLUESKY 's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be adviced to of property and some reliable. However, BLUESKY does not assume responsibility for any results obtained by persons over whose methods BLUESKY has no control. It is the user's responsibility to any of BLUESKY NAIL's products. In light of the foregoing, BLUESKY Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of BLUESKY NAIL corporation's products.

Guangziio

Guangzhou prueses

Guangzhou

echnolog)

Guangzhou

Guangzhou Bl

Blue

Guangzhou Bluesky Chemi BLUESKY NAIL Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits. uology co.rtd.

Guangzhou Bluesky Chemical Technology Co.Ltd.

Guangzhou Bluesky Chemical Technology C

Guangzhou Bluesky Chemical Technology

Guangzhou Bluesky Chemical 7

Guangzhou Bluesky Chemical