



a member of the Roche Group

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

VENTANA MEDICAL SYSTEMS INC.
1910 E. Innovation Park Drive
Tucson, Arizona 85755
(520) 887-2155

EMERGENCY TELEPHONE NUMBER:
(800) 424-9300 (USA/Canada)
(CHEMTREC)
+1 (703) 527-3887 (International)

MSDS NUMBER: 00232220

SUBSTANCE: INFORM® HPV II Family 6 Probe

PRODUCT NUMBER(S): 780-2220, 800-2220

PRODUCT USE: clinical/research

CREATION DATE: Oct 09 2006

REVISION DATE: Mar 05 2009

2. HAZARDS IDENTIFICATION

NFPA RATINGS (SCALE 0-4): HEALTH=2 FIRE=0 REACTIVITY=0

EC CLASSIFICATION:

T Toxic

Reproductive Toxin Category 2



RISK PHRASES:

R 61 May cause harm to unborn child.

EMERGENCY OVERVIEW:

COLOR: colorless to amber

PHYSICAL FORM: liquid

ODOR: odorless

MAJOR HEALTH HAZARDS: harmful if inhaled, respiratory tract irritation, skin irritation, eye irritation

POTENTIAL HEALTH EFFECTS:

INHALATION:

SHORT TERM EXPOSURE: irritation, cough, sore throat, nausea, vomiting, stomach pain, headache, dizziness, lung congestion, unconsciousness

LONG TERM EXPOSURE: irritation, nausea, headache, kidney damage, liver damage, unconsciousness

SKIN CONTACT:

SHORT TERM EXPOSURE: irritation

LONG TERM EXPOSURE: irritation

EYE CONTACT:

SHORT TERM EXPOSURE: irritation, eye damage

LONG TERM EXPOSURE: irritation, eye damage

INGESTION:

SHORT TERM EXPOSURE: gastrointestinal irritation, fever, nausea, vomiting, diarrhea, stomach pain, loss of appetite, weight loss, headache, dizziness, disorientation, lung congestion, effects on the brain, convulsions, coma

LONG TERM EXPOSURE: changes in blood pressure, kidney damage, liver damage

3. COMPOSITION, INFORMATION ON INGREDIENTS

COMPONENT: FORMAMIDE

CAS NUMBER: 75-12-7

EC NUMBER (EINECS): 200-842-0

PERCENTAGE: 45-55

EC CLASSIFICATION: Reproductive Toxin Category 2

RISK PHRASES: 61

COMPONENT: SODIUM CHLORIDE

CAS NUMBER: 7647-14-5

EC NUMBER (EINECS): 231-598-3

PERCENTAGE: 1-5

EC CLASSIFICATION: Xi

RISK PHRASES: 36

COMPONENT: NON-HAZARDOUS

CAS NUMBER: Not assigned.

EC NUMBER: Not assigned.

PERCENTAGE: >1

EC CLASSIFICATION: No classification assigned.

4. FIRST AID MEASURES

INHALATION: If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. Get immediate medical attention.

SKIN CONTACT: Wash contaminated areas with soap and water. Thoroughly clean and dry contaminated clothing before reuse. Get medical attention, if needed.

EYE CONTACT: Flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.

INGESTION: If a large amount is swallowed, get medical attention.

5. FIRE FIGHTING MEASURES

FIRE AND EXPLOSION HAZARDS: Negligible fire hazard.

EXTINGUISHING MEDIA: Use extinguishing agents appropriate for surrounding fire.

FIRE FIGHTING: Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products.

SENSITIVITY TO MECHANICAL IMPACT: Not sensitive

SENSITIVITY TO STATIC DISCHARGE: Not sensitive

FLASH POINT: not flammable

HAZARDOUS COMBUSTION PRODUCTS:

Thermal decomposition or combustion products: oxides of carbon, oxides of nitrogen, oxides of sulfur, hydrogen chloride

6. ACCIDENTAL RELEASE MEASURES

OCCUPATIONAL RELEASE:

Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

7. HANDLING AND STORAGE

STORAGE: Store and handle in accordance with all current regulations and standards. Store between 2 C and 8 C. Protect from freezing. See original container for storage recommendations. Keep separated from incompatible substances.

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

EXPOSURE LIMITS:

FORMAMIDE:

20 ppm (30 mg/m³) OSHA TWA (vacated by 58 FR 35338, June 30, 1993)

30 ppm (45 mg/m³) OSHA STEL (vacated by 58 FR 35338, June 30, 1993)

10 ppm ACGIH TWA (skin)

10 ppm (15 mg/m³) NIOSH recommended TWA 10 hour(s) (skin)

DFG MAK (cutaneous absorption danger)

20 ppm (37 mg/m³) UK WEL TWA

30 ppm (56 mg/m³) UK WEL STEL

VENTILATION: Provide adequate ventilation. Ensure compliance with applicable exposure limits.

EYE PROTECTION: Safety glasses or goggles are recommended when there is a potential for eye contact.

Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

CLOTHING: Lab coat or apron.

GLOVES: Wear appropriate chemical resistant gloves.

PROTECTIVE MATERIAL TYPES: nitrile

RESPIRATOR: No respirator is required under normal conditions of use.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: liquid

COLOR: colorless to amber

ODOR: odorless

BOILING POINT: Not available

FREEZING POINT: Not available

VAPOR PRESSURE: Not available

VAPOR DENSITY: Not available

SPECIFIC GRAVITY: Not available

WATER SOLUBILITY: miscible

PH: neutral

VOLATILITY: Not available

ODOR THRESHOLD: Not available

EVAPORATION RATE: Not available

COEFFICIENT OF WATER/OIL DISTRIBUTION: Not available

10. STABILITY AND REACTIVITY

REACTIVITY: Stable at normal temperatures and pressure.

CONDITIONS TO AVOID: None reported.

INCOMPATIBILITIES: oxidizing materials, iodine, pyridines, sulfur trioxide

HAZARDOUS DECOMPOSITION:

Thermal decomposition or combustion products: oxides of carbon, oxides of nitrogen, oxides of sulfur, hydrogen chloride

POLYMERIZATION: Will not polymerize.

11. TOXICOLOGICAL INFORMATION

FORMAMIDE:

IRRITATION DATA: 100 mg eyes-rabbit severe

TOXICITY DATA: >3900 ppm/6 hour(s) inhalation-rat LC50; 17 gm/kg skin-rabbit LD50; 4000 mg/kg oral-rat LD50

LOCAL EFFECTS:

Irritant: inhalation, skin, eye

ACUTE TOXICITY LEVEL:

Toxic: inhalation

Moderately Toxic: ingestion

Slightly Toxic: dermal absorption

SODIUM CHLORIDE:

IRRITATION DATA: 500 mg/24 hour(s) skin-rabbit mild; 100 mg/24 hour(s) eyes-rabbit moderate; 10 mg eyes-rabbit moderate

TOXICITY DATA: 3000 mg/kg oral-rat LD50

LOCAL EFFECTS:

Irritant: eye

ACUTE TOXICITY LEVEL:

Moderately Toxic: ingestion

12. ECOLOGICAL INFORMATION

Not available

13. DISPOSAL CONSIDERATIONS

Dispose in accordance with all applicable regulations.

14. TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION: Not regulated.

CANADIAN TRANSPORTATION OF DANGEROUS GOODS: Not regulated.

LAND TRANSPORT ADR: Not regulated.

LAND TRANSPORT RID: Not regulated.

AIR TRANSPORT IATA: Not regulated.

AIR TRANSPORT ICAO: Not regulated.

MARITIME TRANSPORT IMDG: Not regulated.

15. REGULATORY INFORMATION

U.S. REGULATIONS:

CERCLA SECTIONS 102a/103 HAZARDOUS SUBSTANCES (40 CFR 302.4): Not regulated.

SARA TITLE III SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355 Subpart B): Not regulated.

SARA TITLE III SECTION 304 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355 Subpart C): Not regulated.

SARA TITLE III SARA SECTIONS 311/312 HAZARDOUS CATEGORIES (40 CFR 370 Subparts B and C):

ACUTE: Yes

CHRONIC: Yes

FIRE: No

REACTIVE: No

SUDDEN RELEASE: No

SARA TITLE III SECTION 313 (40 CFR 372.65): Not regulated.

STATE REGULATIONS:

California Proposition 65: Not regulated.

CANADIAN REGULATIONS:

WHMIS CLASSIFICATION: D2A, D2B.

EUROPEAN REGULATIONS:

EC CLASSIFICATION (CALCULATED):

T	Toxic
	Reproductive Toxin Category 2

DANGER/HAZARD SYMBOL:



T

EC RISK AND SAFETY PHRASES:

R 61	May cause harm to unborn child.
S 38	In case of insufficient ventilation, wear suitable respiratory equipment.
S 45	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
S 53	Avoid exposure - obtain special instructions before use.
S 60	This material and its container must be disposed of as hazardous waste.

16. OTHER INFORMATION

EC RISK PHRASES:

R 36	Irritating to eyes.
R 61	May cause harm to unborn child.

“RTECS®” is a United States trademark owned and licensed under authority of the U.S. Government, by and through Symyx Software, Inc. Portions ©Copyright 2001, U.S. Government. All rights reserved.

Limitations: The information and recommendations set forth in this MSDS are believed to be correct as of this date. Ventana Medical Systems, Inc. makes no warranty with respect to the content of this MSDS and disclaims all liability from reliance thereon.