

☐ MATERIAL SAFETY DATA SHEET
May be used to comply with ☐
OSHA's Hazard Communication ☐
Standard, 29CFR 1910.2100. ☐

U.S. DEPARTMENT OF LABOR ☐
Occupational Safety and ☐
Health Administration ☐
(Non-Mandatory Form) ☐

☐ 029- WATER BASED-ANTI-SPATTER (BULK) (PART#'s 64000116, 64000112, 64000114) ☐

☐ RADNOR
☐ 259 NORTH RADNOR-CHESTER RD.-SUITE 100
☐ RADNOR, PA. 19087-5283

EMERGENCY NUMBER: 866-734-3438 ☐
INFORMATION: 866-734-3438 ☐
DATE PREPARED: JANUARY 1, 2008 ☐

SECTION II-HAZARDOUS INGREDIENTS/IDENTITY INFORMATION ☐

Hazardous components OSHA PEL ACGIH TLV %(optional) ☐
None N/A N/A ☐
The ingredients in this product are not listed in 29 CFR 1910
Subpart 2 nor do they appear in "Threshold Limit Values for
Chemical Substances in the work environment adopted by ACGIH for
1985-86." ☐

☐ SECTION III-PHYSICAL/CHEMICAL CHARACTERISTICS ☐

Boiling Point: 212F Specific Gravity(H2O=1)-1.0 ☐
Vapor Pressure: 114 Melting Point: N/A ☐
Vapor Density: 4.0 (AIR=1) Evaporation Rate: Slower than
(BUTYL=1) butyl acetate. ☐

Solubility in Water: Completely miscible. ☐
Appearance and Odor: Straw colored with slight odor. ☐

☐ SECTION IV-FIRE AND EXPLOSION HAZARD DATA ☐

Flash Point (Method Used)	Flammable Limits	LEL	UEL
NONE (TCC)	%BY VOLUME	N/A	N/A

Extinguishing Media: Carbon dioxide, dry chemical or foam. ☐
Special Firefighting Procedures: Pressure-demand, self-contained
protection should be provided. ☐
Storage containers exposed to
fire should be kept cool with
water. ☐

Unusual Fire and Explosion Hazards: At high temperatures, over-
pressurization of containers
can result. Cans may burst. ☐

SECTION V-REACTIVITY DATA□

Stability	Unstable:	Conditions to Avoid
		High temperatures

Stable :X ☐

Incompatibility(Materials to Avoid)☐
N/A

Hazardous Decomposition or Byproducts□
N/A

Hazardous Polymerization: May Occur:	Conditions to Avoid N/A
---	----------------------------

Will Not Occur: X ☐

SECTION VI-HEALTH HAZARD DATA

Route(s) of Entry: Inhalation: Yes Skin: Yes Ingestion: Yes ☐

Health Hazards (Acute and Chronic) ☐
NONE ☐

Chronic-NONE.

Carcinogenicity: No NTP N/A IARC Monographs N/A OSHA N/A

Signs and Symptoms of Exposure: None. ☐

Emergency First Aid Procedures: Eyes:flush eyes with water for 15 minutes. Skin:wash with soap

SECTION VII-PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material Is Released or Spilled:
NONE.

Waste Disposal Method: Incineration in accordance
with local, state and federal
regulations. Supplemental fuel
may be required.

Precautions to Be Taken in
Handling and Storing: Keep from freezing. Store at
temperatures of 4-35C (40-95F) in
order to preserve stability.

Other Precautions: N/A

SECTION VIII-CONTROL MEASURES

Respiratory Protection (Specify type)
None required.

Ventilation: Local Exhaust-Adequate Special-N/A
Mechanical- N/A Other-N/A

Protective Gloves- Rubber or plastic. Eye Protection-Yes

Other Protective Clothing or Equipment-None

Work/Hygienic Practices: Eyewash fountains and safety
showers should be easily access-
ible.

NEW JERSEY RIGHT TO KNOW INFORMATION

WATER	CAS# 7732-18-5	85-95%
LECITHIN	CAS#8002-43-5	7-12%
DOWICIL 75	CAS#004080-31-3	<1%
SODIUM HYPOCHLORITE	CAS#7682-52-9	<1%