

Alcohol Prep Pad 0.75770

Material Safety Data Sheet
 May be used to comply with
 OSHA's Hazard Communication Standard,
 29 CFR 1910.1200. Standard must be
 consulted for specific requirements.

U.S. Department of Labor
 Occupational Safety and Health Administration
 (Non-Mandatory Form)
 Form Approved
 OMB No. 1218-0072



IDENTITY (As Used on Label and List)
Alcohol Pads

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Section I

Medique Products 7701 N. Austin Ave. Skokie, Illinois 60077 Phone: (708) 675-2955 FAX: (708) 675-0252	Emergency Telephone Number
	Telephone Number for Information
	Date Prepared
	Signature of Preparer (optional)

Section II — Hazardous Ingredients/Identity Information

Hazardous Component (Specific Chemical Identity, Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
Isopropanol	400ppm	400ppm	TLV (980mg/m³)	

Section III — Physical/Chemical Characteristics

Boiling Point	>180°F	Specific Gravity (H ₂ O = 1)	0.878
Vapor Pressure (mm Hg.)	733	Melting Point	NA
Vapor Density (AIR = 1)	>2.0	Evaporation Rate (Butyl Acetate = 1)	>7.0
Solubility in Water	Azeotropic		
Appearance and Odor	Clear, colorless with characteristic of IPA		

Section IV — Fire and Explosion Hazard Data

Flash Point (Method Used)	70°F (open cup)	Flammable Limits	LEL	2	UEL	12.0
Extinguishing Media	CO₂, dry chemical, water spray, water fog, alcohol type foam					
Special Fire Fighting Procedures	Wear proper protection, fight fire from safe distance.					

Unusual Fire and Explosion Hazards
Releases vapor below ambient temperatures. Vapors may travel long distances before igniting and flashing back to vapor source.

