



Interprovincial Cooperative Limited

COBUTOX 625

SAFETY DATA SHEET

1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Cobutox 625*
Product Use: Phenoxy (Broadleaf) Herbicide
Product Number: 27911

Manufacturer /Supplier: INTERPROVINCIAL COOPERATIVE LTD.
945 Marion St.
Winnipeg, Manitoba
R2J 0K7 www.ipco.ca

Effective Date: Jun 17, 2016

This product is regulated under authority of the Pest Control Products Act

2: HAZARD IDENTIFICATION

Effects of Overexposure:

Route of Exposure: Inhalation, eye contact, skin contact, ingestion.
Inhalation: May cause headaches, nausea, and lack of coordination. May be harmful if inhaled..
Eye Contact: Mildly irritating.
Skin Contact: Warning Skin irritant. Potential skin sensitizer.
Ingestion: May be harmful if swallowed. Aspiration can be a hazard if this material is swallowed. Will cause vomiting, nausea, diarrhea

3: COMPOSITION AND INFORMATION ON INGREDIENTS

COMPONENT	CAS NUMBER	% (W/W)
(4- (2, 4 Dichlorophenoxy) butyric acid, 2-ethylhexyl ester	94-82-6	83.50 – 88.66
Hydrotreated light petroleum distillates	64742-47-8	6.23 – 6.61
Other ingredients		7.28 – 7.73

Ingredients not listed are proprietary or non-hazardous

4: FIRST AID MEASURES

In case of poisoning, call a physician or poison control centre IMMEDIATELY.

Inhalation:..... Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Ingestion: Call a poison control centre or doctor IMMEDIATELY for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person

Skin: Flush skin with running water, and then continue flushing with running water for 5 - 10 minutes. Start flushing while removing contaminated clothing. If irritation persists, repeat flushing. Obtain medical attention IMMEDIATELY.

Eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention

In case of emergency call CANUTEC at 613-996-6666

Interprovincial Cooperative Ltd.; Information Phone: 204-233-3461

Effective Date:

MSDS # 012

PCP# 27911

Jun 17, 2016

Page 1 of 4

Emergency Medical Care: No specific antidote. Treatment of any systemic intoxication should be primarily symptomatic and supportive. Contains petroleum distillates. Vomiting may cause aspiration pneumonia. Do not induce vomiting. This product may cause mild irritation to the eyes. Overexposure to 2, 4-DB may cause coughing, burning, dizziness or temporary loss of muscle co-ordination. Other possible effects of overexposure include fatigue, muscle weakness or nausea.

5: FIRE-FIGHTING MEASURES

Unusual Fire & Explosion Hazards: Toxic fumes under high temperature conditions. Contain water from fire fighting to prevent entry into water supplies..

Extinguishing Media: Carbon Dioxide, Foam, Water Fog, and Dry Chemical

Special Oxidizing Material Hazards: Not Established

Hazardous Combustion Products: Noxious fumes under fire conditions.

Special Fire Fighting Procedures: Use water spray to cool fires exposed containers or structures. Use water spray to disperse vapours; re-ignition is possible. Use self-contained breathing apparatus and protective clothing.

6: ACCIDENTAL RELEASE MEASURES

In case of spillage, absorb with inert material and dispose of in accordance with applicable regulations.

7: HANDLING AND STORAGE

Store in a cool, well-ventilated area. Keep away from heat, sparks and filling of containers. Keep away from children; prevent contact with eyes, skin, and clothing. Do not store near fertilizers, foodstuffs, seed, insecticides or fungicides.

Do not contaminate irrigation ditches or domestic water supplies. If this happens notify police and local authorities.

8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits:

4- (2, 4 Dichlorophenoxy) butyric acid, 2-ethylhexyl ester

LD50-ORAL: 700 mg/kg Rat

LD50-DERMAL: > 4000 mg/kg Rabbit

T.L.V. (ACGIH): Not Established

LC50: > 6.36 mg/L (4 hrs) Rat

Hydrotreated light petroleum distillates

LD50-ORAL: > 15, 000 mg/kg Rat

LD50-DERMAL: > 3160 mg/kg Rabbit

T.L.V. (ACGIH): Total Hydrocarbones: 1200 mg/m³

LC50: Not Established

Special Engineering Controls: Local exhaust ventilation required.

Eye Protection: CSA approved safety glasses with side shields or goggles.

Respiratory Protection: A NIOSH/MSHA approved air-purifying respirator equipped with organic vapor cartridges near or below TLV. Air supplied respirator above TLV or unknown concentrations.

Hand and Arm: PVC or rubber gloves.

Feet: Rubber boots.

In case of emergency call CANUTEC at 613-996-6666

Interprovincial Cooperative Ltd Information Phone: 204-233-3461

Effective Date:

MSDS # 012

PCP# 27911

Jun 17, 2016

Page 2 of 4

Body: Coveralls.
 Other Personal Protection: Recommendations listed above indicate the type of equipment which will provide protection against overexposure to this product. Conditions of use, adequacy of engineering or other control measures, and actual exposures will dictate the need for specific protective devices at your workplace.

9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid
 Appearance & Odour: Brown, Colour "Solvent" odour
 Specific Gravity: (@ 20⁰c): 1.0900
 Vapour density: Hydrotreated light petroleum distillates: > 7.5 (Air =1)
 Solubility in water: Emulsifies
 Solubility in liquids: Not established
 Freezing point: < 0⁰c
 % volatile by volume: Not applicable
 Boiling point: Hydrotreated light petroleum distillates: 237 - 277⁰C
 Odour threshold (ppm): Not established
 Coefficient of water/oil distribution: Not applicable
 Vapour pressure: Hydrotreated light petroleum distillates: 0 Kpa @ 20°C
 Evaporation rate: Hydrotreated light petroleum distillates: < 0.001 (n-butyl acetate = 1)
 pH: (1% Sol'n): 5.7
 Viscosity: 34.4 cps at 20°C
 Flash Point & Method: (⁰C): > 93.3 (Tag Closed Cup)
 Flammable Limits (% in air): Lower: 0.5
 Upper: 4.8
 Autoignition Temperature: Hydrotreated light petroleum distillates: 243°C

10: STABILITY AND REACTIVITY

Decomposition Temp: Not Established
 Stability: Stable under normal conditions.
 Materials to Avoid: Acidic, basic or oxidizing agents
 Hazardous Decomposition Products: Hydrogen Chloride, Carbon Dioxide, Carbon Monoxide, and other chloride compounds
 Hazardous Polymerization or Condensation: Will not occur.
 Conditions to Avoid: High temperatures, sparks, open flames, and all other sources of ignition.

11: TOXICOLOGICAL INFORMATION

Skin Absorption: Acute dermal LD50 (Rat) >2000 mg/kg.
 Ingestion: Acute oral LD50 (rat) 1603 mg/kg.
 Inhalation: LC50 2.67 mg/L (4 hr, nose-only exposure) Rat
 T.W.A. (ACGIH): Total Hydrocarbons: 1200 mg/m³
 Chronic Health Hazards: Prolonged or repeated exposure may lead to kidney or central nervous system symptoms.
 Mutagenicity Data: Studies on 2,4-DB have been inconclusive with some positive and some negative results. Products similar to the hydrocarbon component are not considered to be mutagenic
 Carcinogenicity Data: The International Agency for Research on Cancer (IARC) lists exposure to chlorophenoxy herbicides as a class 2B carcinogen, the category for limited evidence for carcinogenicity in humans. However, more current 2,4-DB lifetime feeding studies in rats and mice did not show carcinogenic potential. Products similar to the hydrocarbon component are not considered to be mutagenic and are unlikely to cause tumors..

In case of emergency call CANUTEC at 613-996-6666

Interprovincial Cooperative Ltd Information Phone: 204-233-3461

Effective Date:

MSDS # 012

PCP# 27911

Jun 17, 2016

Page 3 of 4

Teratogenicity Data:	Studies in laboratory animals with 2,4-DB have shown decreased litter sizes, decreased fetal body weights and skeletal variations in the offspring at doses toxic to mother animals. These are considered to result from maternal toxicity. Products similar to the hydrocarbon component are not considered to be developmental toxicants.
Reproductive Effects:	No impairment of reproductive function attributable to 2,4-DB has been noted in laboratory animal studies. At doses toxic to parental animals, there were effects on the kidneys, adrenals and ovaries of offspring. At the highest dose, offspring mortalities and growth reductions were observed during lactation.

12: ECOLOGICAL INFORMATION

Data on 2, 4-DB acid:

96-Hour LC50 (mg/L): 2 (Rainbow Trout)
96-Hour LC50 (mg/L): 7.5 (Bluegill)
48-Hour EC50 (mg/L): 2.5 (Daphnia)
Oral LD50 (mg/kg): > 5000 (Bobwhite Quail)
Dietary LC50 (ppm): > 5000 (Mallard Duck)

Chemical Fate Information: The average field half-life of 2, 4-DB is approximately 7 days

13: DISPOSAL CONSIDERATIONS

Dispose of waste materials in an approved incinerator or waste treatment/disposal facility in accordance with applicable regulations. Do not dispose of wastes in local sewer or with normal waste

14: TRANSPORT INFORMATION

This product is Not Regulated under regulations of the Transport of Dangerous Goods Act.

15: REGULATORY INFORMATION

Pest Control Products Act
Registration Number: 27911
For Information Phone: 204-233-3461
MSDS Status/
Revised Sections:
Replaces MSDS Dated: March 25, 2014

16: OTHER INFORMATION

WHMIS Ratings: B3, D2B
Notice: The enclosed information is supplied as a customer service and is provided in good faith. Although it has been based on data drawn from sources deemed to be reliable, IPCO cannot guarantee its accuracy and assumes no responsibility for conditions resulting from its use.

In case of emergency call CANUTEC at 613-996-6666

Interprovincial Cooperative Ltd Information Phone: 204-233-3461

Effective Date:

MSDS # 012

PCP# 27911

Jun 17, 2016

Page 4 of 4