

Material Safety Data Sheet

MSDS ID NO.: 0333MAR019 **Revision date:** 12/07/2010

1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product name: Marathon Full Synthetic 80W-140 NEA

Synonym: Marathon Full Synthetic 80W-140 (Non Eaton Approved); Full Synthetic 80W-140

(Non Eaton Approved), Marathon

Chemical Family: Synthetic Lubricant

Formula: Mixture

Manufacturer:

Marathon Petroleum Company LP 539 South Main Street

Findlay OH 45840

Other information: 419-421-3070 Emergency telephone number: 877-627-5463

2. COMPOSITION/INFORMATION ON INGREDIENTS

Proprietary synthetic gear lubricant.

Product information:

Name	CAS Number	Weight %	ACGIH Exposure Limits:	OSHA - Vacated PELs - Time Weighted Ave	Other:
Marathon Full Synthetic 80W-140	Mixture	100			

Component Information:

Name	CAS Number	Weight %	ACGIH Exposure Limits:	OSHA - Vacated PELs - Time Weighted Ave	Other:
Proprietary Components	Proprietary	100			
Oil Mist, Mineral	8012-95-1	1-100	5 mg/m³ TWA	= 5 mg/m ³ TWA	

Notes: The manufacturer has voluntarily elected to reflect exposure limits contained in

OSHA's 1989 air contaminants standard in its MSDS's, even though certain of those

exposure limits were vacated in 1992.

MSDS ID NO.: 0333MAR019 Product name: Marathon Full Synthetic 80W-140 Page 1 of 8

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

THIS LUBRICANT IS A NON-VOLATILE AND NON-COMBUSTIBLE, AMBER COLORED LIQUID, BUT WILL IGNITE AND BURN AT ELEVATED TEMPERATURES.

Inhalation:

Based on the effects of similar components, exposure to vapor may cause respiratory irritation.

Ingestion:

May be harmful if swallowed in large quantities.

Skin contact:

Similar materials are not classified as skin irritants. May cause mild skin irritation.

Eye contact:

Contact with eyes may cause irritation

Carcinogenic Evaluation:

Product information:

Name	IARC	NTP	ACGIH -	OSHA - Select
	Carcinogens:	Carcinogens:	Carcinogens:	Carcinogens:
Marathon Full Synthetic 80W-140 Mixture	NE			

Notes: The International Agency for Research on Cancer (IARC) has not evaluated this

product.

Component Information:

Notes: No data available.

4. FIRST AID MEASURES

Eye Contact:

Flush eyes with large amounts of tepid water for at least 15 minutes. If symptoms or

irritation occur, call a physician.

Skin Contact:

Wash with soap and large amounts of water. Remove contaminated clothing. If

symptoms or irritation occur, call a physician.

If product is accidentally injected into or under the skin, regardless of wound size or initial absence of symptoms, the individual should be evaluated immediately by a

physician as a surgical emergency.

Ingestion:

If large amounts are swallowed, immediately call a physician.

Inhalation:

If affected, move person to fresh air. If breathing is difficult, administer oxygen. If not

breathing or if no heartbeat, give artificial respiration or cardiopulmonary

resuscitation (CPR). Immediately call a physician. If symptoms or irritation occur with

any exposure, call a physician.

NOTES TO PHYSICIAN:

No data available.

MSDS ID NO.: 0333MAR019 Product name: Marathon Full Synthetic 80W-140 Page 2 of 8

4. FIRST AID MEASURES

Medical Conditions Aggravated By Exposure:

Skin contact could aggravate an existing skin disorder or dermatitis condition.

5. FIRE FIGHTING MEASURES

Suitable extinguishing media:	For small fires, Class B fire extinguishing media such as CO2, dry chemical, foam (AFFF/ATC) or water spray can be used. For large fires, water spray, fog or foam (AFFF/ATC) can be used. Fire fighting should be attempted only by those who are adequately trained and equipped with proper protective equipment.
Specific hazards:	This material is not combustible per the OSHA Hazard Communication Standard, but will ignite and burn at elevated temperatures.
Unusual hazards:	Fine particle sulfur dust dispersed in air in sufficient concentrations, and in the presence of an ignition source could cause a potential dust explosion hazard. Explosion potential would vary depending on size and disperson of dust. For additional fire related information, see NFPA 654.
Special protective equipment for firefighters:	Avoid using straight water streams. Water spray and foam (AFFF/ATC) must be applied carefully to avoid frothing and from as far a distance as possible. Avoid excessive water spray application. Use water spray to cool exposed surfaces from as far a distance as possible. Keep run-off water out of sewers and water sources.
Flash point:	356°F, (180°C) Cleveland Open Cup
Autoignition temperature:	No data available.
Flammable limits in air - lower (%):	No data available.
Flammable limits in air - upper (%):	No data available.
NFPA rating:	
Health: 1	

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Flammability: 1 Instability: 0 Other: -

Keep public away. Isolate and evacuate area. Shut off source if safe to do so. Advise authorities and National Response Center (800-424-8802) if the product has entered a water course or sewer. Advise local and state emergency services agencies, if appropriate. Contain liquid with sand or soil. Recover and return free product to proper containers. Use suitable absorbent materials such as vermiculite, sand, or clay to clean up residual liquids.

7. HANDLING AND STORAGE

Handling:

MSDS ID NO.: 0333MAR019 Product name: Marathon Full Synthetic 80W-140 Page 3 of 8

7. HANDLING AND STORAGE

Comply with all applicable EPA, OSHA, NFPA and consistent state and local requirements. Use appropriate grounding and bonding practices. Store in properly closed containers that are appropriately labeled and in a cool well-ventilated area. Do not cut, drill, grind or weld on empty containers since they may contain explosive residues. Do not pressurize or expose to heat, open flames, strong oxidizers or other sources of ignition.

Avoid repeated and prolonged skin contact. Exercise good personal hygiene including removal of soiled clothing and prompt washing with soap and water. Danger of slipping on spilled product.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT

Engineering measures: Local or general exhaust required when using at elevated temperatures that

generate vapors or mists.

Respiratory protection: Not required under normal conditions and adequate ventilation. Approved organic

vapor chemical cartridge or supplied air respirators should be worn when significant vapors are generated. Observe respirator assigned protection factors (APFs) criteria cited in federal OSHA 1910.134. Self-contained breathing apparatus should be used for fire fighting. Use atmosphere supplying respirators in confined spaces or

when vapors exceed permissible limits.

Skin and body protection: Use chemical resistant gloves such as neoprene, nitrile, or PVA to prevent prolonged

or repeated skin contact.

Eye protection: Safety glasses with side-shields.

Hygiene measures: No special protective clothing is normally required. Select protective clothing

depending on industrial operations. Use mechanical ventilation equipment that is

explosion-proof.

9. PHYSICAL AND CHEMICAL PROPERTIES:

Appearance:Dark LiquidPhysical state (Solid/Liquid/Gas):LiquidSubstance type (Pure/Mixture):MixtureColor:Amber

Odor: Not significant Molecular weight: Not determined.

pH: Neutral

Boiling point/range (5-95%): >100°C (>212°F) Melting point/range: -15°C (5°F) **Decomposition temperature:** Not applicable. Specific gravity: 0.8800-0.9200 Density: No data available. **Bulk density:** No data available. Vapor density: No data available. Vapor pressure: No data available **Evaporation rate:** No data available.

Solubility: Insoluble

Solubility in other solvents:

Partition coefficient (n-octanol/water):

VOC content(%):

Viscosity:

No data available.

No data available.

No data available.

No data available.

MSDS ID NO.: 0333MAR019 Product name: Marathon Full Synthetic 80W-140 Page 4 of 8

10. STABILITY AND REACTIVITY

Stability: The material is stable at 70 F, 760 mm pressure.

Polymerization: Will not occur.

Hazardous decomposition products: Carbon monoxide, carbon dioxide, aldehydes, hydrogen

sulfide, oxides of sulfur, oxides of nitrogen and oxides of

phosphorous.

Materials to avoid: Strong oxidizers such as nitrates, chlorates, peroxides.

Conditions to avoid: Heat and open flames.

11. TOXICOLOGICAL INFORMATION

Acute toxicity:

Product information:

Name	CAS Number	Inhalation:	Dermal:	Oral:
Marathon Full Synthetic 80W-140	Mixture	No data available	No data available	No data available

Toxicology Information:

No product toxicology data are available on this product. The hazard evaluation was based on data of the components.

12. ECOTOXICOLOGICAL INFORMATION

Mobility:

No data available.

Ecotoxicity:

No data available.

Bioaccummulation:

MSDS ID NO.: 0333MAR019

No data available.

Persistance/Biodegradation:

Used motor and/or lube oils can be toxic to birds and fish.

13. DISPOSAL CONSIDERATIONS

13. DISPOSAL CONSIDERATIONS

Cleanup Considerations:

This material as supplied and by itself, when discarded or disposed of, is not an EPA RCRA hazardous waste according to federal regulations. This material could become a hazardous waste if mixed or contaminated with a hazardous waste or other substance(s). It is the responsibility of the user to determine if disposal material is hazardous according to federal, state and local regulations.

Don't pollute. Conserve resources. Send used product to recycling center. Dispose of cleanup materials in accordance with applicable local, state and federal regulations.

14. TRANSPORT INFORMATION

49 CFR 172.101:

DOT:

Transport Information: This material when transported via US commerce is NOT REGULATED by DOT

regulations.

Packing group: Not applicable.

DOT reportable quantity (lbs): Not Applicable......Not Applicable.

Regulated substances: Not applicable......Not applicable.

Regulated substances: Not applicable......Not applicable.

15. REGULATORY INFORMATION

US Federal Regulatory Information:

US TSCA Chemical Inventory Section 8(b): This product and/or its components are listed on the TSCA

Chemical Inventory.

OSHA Hazard Communication Standard: This product has been evaluated and determined not to be

hazardous as defined in OSHA's Hazard Communication

Standard.

EPA Superfund Amendment & Reauthorization Act (SARA):

SARA Section 302: This product contains the following component(s) that have been listed on EPA's

Extremely Hazardous Substance (EHS) List:

Name	CERCLA/SARA - Section 302 Extremely Hazardous Substances and TPQs
Proprietary Components	NA NA
Oil Mist, Mineral	NA

MSDS ID NO.: 0333MAR019 Product name: Marathon Full Synthetic 80W-140 Page 6 of 8

SARA Section 304:

This product contains the following component(s) identified either as an EHS or a CERCLA Hazardous substance which in case of a spill or release may be subject to SARA reporting requirements:

Name	CERCLA/SARA - Hazardous Substances and their Reportable Quantities
Proprietary Components	NA
Oil Mist, Mineral	NA

SARA Section 311/312

The following EPA hazard categories apply to this product:

None

SARA Section 313:

This product contains the following component(s) that may be subject to reporting on the Toxic Release Inventory (TRI) From R:

Name	CERCLA/SARA 313 Emission reporting:	
Proprietary Components	None	
Oil Mist, Mineral	None	

State and Community Right-To-Know Regulations:

The following component(s) of this material are identified on the regulatory lists below:

Proprietary Components

Louisiana Right-To-Know: Not Listed California Proposition 65: Not Listed New Jersey Right-To-Know: Not Listed. Pennsylvania Right-To-Know: Not Listed. Massachusetts Right-To Know: Not Listed. Florida substance List: Not Listed. Rhode Island Right-To-Know: Not Listed Michigan critical materials register list: Not Listed. Massachusetts Extraordinarily Hazardous Not Listed Substances: California - Regulated Carcinogens: Not Listed Pennsylvania RTK - Special Hazardous Not Listed Substances: New Jersey - Special Hazardous Substances: Not Listed New Jersey - Environmental Hazardous Not Listed Substances List: Not Listed Illinois - Toxic Air Contaminants New York - Reporting of Releases Part 597 -Not Listed

Oil Mist, Mineral

List of Hazardous Substances:

Louisiana Right-To-Know: Not Listed California Proposition 65: Not Listed New Jersey Right-To-Know: Not Listed. Pennsylvania Right-To-Know: Present Massachusetts Right-To Know: Present (mist) Florida substance List: Not Listed. Rhode Island Right-To-Know: Flammable; Toxic Not Listed. Michigan critical materials register list:

Massachusetts Extraordinarily Hazardous Not Listed

Substances:

California - Regulated Carcinogens: Not Listed Pennsylvania RTK - Special Hazardous Not Listed

Substances:

MSDS ID NO.: 0333MAR019

New Jersey - Special Hazardous Substances: Not Listed

> Product name: Marathon Full Synthetic 80W-140 Page 7 of 8

Proprietary Components

New Jersey - Environmental Hazardous Not Listed

Substances List:

Illinois - Toxic Air Contaminants

Not Listed

New York - Reporting of Releases Part 597
Not Listed

List of Hazardous Substances:

Canadian Regulatory Information:

Canada DSL/NDSL Inventory: This product and/or its components are listed either on the Domestic Substances List

(DSL) or are exempt.

Name	Canada - WHMIS: Classifications of Substances:	Canada - WHMIS: Ingredient Disclosure:
Oil Mist, Mineral	Uncontrolled product according to WHMIS classification	1 %
	criteria	

NOTE: Not Applicable.

16. OTHER INFORMATION

Additional Information: No data available.

Prepared by: Mark S. Swanson, Manager, Toxicology and Product Safety

The information and recommendations contained herein are based upon tests believed to be reliable. However, Marathon Petroleum Company LP (MPC) does not guarantee their accuracy or completeness nor shall any of this information constitute a warranty, whether expressed or implied, as to the safety of the goods, the merchantability of the goods, or the fitness of the goods for a particular purpose. Adjustment to conform to actual conditions of usage maybe required. MPC assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.

End of Safety Data Sheet

MSDS ID NO.: 0333MAR019 Product name: Marathon Full Synthetic 80W-140 Page 8 of 8