

Product Name: LUS-120 Magenta SDS No. 037-U110350

First issue: 2014/12/16

Revised:

Safety Data Sheets

1. Identification

Product Name : LUS-120 Magenta

Order No. : LUS12-M-BA

General Use : Ink jet printing ink

Product Description : UV Inkjet Ink SDS Number : 037-U110350

Manufacture

Company Name : Mimaki Engineering Co., Ltd.

Address : 2182-3 Shigeno-otsu, Tomi-shi, Nagano 389-0512 JAPAN

Telephone No. : +81-268-64-2413

Importer / Distributor Established in USA

Company Name : MIMAKI USA, INC.

Address : 150 Satellite Boulevard, suite A, Suwanee, Georgia 30024, U.S.A.

Telephone No. : +1-678-730-0100 Emergency Telephone No. : +81-268-64-2281

2. Hazards Identification

[GHS Classification]

Physical Hazards

Flammable Liquids : Not classified

Health Hazards

Sensitization – Skin : Category 1
Toxic to Reproduction : Category 2

The above list does not include category being non-classifiable or not-applicable.

[GHS Label Elements]

Symbol





Signal Word Warning



Product Name: LUS-120 Magenta SDS No. 037-U110350 First issue: 2014/12/16

Revised:

Hazard Statements

H317 May cause an allergic skin reaction

H361 Suspected of damaging fertility or the unborn child

Precautionary Statements

[Prevention]

P201 Obtain SDS (Safety Data Sheet) and printer's manual instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing gas/mist.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

[Response]

P321 Specific treatment (see 4-Response on our website/SDS URL: www.mimaki.co.jp/sds).

P362+P364 Take off contaminated clothing and wash before reuse.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

[Storage]

P405 Store locked up.

[Disposal]

P501 Dispose of contents/container in accordance with local/regional national international regulation (to be specified).

HMIS Rating (scale 0-4)

NFPA Rating (scale 0-4)

Health = 2

Flammability= 1

Reactivity = 0

Protective Equipment = X



Health = 2Flammability = 1Instability = 0Special = -



CANADIAN WHMIS SYMBOLS: Non-controlled



Product Name: LUS-120 Magenta SDS No. 037-U110350

First issue: 2014/12/16 Revised:

3. Composition / Information on Ingredients

No	Chemical Name	Wt%	CAS No.
1	Monomers	85-95	Trade Secret
2	Colorant	1-5	Trade Secret
3	Additives	1-5	Trade Secret
4	Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	1-5	75980-60-8
5	Phosphine oxide, phenylbis(2,4,6-trimethylbenzoyl)-	0.1-1	162881-26-7
6	Photoinitiator	0.1-1	Trade Secret

4. First Aid Measures

Inhalation : Move to fresh air in case of accidental inhalation of vapors. If

symptoms persist, call a physician.

Eye Contact : Rinse immediately with plenty of water and seek medical advice.

Remove contact lenses, if present and easy to do. Continue rinsing.

Keep eye wide open while rinsing.

Skin Contact : If skin irritation persists, call a physician. Wash off immediately

with soap and plenty of water. Wash contaminated clothing before

reuse.

Ingestion : If swallowed, call a poison control center or physician immediately.

Do not induce vomiting without medical advice. Never give anything

by mouth to an unconscious person.

Protection To First-Aiders : Use personal protective equipment as required.

Note To Physician : Treat symptomatically.

5. Fire Fighting Measures

Flammable Properties : Flash point : 109°C/228° F

Extinguishing Media : Dry chemical, CO2, water spray or alcohol-resistant foam.

Unsuitable Extinguishing : Do not use a solid water stream as it may scatter and spread fire.

Media

Specific hazards arising : In the event of fire and/or explosion do not breathe fumes. May

from the chemical cause sensitization by inhalation and skin contact. Thermal

decomposition can lead to release of irritating and toxic gases and



SDS No. 037-U110350 First issue: 2014/12/16

Revised:

Product Name: LUS-120 Magenta

vapors.

Fire Fighting : Wear full fire-fighting turn-out gear (full bunker gear) and respiratory protection (self-contained breathing apparatus). Instructions

Accidental Release Measures

Safety Data Sheets

Personal Precautions : Use personal protective equipment as required. Avoid contact with

skin, eyes or clothing. Keep people away from and upwind of

spill/leak. Evacuate personnel to safe areas.

Environmental : Collect spillage. Do not allow into any sewer, on the ground or into

precautions any body of water. Should not be released into the environment. See

also section 16.

: Absorb or cover with dry earth, sand or other non-combustible Methods for containment

material and transfer to containers.

Methods for cleaning up : Use personal protective equipment as required. Soak up with inert

absorbent material. Pick up and transfer to properly labeled

containers. Clean contaminated surface thoroughly.

Handling and Storage

Handling : Use personal protective equipment as required. Avoid contact with

> skin, eyes or clothing. Do not breathe gas/ mist. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Use with local exhaust ventilation.

: Keep out of the reach of children. Keep in properly labeled containers. Storage

Keep containers tightly closed in a cool, well-ventilated place. Avoid

direct sunlight or high temperature. Store locked up.

Incompatible materials : Strong oxidizing agents.

Exposure Controls / Personal Protection

: This product, as supplied, does not contain any hazardous materials Exposure Limit Values

with occupational exposure limits established by the region specific

regulatory bodies.



Product Name: LUS-120 Magenta SDS No. 037-U110350 First issue: 2014/12/16

Revised:

Exposure Controls

Occupational Exposure Controls

Engineering Controls : S

: Showers, Eyewash stations, ventilation systems

Personal Protection

Respiratory : An air purifying respirator with organic vapor cartridge or canister

Protection may be permissible under certain circumstances where air-borne

concentrations are expected to exceed exposure limits.

Protection provided by air purifying respirators is limited.

Use a positive-pressure, air-supplied respirator if there is any

potential for uncontrolled release, exposure levels are unknown, or in

any other circumstances where air-purifying respirators may not

provide adequate protection.

Hand Protection : Gloves made of plastic or rubber.

Gloves

Eve Protection

: Tight sealing safety goggles. Face protection shield.



Skin Protection

: Suitable protective clothing. Apron. Gloves made of plastic or rubber.



Environmental Exposure Controls

: Not available



Product Name: LUS-120 Magenta SDS No. 037-U110350

First issue: 2014/12/16

Revised:

9. Physical and Chemical Properties

Appearance - Physical State : liquid

- Color : red

Odor : Specific odor
pH : Not Available
Boiling Point / Boiling Range : Not Available
Melting Point / Melting Range : Not Available
Decomposition Temperature : Not Available

Flash Point $: 109^{\circ}\text{C}/228^{\circ}$ F (Acceptance by the lowest flash point)

Auto ignition temperature : Not Available
Upper / Lower Flammability or : Not Available

Explosive Limits

Vapor Pressure

Relative Density : Not Available Solubility : Not Available

Water Solubility : Immiscible in water Viscosity : <35 mPa·s(25 deg.C)

VOC : Not Available

10. Stability and Reactivity

Conditions to Avoid : Extremes of temperature and direct sunlight.

Stability : Stable under recommended storage conditions.

Materials to Avoid : Strong oxidizing agents.

Hazardous Reactions / : Thermal decomposition can lead to release of irritating and toxic

Decomposition Products gases and vapors.



Product Name: LUS-120 Magenta SDS No. 037-U110350

First issue: 2014/12/16

Revised:

11. Toxicological Information

Acute Toxicity : 86% of the mixture consists of ingredient(s) of unknown toxicity

Eye Irritation : Not Available
Skin Irritation : Not Available

Sensitization : Category 1 as a product.

Repeated Dose Toxicity : Not Available

Chronic Toxicity : Avoid repeated exposure.

Mutagenicity : Not Available
Carcinogenicity : Not Available
Reproductive and Developmental Toxicity

: Category 2 as a product.

12. Ecological Information

Handling is noted because it might influence the environment when

leaking and abandoning it.

Especially, note that the product doesn't flow directly to ground, the

river, and the drain ditch.

Ecotoxicity : 99% of the mixture consists of component(s) of unknown hazards to

the aquatic environment

Persistence and : Not Available

Degradability

Bioaccumulative : Not Available

Potential

Other Adverse Effects : Not Available

13. Disposal Considerations

Disposal of wastes : Comply with all USA, national and local regulations.

Do not dump this product into sewers, on the ground or into any body

of water.

See also section 16.



Product Name: LUS-120 Magenta SDS No. 037-U110350

First issue: 2014/12/16 Revised:

14. Transport Information

Check a thing without a leak in a container. Perform prevention of collapse of cargo surely.

<u>Us Department of Transportation (DOT)</u>

UN Number : Not Applicable
 Proper Shipping Name : Not Applicable
 Hazardous Class : Not Applicable
 Packing Group : Not Applicable

Special Provisions : none

Marine pollutant : Not Applicable

TDG

UN Number : Not Applicable
 Proper Shipping Name : Not Applicable
 Hazardous Class : Not Applicable
 Packing Group : Not Applicable

Special Provisions : none

Marine pollutant : Not Applicable

MEX

UN Number : Not ApplicableProper Shipping Name : Not ApplicableHazardous Class : Not Applicable

Special Provisions : none

Packing Group : Not Applicable

IATA

UN Number : Not Applicable
 Proper Shipping Name : Not Applicable
 Hazardous Class : Not Applicable
 Packing Group : Not Applicable

Special Provisions : none



Product Name: LUS-120 Magenta SDS No. 037-U110350

> First issue: 2014/12/16 Revised:

IMDG

UN Number : Not Applicable
 Proper Shipping Name : Not Applicable
 Hazardous Class : Not Applicable
 Packing Group : Not Applicable

Special Provisions : none

Marine pollutant : Not Applicable
Environment hazard : Not Applicable

15. Regulatory Information

TSCA Status : This product contains components registered as TSCA 5(e).

See also section 16.

CERCLA : This material, as supplied, does not contain any substances regulated

Reportable Quantity as hazardous substances under the Comprehensive Environmental

(40 CFR 302) Response Compensation and Liability Act (CERCLA) (40 CFR 302) or

the Superfund Amendments and Reauthorization Act (SARA) (40

CFR 355). There may be specific reporting requirements at the local,

regional, or state level pertaining to releases of this material

SARA TitleIII

Section 311/312 :

(40 CFR 370) Acute health hazard Yes

Chronic Health Hazard No
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

Section 313 : Section 313 of Title III o

: Section 313 of Title III of the Superfund Amendments and

(40 CFR 372) Reauthorization Act of 1986 (SARA). This product does not contain

any chemicals which are subject to the reporting requirements of the

Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act) : This product does not contain any substances regulated as pollutants

pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

California Proposition : This product does not contain any Proposition 65 chemicals

65



Product Name: LUS-120 Magenta SDS No. 037-U110350

> First issue: 2014/12/16 Revised:

Safety Data Sheets

U.S. State : This product does not contain any substances regulated by state

Right-to-Know right-to-know regulations

Regulations

U.S. EPA Label : EPA Pesticide Registration Number

Information Not Applicable

Canada : This product has been classified in accordance with the hazard

criteria of the Controlled Products Regulations (CPR) and the SDS

contains all the information required by the CPR

Others Please refer to any other federal, state and local regulations.

16. Other Information

References 1) LOLI Database (ChemADVISOR,Inc.)

2) Japan National Institute of Technology and Evaluation (NITE)

3) EU CLP(1272/2008)Annex VI Table 3.1

Other Information This formulation contains a maximum of 1% of a SNUR chemical

which is prohibited from release to water. The product or its wastes should either be pretreated before discharge to sewerage systems according to federal regulations or disposed of by incineration or other

state or federal approved methods.

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of Mimaki Engineering Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Mimaki Engineering Corporation assumes no legal responsibility for use or reliance upon this information.