

# MSDS - Material Safety Data Sheet

**Product Name: Plumbers Putty Strip**


MSDS No.: 043280

**Part Numbers Covered:**

043280  
043281  
043282  
043284

**1. Basic Information:**

**Manufacturer:** William H. Harvey Company  
**Address:** 4334 South 67th Street  
**City, ST Zip:** Omaha, NE 68117-1019  
**Emergency Contact:** CHEMTREC  
**Emergency Telephone Number:** (800)424-9300  
**Contact:** Information Telephone Number  
**Information Telephone Number:** (800)228-9681



**Last Update:** 04/26/2006      **Expiration Date:**  
**Chemical State:**     Liquid       Gas       Solid  
**Chemical Type:**     Pure       Mixture

0	Health
1	Flammability
0	Reactivity
	Pers. Protection

**2. Ingredients:**

Trade Secret

CAS No.	Chemical Name	% Range	EHS		IARC		SARA		OSHA PEL	ACGIH TLV	Other Limits
			NTP		SUB Z	313					
NA	THIS PRODUCT IS NOT CLASSIFIED AS HAZARDOUS IN ACCORDANCE WITH OSHA 1910.1200.	NI							NI	NI	NI

**3. Hazardous Identification:**

**Hazard Category:**  
 Acute       Chronic       Fire       Pressure       Reactive

**Hazardous Identification Information:**

Emergency Overview:

Gray putty strip with backing in roll form. Mild petroleum odor. Product presents no hazards under normal and recommended conditions of use. If in contact with eyes, may cause mechanical irritation.

**4. First Aid Measures:**

**Route(s) of Entry:**

None under normal and recommended conditions of use.

**Health Hazards (Acute and Chronic):**

# MSDS - Material Safety Data Sheet

## Product Name: Plumbers Putty Strip

### MSDS No.: 043280

None under normal and recommended conditions of use.

### Signs and Symptoms:

EYES: may cause eye irritation.

INGESTION: has laxative properties and may result in abdominal cramps and diarrhea.

### Medical Conditions Generally Aggravated by Exposure:

None known.

### Emergency and First Aid Procedures:

EMERGENCY FIRST AID CALL: 1-303-623-5716 COLLECT

SKIN: Wash all exposed areas with soap and water.

EYES: If contact with eye(s) occurs, flush with plenty of water until foreign matter is removed. Get medical attention if irritation develops or persists.

INHALATION: Not a likely route of entry.

INGESTION: DO NOT INDUCE VOMITING. Rinse mouth with water. Call a physician.

### Other Health Warnings:

NI

## 5. Fire Fighting Measures:

Flash Point: NA

Lower Explosive Limit: NE

Upper Explosive Limit: NE

### F.P. Method:

**Fire Extinguishing Media:** Use CO<sub>2</sub>, foam or dry chemical to extinguish fire. Cool fire exposed containers with water spray. Water may be ineffective as an extinguishing agent.

### Special Fire Fighting Procedures:

Whatever is appropriate for surrounding fire.

### Unusual Fire and Explosion:

Combustion of this product will produce toxic and irritating vapors including carbon monoxide and carbon dioxide.

## 6. Accidental Release Measures:

### Steps to be Taken in Case Material is Released or Spilled:

Not applicable.

## 7. Handling and Storage:

### Precautions to be Taken:

Store away from heat and keep covered.

### Other Precautions:

KEEP OUT OF REACH OF CHILDREN AND PETS. Pets especially may be attracted to material and ingest. See FIRST AID MEASURES in Section 4 of this MSDS.

# MSDS - Material Safety Data Sheet

## Product Name: Plumbers Putty Strip

MSDS No.: 043280

### 8. Exposure Controls/Personal Protection:

#### Ventilation Requirements:

Under normal conditions of use, this product does not fume or release hazardous or nuisance type vapors and odors. Open area is sufficient.

#### Personal Protective Equipment:

No special personal protective equipment needed. Practice normal good personal hygiene and wash hands thoroughly with soap and water after use.

### 9. Physical and Chemical Properties:

Boiling Point: NA

Melting Point: NA

Evaporation Rate (Butyl Acetate = 1): NA

Vapor Pressure (mm Hg.): NE

Specific Gravity (H<sub>2</sub>O = 1): 1.87000

Vapor Density (AIR = 1): NA

Solubility In Water: NEGLIGIBLE

Appearance and Odor: Gray putty in roll form with slight petroleum odor

Other Information: NI

### 10. Stability and Reactivity:

#### Stability:

Stable.

#### Incompatibility (Materials to Avoid):

Keep away from heat of 25 °F or greater and flame. Keep away from strong oxidizing agents.

#### Decomposition/By Products:

Combustion will produce toxic and irritating vapors including carbon monoxide and carbon dioxide.

#### Hazardous Polymerization:

Will not occur.

### 11. Toxicological Information:

# *MSDS - Material Safety Data Sheet*

## *Product Name: Plumbers Putty Strip*

**MSDS No.:** 043280

**INHALATION:**

Not a likely route of entry.

**SKIN:**

May cause mild irritation on sensitive persons.

**EYE:**

Contact may cause irritation.

**INGESTION:**

Swallowing may cause a laxative effect including cramps and diarrhea.

**CHRONIC:**

Prolonged or repeated overexposure may cause dermatitis.

**TOXICITY DATA:**

No data available.

**SENSITIZATION:**

None of the components of this product are known to cause sensitization.

**CARCINOGENICITY:**

None of the components of this product are listed as a carcinogen or suspect carcinogen by NTP, IARC or OSHA.

**MUTAGENICITY:**

None of the components of this product are known to be mutagenic.

**REPRODUCTIVE TOXICITY:**

None of the components are known to affect human reproduction.

### **12. Ecological Information:**

No data available.

Because of its negligible solubility in water, this product is not expected to be harmful to aquatic life.

### **13. Disposal Considerations:**

Place in trash container and dispose of according to federal, state, and local regulations.

### **14. Transport Information:**

**TRANSPORTATION INFORMATION:**

DOT PROPER SHIPPING NAME: N/A

DOT LABEL: N/A

DOT NUMBER: N/A

UN NUMBER: N/A

IMCO CLASS: N/A

DOT HAZARD CLASSIFICATION: N/A

### **15. Regulatory Information:**

No data available.

### **16. Other Information:**

NI

# *MSDS - Material Safety Data Sheet*

## *Product Name: Plumbers Putty Strip*

**MSDS No.: 043280**

**ABBREVIATIONS:**

~ = Approximately  
< = Less Than  
> = Greater Than  
ACGIH = American Conference of Governmental Industrial Hygienists  
AIHA = American Industrial Hygiene Association  
C = Degrees Celcius  
Deg = Degrees  
EPA = Environmental Protection Agency  
F = Degrees Farenheit  
HMIS = Hazardous Materials Information System  
IARC = International Agency for Research on Cancer  
NA = Not Applicable  
NDA = No Data Available  
NE = Not Established  
NFPA = National Fire Protection Association  
NI = Not Indicated  
NIOSH = National Institute of Occupational Safety and Health  
NTP = National Toxicology Program  
OSHA = Occupational Safety and Health Administration

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided by the William H. Harvey company without any warranty, expressed or implied regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable. Users should make their own investigations to determine the suitability of the information or products for their particular purpose.

The conditions or methods of handling, storage, use, and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, the William H. Harvey Company does not assume responsibility and expressly disclaims liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of the product.