

TRICHROME II STAINING KIT

Version 1.0

Revision Date 09-26-2012

Print Date 05-13-2013

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Commercial Product Name : TRICHROME II STAINING KIT
Mat.-No./ Genisys-No. : 05279283001

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended restrictions on use : For professional users only.

1.3 Details of the supplier of the safety data sheet

Company : Ventana Medical Systems
1910 E. Innovation Park Drive
85755 Tucson AZ

E-mail address :
Telephone : 1-800-227-2155 or 520-877-2155
Telefax :
Responsible Department :
In case of emergencies: : CHEMTREC 1-800-424-9300 (U.S. or
Canada)
1-703-527-3887
(International)
:

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2	H225: Highly flammable liquid and vapour.
Corrosive to metals, Category 1	H290: May be corrosive to metals.
Acute toxicity, Category 4	H302: Harmful if swallowed.
Skin corrosion, Category 1A	H314: Causes severe skin burns and eye damage.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single exposure, Category 2	H371: May cause damage to organs.
Chronic aquatic toxicity, Category 3	H412: Harmful to aquatic life with long lasting effects.

Classification (67/548/EEC, 1999/45/EC)

Corrosive	R35: Causes severe burns.
Carcinogenic Category 3	R40: Limited evidence of a carcinogenic effect.
Sensitising	R43: May cause sensitization by skin contact.
Highly flammable	R 1: Explosive when dry.
Dangerous for the environment	R11: Highly flammable.
	R51/53: Toxic to aquatic organisms, may cause

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Harmful

long-term adverse effects in the aquatic environment.

R68/20/21/22: Harmful: possible risk of irreversible effects through inhalation, in contact with skin and if swallowed.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word :

Danger

Hazard statements :

H225 Highly flammable liquid and vapour.
H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H351 Suspected of causing cancer.
H371 May cause damage to organs.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P233 Keep container tightly closed.
P234 Keep only in original container.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312

IF SWALLOWED: Call a POISON CENTER

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

	or doctor/ physician if you feel unwell.
P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P309 + P311	IF exposed or if you feel unwell: Call a POISON CENTER or doctor/ physician.
P310	Immediately call a POISON CENTER or doctor/ physician.
P321	Specific treatment (see supplemental first aid instructions on this label).
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P363	Wash contaminated clothing before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P390	Absorb spillage to prevent material damage.
Storage:	
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P406	Store in corrosive resistant stainless steel container with a resistant inner liner.
Disposal:	
P501	Dispose of contents/ container to an approved waste disposal plant.

Additional Labelling:

EUH210 Safety data sheet available on request.
EUH001 Explosive when dry.

2.3 Other hazards

No information available.

3. Composition/information on ingredients

3.2 Mixtures

Bouin's Solution

Classification (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Skin corrosion, Category 1A
Skin sensitization, Category 1
Carcinogenicity, Category 2
H314: Causes severe skin burns and eye damage.
H317: May cause an allergic skin reaction.
H351: Suspected of causing cancer.

Classification (67/548/EEC, 1999/45/EC)

Corrosive
Carcinogenic Category 3
Sensitising
R35: Causes severe burns.
R40: Limited evidence of a carcinogenic effect.
R43: May cause sensitization by skin contact.
R 1: Explosive when dry.

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
acetic acid	64-19-7 200-580-7	R10 C; R35	Flam. Liq. 3; H226 Skin Corr. 1A; H314	>= 5 - < 10
formaldehyde	50-00-0 200-001-8	Carc.Cat.3; R40 T; R23/24/25 C; R34 R43	Acute Tox. 3; H301 Acute Tox. 3; H331 Acute Tox. 3; H311 Skin Corr. 1B; H314 Skin Sens. 1; H317 Carc. 2; H351	>= 3 - < 5

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see Section 16.

Hematoxylin A

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2
Acute toxicity, Category 4
Specific target organ toxicity - single
exposure, Category 2
H225: Highly flammable liquid and vapour.
H302: Harmful if swallowed.
H371: May cause damage to organs.

Classification (67/548/EEC, 1999/45/EC)

Highly flammable
Harmful

Dangerous for the environment
R11: Highly flammable.
R20/21/22, R68/20/21/22: Harmful by inhalation, in
contact with skin and if swallowed., Harmful:
possible risk of irreversible effects through
inhalation, in contact with skin and if swallowed.
R51/53: Toxic to aquatic organisms, may cause
long-term adverse effects in the aquatic
environment.

Hazardous components



TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
ethanol	64-17-5 200-578-6	F; R11	Flam. Liq. 2; H225	>= 50 - <= 100
methanol	67-56-1 200-659-6	F; R11 T; R23/24/25- R39/23/24/25	Flam. Liq. 2; H225 Acute Tox. 3; H301 Acute Tox. 3; H331 Acute Tox. 3; H311 STOT SE 1; H370	>= 3 - < 10
propan-2-ol	67-63-0 200-661-7	F; R11 Xi; R36 R67	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	< 10
haematoxylin	517-28-2 208-237-3	Xn; Xn; R22- R36/37/38	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335	< 10
cetrimonium bromide	57-09-0 200-311-3	Xn; Xn; R22 Xi; Xi; R36/37/38 N; N; R50/53	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.025 - < 0.25

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see Section 16.

Hematoxylin B

Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1	H290: May be corrosive to metals.
Skin corrosion, Category 1A	H314: Causes severe skin burns and eye damage.
Chronic aquatic toxicity, Category 3	H412: Harmful to aquatic life with long lasting effects.

Classification (67/548/EEC, 1999/45/EC)

Corrosive	R35: Causes severe burns.
Dangerous for the environment	R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**TRICROME II STAINING KIT**

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
Iron(III)-chloride hexahydrate	10025-77-1 231-729-4	Xn; Xn; R22 Xi; Xi; R38-R41	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318	< 5
hydrogen chloride	7647-01-0 231-595-7	C; R34 Xi; R37	Met. Corr. 1; H290 Skin Corr. 1B; H314 STOT SE 3; H335	< 5
cetrimonium bromide	57-09-0 200-311-3	Xn; Xn; R22 Xi; Xi; R36/37/38 N; N; R50/53	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0.25 - < 2.5

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see Section 16.

Red**Classification (REGULATION (EC) No 1272/2008)**Flammable liquids, Category 3
Skin corrosion, Category 1AH226: Flammable liquid and vapour.
H314: Causes severe skin burns and eye damage.**Classification (67/548/EEC, 1999/45/EC)**

Corrosive

R35: Causes severe burns.

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
ethanol	64-17-5 200-578-6	F; R11	Flam. Liq. 2; H225	< 10
acetic acid	64-19-7 200-580-7	R10 C; R35	Flam. Liq. 3; H226 Skin Corr. 1A; H314	>= 1 - < 5

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

--	--	--	--	--

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see Section 16.

Mordant

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2

H315: Causes skin irritation.

Eye irritation, Category 2

H319: Causes serious eye irritation.

Classification (67/548/EEC, 1999/45/EC)

Not a hazardous substance or mixture according to EC-directives 67/548/EEC or 1999/45/EC.

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
12-wolframophosphoric acid	12501-23-4 215-682-7	C; C; R34	Skin Corr. 1B; H314	< 5

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see Section 16.

Blue II

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Classification (67/548/EEC, 1999/45/EC)

Not a hazardous substance or mixture according to EC-directives 67/548/EEC or 1999/45/EC.

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
acetic acid	64-19-7 200-580-7	R10 C; R35	Flam. Liq. 3; H226 Skin Corr. 1A; H314	>= 1 - < 5
Acid Blue	8004-91-9	Xn; Xn; R20/21/22	Acute Tox. 4; H302 Acute Tox. 4; H332 Acute Tox. 4; H312	< 10

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see Section 16.

TRICHRMIE II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Clarifier

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Classification (67/548/EEC, 1999/45/EC)

Not a hazardous substance or mixture according to EC-directives 67/548/EEC or 1999/45/EC.

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
acetic acid	64-19-7 200-580-7	R10 C; R35	Flam. Liq. 3; H226 Skin Corr. 1A; H314	>= 1 - < 3

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : Move to fresh air.
If unconscious place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
If on skin, rinse well with water.
If on clothes, remove clothes.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICHRMIE II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self contained breathing apparatus for fire fighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
For safety reasons in case of fire, cans should be stored separately in closed containments.
Use a water spray to cool fully closed containers.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Refer to protective measures listed in sections 7 and 8.
Beware of vapours accumulating to form explosive

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICHRMIE II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

concentrations. Vapours can accumulate in low areas.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

Treat recovered material as described in the section "Disposal considerations".

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. To prevent leaks or spillages from spreading, provide a suitable liquid retention system.

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No smoking. Keep container tightly closed in a dry and well-ventilated place.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions

: See label, package insert or internal guidelines

Other data

: No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Laboratory chemicals

8. Exposure controls/personal protection

Exposure Guidelines

Bouin's Solution

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Source
acetic acid	64-19-7	TWA	10 ppm	USA. ACGIH Threshold Limit Values (TLV)
		STEL	15 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	10 ppm 25 mg/m ³	USA. NIOSH Recommended Exposure Limits
		ST	15 ppm 37 mg/m ³	USA. NIOSH Recommended Exposure Limits
		TWA	10 ppm 25 mg/m ³	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	10 ppm 25 mg/m ³	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
formaldehyde	50-00-0	C	0.3 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	0.016 ppm	USA. NIOSH Recommended Exposure Limits
		C	0.1 ppm	USA. NIOSH Recommended Exposure Limits
		TWA	0.016 ppm	USA. NIOSH Recommended Exposure

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

				Limits
	C	0.1 ppm	USA. NIOSH Recommended Exposure Limits	

Hematoxylin A

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Source
ethanol	64-17-5	TWA	1,000 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	1,000 ppm 1,900 mg/m ³	USA. NIOSH Recommended Exposure Limits
		TWA	1,000 ppm 1,900 mg/m ³	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	1,000 ppm 1,900 mg/m ³	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
methanol	67-56-1	TWA	200 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	200 ppm	USA. ACGIH Threshold Limit Values (TLV)
		STEL	250 ppm	USA. ACGIH Threshold Limit Values (TLV)
		STEL	250 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	200 ppm 260 mg/m ³	USA. NIOSH Recommended Exposure Limits
		TWA	200 ppm 260 mg/m ³	USA. NIOSH Recommended Exposure Limits
		ST	250 ppm 325 mg/m ³	USA. NIOSH Recommended Exposure Limits
		ST	250 ppm 325 mg/m ³	USA. NIOSH Recommended Exposure Limits
		TWA	200 ppm 260 mg/m ³	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	200 ppm 260 mg/m ³	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

		TWA	200 ppm 260 mg/m ³	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	200 ppm 260 mg/m ³	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		STEL	250 ppm 325 mg/m ³	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		STEL	250 ppm 325 mg/m ³	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
propan-2-ol	67-63-0	TWA	200 ppm	USA. ACGIH Threshold Limit Values (TLV)
		STEL	400 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	400 ppm 980 mg/m ³	USA. NIOSH Recommended Exposure Limits
		ST	500 ppm 1,225 mg/m ³	USA. NIOSH Recommended Exposure Limits
		TWA	400 ppm 980 mg/m ³	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	400 ppm 980 mg/m ³	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		STEL	500 ppm 1,225 mg/m ³	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000

Hematoxylin B

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Source
hydrogen chloride	7647-01-0	C	2 ppm	USA. ACGIH Threshold Limit Values (TLV)
		C	5 ppm 7 mg/m ³	USA. NIOSH Recommended Exposure Limits
		C	5 ppm 7 mg/m ³	USA. Occupational Exposure Limits (OSHA) -

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICHROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

				Table Z-1 Limits for Air Contaminants
		C	5 ppm 7 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000

Red

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Source
ethanol	64-17-5	TWA	1,000 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	1,000 ppm 1,900 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	1,000 ppm 1,900 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	1,000 ppm 1,900 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
acetic acid	64-19-7	TWA	10 ppm	USA. ACGIH Threshold Limit Values (TLV)
		STEL	15 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	10 ppm 25 mg/m3	USA. NIOSH Recommended Exposure Limits
		ST	15 ppm 37 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	10 ppm 25 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	10 ppm 25 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000

Mordant

Contains no substances with occupational exposure limit values.

Blue II

Components with workplace control parameters

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**TRICROME II STAINING KIT**

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Components	CAS-No.	Value	Control parameters	Source
acetic acid	64-19-7	TWA	10 ppm	USA. ACGIH Threshold Limit Values (TLV)
		STEL	15 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	10 ppm 25 mg/m ³	USA. NIOSH Recommended Exposure Limits
		ST	15 ppm 37 mg/m ³	USA. NIOSH Recommended Exposure Limits
		TWA	10 ppm 25 mg/m ³	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	10 ppm 25 mg/m ³	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000

Clarifier**Components with workplace control parameters**

Components	CAS-No.	Value	Control parameters	Source
acetic acid	64-19-7	TWA	10 ppm	USA. ACGIH Threshold Limit Values (TLV)
		STEL	15 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	10 ppm 25 mg/m ³	USA. NIOSH Recommended Exposure Limits
		ST	15 ppm 37 mg/m ³	USA. NIOSH Recommended Exposure Limits
		TWA	10 ppm 25 mg/m ³	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	10 ppm 25 mg/m ³	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000

Personal protective equipment

Eye protection

: Eye wash bottle with pure water

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICHROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Hand protection

:
Protective gloves

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.
This recommendation is only valid for the product mentioned in the safety data sheet and provided by us and for the application specified by us.
Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection

: impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection

: In the case of vapour formation use a respirator with an approved filter.

Hygiene measures

: When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Bouin's Solution

Appearance	: liquid
Colour	: yellow
Odour	: formaldehyde-like
pH	: 1.21
Melting point/range	: no data available
Boiling point/boiling range	: no data available
Flash point	: not applicable
Lower explosion limit	: no data available
Upper explosion limit	: no data available
Vapour pressure	: no data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Density	: 1.031 g/cm3
Water solubility	: completely miscible
Partition coefficient: n-octanol/water	: no data available
Ignition temperature	: no data available
Thermal decomposition	: Hazardous decomposition products formed under fire conditions.
Viscosity, dynamic	: no data available
Explosive properties	: Explosive when dry.
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
<i>Hematoxylin A</i>	
Appearance	: liquid
Colour	: yellow-orange
pH	: 5 - 7
Melting point/range	: no data available
Boiling point/boiling range	: no data available
Flash point	: ca. 12.5 °C
Lower explosion limit	: no data available
Upper explosion limit	: no data available
Vapour pressure	: no data available
Partition coefficient: n-octanol/water	: no data available
Ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, dynamic	: no data available
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
<i>Hematoxylin B</i>	
Appearance	: liquid
Colour	: yellow-orange
Odour	: very faint
pH	: 1.88
Melting point/range	: no data available
Boiling point/boiling range	: no data available
Flash point	: not applicable
Flammability (solid, gas)	: The product is not flammable.
Lower explosion limit	: no data available
Upper explosion limit	: no data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICHROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Vapour pressure	: no data available
Water solubility	: completely miscible
Partition coefficient: n-octanol/water	: no data available
Ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, dynamic	: no data available
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
<i>Red</i>	
Appearance	: liquid
Colour	: red
Odour	: slightvinegar-like
pH	: 2 - 4
Melting point/range	: no data available
Boiling point/boiling range	: no data available
Flash point	: ca. 57 °C
Lower explosion limit	: no data available
Upper explosion limit	: no data available
Vapour pressure	: no data available
Water solubility	: completely miscible
Partition coefficient: n-octanol/water	: no data available
Ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, dynamic	: no data available
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
<i>Mordant</i>	
Appearance	: liquid
Colour	: colourless
Odour	: odourless
pH	: 2.14
Melting point/range	: no data available
Boiling point/boiling range	: no data available
Flash point	: not applicable
Flammability (solid, gas)	: The product is not flammable.
Lower explosion limit	: no data available
Upper explosion limit	: no data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICHROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Vapour pressure	: no data available
Water solubility	: completely miscible
Partition coefficient: n-octanol/water	: no data available
Ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, dynamic	: no data available
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
<i>Blue II</i>	
Appearance	: liquid
Colour	: blue
Odour	: slightvinegar-like
Melting point/range	: no data available
Boiling point/boiling range	: no data available
Flash point	: not applicable
Flammability (solid, gas)	: The product is not flammable.
Lower explosion limit	: no data available
Upper explosion limit	: no data available
Vapour pressure	: no data available
Water solubility	: completely miscible
Partition coefficient: n-octanol/water	: no data available
Ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, dynamic	: no data available
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
<i>Clarifier</i>	
Appearance	: liquid
Colour	: colourless
Odour	: vinegar-like
pH	: 2.68
Melting point/range	: no data available
Boiling point/boiling range	: no data available
Flash point	: not applicable
Flammability (solid, gas)	: The product is not flammable.
Lower explosion limit	: no data available
Upper explosion limit	: no data available

TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Vapour pressure	: no data available
Density	: 0.9975 g/cm3
Water solubility	: completely miscible
Partition coefficient: n-octanol/water	: no data available
Ignition temperature	: no data available
Thermal decomposition	: Hazardous decomposition products formed under fire conditions.
Viscosity, dynamic	: no data available

9.2 Other information

<i>Bouin's Solution</i>	
Conductivity	: no data available
Oxidising potential	: no data available
Surface tension	: no data available
<i>Hematoxylin A</i>	
Conductivity	: no data available
Oxidising potential	: no data available
Surface tension	: no data available
<i>Hematoxylin B</i>	
Conductivity	: no data available
Oxidising potential	: no data available
Surface tension	: no data available
<i>Red</i>	
Conductivity	: no data available
Oxidising potential	: no data available
Surface tension	: no data available
<i>Mordant</i>	
Conductivity	: no data available
Oxidising potential	: no data available
Surface tension	: no data available
<i>Blue II</i>	
Conductivity	: no data available
Oxidising potential	: no data available
Surface tension	: no data available
<i>Clarifier</i>	
Conductivity	: no data available
Oxidising potential	: no data available
Surface tension	: no data available



TRICHROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

10. Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Do not allow to dry.
Explosive when dry.
Reacts with the following substances:
Acids
Bases
Oxidizing agents
Reducing agents
Amines
Alcohol
Alkali metals

: Further information: No decomposition if stored and applied as directed.

: Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Do not allow evaporation to dryness.
Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Alcohol
Oxidizing agents
Alkali metals
Acids and bases
Amines
Reducing agents

10.6 Hazardous decomposition products

Hazardous decomposition products : Carbon oxides
nitrogen oxides (NOx)
Sulphur oxides
Oxides of phosphorus
Hydrogen chloride gas

11. Toxicological information

11.1 Information on toxicological effects

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICHRONE II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Further information : Solvents may degrease the skin.

Bouin's Solution

Components:

acetic acid :

Acute oral toxicity : LD50 Oral: 3,310 mg/kg, rat

Acute dermal toxicity : LD50 Dermal: 1016 µl/kg, rabbit

Acute toxicity (other routes of administration) : no data available

Skin corrosion/irritation : Result: Causes severe burns., Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation : May cause irreversible eye damage.

Respiratory or skin sensitization : Result: no data available

STOT - single exposure : Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

Aspiration toxicity : no data available

Further information : no data available

formaldehyde :

Acute oral toxicity : LD50: 100 mg/kg, rat

: LD50: 42 mg/kg, mouse

Acute inhalation toxicity : LC50: 203 mg/l, rat

: LC50: 0.155 mg/l, 2 h, mouse,

Acute dermal toxicity : LD50: 270 mg/kg, rabbit

Acute toxicity (other routes of administration) : LD50: 87 mg/kg, rat

: LD50: 300 mg/kg, mouse

: LD50: 420 mg/kg, rat

Skin corrosion/irritation : Result: Causes burns., Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation : May cause irreversible eye damage.

Respiratory or skin sensitization : Classification: May cause sensitization by skin contact., Causes sensitization.

Aspiration toxicity : no data available

Further information : no data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICHROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Hematoxylin A

Components:

ethanol :

Acute oral toxicity	: LD50: 7,000 mg/kg, rat
	: LD50: 3,450 mg/kg, mouse
Acute inhalation toxicity	: LC50: 20000 ppm, 10 h, rat,
	: LC50: 39 g/m3, 4 h, mouse,
Acute dermal toxicity	: no data available
Acute toxicity (other routes of administration)	: no data available
Skin corrosion/irritation	: This information is not available.
Serious eye damage/eye irritation	: This information is not available.
Respiratory or skin sensitization	: Result: no data available
STOT - single exposure	: Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.
Aspiration toxicity	: no data available
Further information	: no data available

methanol :

Acute oral toxicity	: Acute toxicity estimate: 100 mg/kg, Expert judgement
	: LD50 Oral: 7,300 mg/kg, mouse
	: LD50 Oral: 5,600 mg/kg, rat
Acute inhalation toxicity	: Acute toxicity estimate: 3 mg/l, vapour, Expert judgement
	: LC50: 85.26 mg/l, 4 h, rat,
	: LC50: 64000 ppm, 4 h, rat,
Acute dermal toxicity	: Acute toxicity estimate: 300 mg/kg, Expert judgement
	: LD50 Dermal: 15,800 mg/kg, rabbit
Acute toxicity (other routes of administration)	: no data available
Skin corrosion/irritation	: The product may be absorbed through the skin., May irritate skin.
Serious eye damage/eye irritation	: Contact with eyes may cause irritation.
Respiratory or skin sensitization	: guinea pig, Did not cause sensitization on laboratory animals.
Germ cell mutagenicity	
Genotoxicity in vitro	: Ames test, Result: negative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Genotoxicity in vivo	: Result: negative
STOT - single exposure	: Assessment: Causes damage to organs.
STOT - repeated exposure	: Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Aspiration toxicity	: No aspiration toxicity classification
Further information	: Solvents may degrease the skin.
propan-2-ol :	
Acute oral toxicity	: LD50 Oral: 4,570 mg/kg, rat
	: LD50 Oral: 3,600 mg/kg, mouse
	: LD50 Oral: 6,410 mg/kg, rabbit
Acute inhalation toxicity	: LC50: 30 mg/l, 16000 ppm, 4 h, rat,
	: LC50: 53 mg/l, mouse
Acute dermal toxicity	: LD50 Dermal: 13,400 mg/kg, rabbit
Acute toxicity (other routes of administration)	: no data available
Skin corrosion/irritation	: May cause skin irritation in susceptible persons.
Serious eye damage/eye irritation	: Result: Irritating to eyes., May cause irreversible eye damage.
STOT - single exposure	: Assessment: May cause drowsiness or dizziness.
Aspiration toxicity	: no data available
Further information	: no data available
haematoxylin :	
Acute oral toxicity	: LD50 Oral: 400 mg/kg, rat
Acute inhalation toxicity	: no data available
Acute dermal toxicity	: no data available
Acute toxicity (other routes of administration)	: no data available
Skin corrosion/irritation	: Result: Irritating to skin., May cause skin irritation in susceptible persons.
Serious eye damage/eye irritation	: Result: Irritating to eyes., May cause irreversible eye damage.
Respiratory or skin sensitization	: Result: no data available
STOT - single exposure	: Exposure routes: Inhalation Assessment: May cause respiratory irritation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

STOT - repeated exposure : Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity : no data available

Further information : no data available

Hematoxylin B

Components:

Iron(III)-chloride hexahydrate :

Acute oral toxicity : LD50 Oral: 316 mg/kg, rat

Acute inhalation toxicity : no data available

Acute dermal toxicity : no data available

Skin corrosion/irritation : rabbit, Result: Irritating to skin., May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation : rabbit, Result: Risk of serious damage to eyes., May cause irreversible eye damage.

Respiratory or skin sensitization : Result: no data available

Germ cell mutagenicity

Assessment : Not mutagenic in Ames Test.

STOT - single exposure : Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure : Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity : no data available

Further information : no data available

hydrogen chloride :

Acute oral toxicity : no data available

Acute inhalation toxicity : no data available

Acute dermal toxicity : no data available

Acute toxicity (other routes of administration) : no data available

Skin corrosion/irritation : Result: Causes burns., Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation : Result: Risk of serious damage to eyes., May cause irreversible eye damage.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICHRMIE II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

STOT - single exposure : Assessment: May cause respiratory irritation.

STOT - repeated exposure : Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity : no data available

Further information : no data available

Red

Components:

ethanol :

Acute oral toxicity : LD50: 7,000 mg/kg, rat

: LD50: 3,450 mg/kg, mouse

Acute inhalation toxicity : LC50: 20000 ppm, 10 h, rat,

: LC50: 39 g/m3, 4 h, mouse,

Acute dermal toxicity : no data available

Acute toxicity (other routes of administration) : no data available

Skin corrosion/irritation : This information is not available.

Serious eye damage/eye irritation : This information is not available.

Respiratory or skin sensitization : Result: no data available

STOT - single exposure : Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

Aspiration toxicity : no data available

Further information : no data available

acetic acid :

Acute oral toxicity : LD50 Oral: 3,310 mg/kg, rat

Acute dermal toxicity : LD50 Dermal: 1016 µl/kg, rabbit

Acute toxicity (other routes of administration) : no data available

Skin corrosion/irritation : Result: Causes severe burns., Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation : May cause irreversible eye damage.

Respiratory or skin sensitization : Result: no data available

STOT - single exposure : Assessment: The substance or mixture is not classified as

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICHRONE II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

specific target organ toxicant, single exposure.

Aspiration toxicity : no data available

Further information : no data available

Mordant

Components:

12-wolframophosphoric acid :

Acute oral toxicity : LD50: 3,300 mg/kg, rat

Acute inhalation toxicity : no data available

Acute dermal toxicity : no data available

Acute toxicity (other routes of administration) : no data available

Skin corrosion/irritation : Result: Causes burns., Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation : May cause irreversible eye damage.

Respiratory or skin sensitization : Result: no data available

STOT - single exposure : Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

Aspiration toxicity : no data available

Further information : no data available

Blue II

Components:

acetic acid :

Acute oral toxicity : LD50 Oral: 3,310 mg/kg, rat

Acute dermal toxicity : LD50 Dermal: 1016 µl/kg, rabbit

Acute toxicity (other routes of administration) : no data available

Skin corrosion/irritation : Result: Causes severe burns., Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation : May cause irreversible eye damage.

Respiratory or skin sensitization : Result: no data available

STOT - single exposure : Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Aspiration toxicity : no data available

Further information : no data available

Clarifier

Components:

acetic acid :

Acute oral toxicity : LD50 Oral: 3,310 mg/kg, rat

Acute dermal toxicity : LD50 Dermal: 1016 µl/kg, rabbit

Acute toxicity (other routes of administration) : no data available

Skin corrosion/irritation : Result: Causes severe burns., Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation : May cause irreversible eye damage.

Respiratory or skin sensitization : Result: no data available

STOT - single exposure : Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

Aspiration toxicity : no data available

Further information : no data available

12. Ecological information

12.1 Toxicity

Bouin's Solution

Components:

acetic acid :

Toxicity to fish : LC50: 410 mg/l, 48 h, Leuciscus idus (Golden orfe)

Toxicity to daphnia and other aquatic invertebrates : EC50: 95 mg/l, 24 h, Daphnia magna (Water flea)

Toxicity to algae : no data available

Toxicity to bacteria : no data available

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to the environment : no data available

formaldehyde :

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Toxicity to fish	: LC50: 108 mg/l, <i>Leuciscus idus</i> (Golden orfe)
	: LC50: 50 mg/l, <i>Oncorhynchus mykiss</i> (rainbow trout)
	: LC50: 41 mg/l, 96 h, <i>Danio rerio</i> (zebra fish)
	: LC100: 70 mg/l, <i>Oncorhynchus mykiss</i> (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates	: EC50: 42 mg/l, 24 h, <i>Daphnia magna</i> (Water flea), OECD Test Guideline 202
Toxicity to algae	: 2.5 mg/l, 168 h, <i>Scenedesmus quadricauda</i> (Green algae)
Toxicity to bacteria	: EC0: 14 mg/l, 16 h, <i>Pseudomonas putida</i>

Ecotoxicology Assessment

Acute aquatic toxicity	: This product has no known eco-toxicological effects.
Chronic aquatic toxicity	: This product has no known eco-toxicological effects.
Toxicity Data on Soil	: Not expected to adsorb on soil.
Other organisms relevant to the environment	: no data available

Hematoxylin A

Components:

ethanol :

Toxicity to fish	: LC50: 8,000 mg/l, 48 h, <i>Leuciscus idus</i> (Golden orfe)
	: LC50: 7,100 mg/l, <i>Oncorhynchus mykiss</i> (rainbow trout), OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50: 5,400 mg/l, 48 h, <i>Daphnia magna</i> (Water flea)
Toxicity to algae	: EC0: 5,000 mg/l, 7 d, <i>Scenedesmus quadricauda</i> (Green algae)
Toxicity to bacteria	: EC0: 6,500 mg/l, 16 h, <i>Pseudomonas putida</i>

Ecotoxicology Assessment

Toxicity Data on Soil	: Not expected to adsorb on soil.
Other organisms relevant to the environment	: no data available

methanol :

Toxicity to fish	: LC50: 15,400 mg/l, 96 h, <i>Lepomis macrochirus</i> (Bluegill sunfish)
	: LC50: 8,000 mg/l, 48 h, <i>Oncorhynchus mykiss</i> (rainbow trout)
	: LC50: > 10,000 mg/l, <i>Leuciscus idus</i> (Golden orfe)
Toxicity to daphnia and other aquatic invertebrates	: EC50: > 10,000 mg/l, 48 h, <i>Daphnia magna</i> (Water flea)
Toxicity to algae	: 8,000 mg/l, 8 d, <i>Scenedesmus quadricauda</i> (Green algae)
Toxicity to bacteria	: 6,600 mg/l, 16 h, Bacteria

Ecotoxicology Assessment

Toxicity Data on Soil	: Not expected to adsorb on soil.
Other organisms relevant to the environment	: no data available

TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

propan-2-ol :

Toxicity to fish : LC0: 10,000 mg/l, Oncorhynchus mykiss (rainbow trout), OECD Test Guideline 203
: LC50: 12,250 mg/l, Oncorhynchus mykiss (rainbow trout), OECD Test Guideline 203
: LC100: 15,000 mg/l, Oncorhynchus mykiss (rainbow trout), OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50: 9,500 mg/l, 24 h, Daphnia magna (Water flea)

Toxicity to algae : EC0: 1,800 mg/l, 168 h, Scenedesmus quadricauda (Green algae), OECD Test Guideline 201

Toxicity to bacteria : EC0: 1,050 mg/l, 16 h, Pseudomonas putida

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to the environment : no data available

haematoxylin :

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

Toxicity to bacteria : no data available

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to the environment : no data available

Hematoxylin B Components:

Iron(III)-chloride hexahydrate :

Toxicity to fish : LC50: 22 mg/l, 96 h, Pimephales promelas (fathead minnow)
Toxicity to daphnia and other aquatic invertebrates : EC50: 9.6 mg/l, 48 h, Daphnia magna (Water flea)

Toxicity to algae : no data available

Toxicity to bacteria : no data available

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to the environment : no data available

hydrogen chloride :

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

TRICHRONE II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Toxicity to algae : no data available
Toxicity to bacteria : no data available

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known eco-toxicological effects.

Chronic aquatic toxicity : This product has no known eco-toxicological effects.

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to the environment : no data available

Red Components:

ethanol :

Toxicity to fish : LC50: 8,000 mg/l, 48 h, Leuciscus idus (Golden orfe)
: LC50: 7,100 mg/l, Oncorhynchus mykiss (rainbow trout), OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50: 5,400 mg/l, 48 h, Daphnia magna (Water flea)

Toxicity to algae : EC0: 5,000 mg/l, 7 d, Scenedesmus quadricauda (Green algae)
: EC0: 6,500 mg/l, 16 h, Pseudomonas putida

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to the environment : no data available

acetic acid :

Toxicity to fish : LC50: 410 mg/l, 48 h, Leuciscus idus (Golden orfe)
Toxicity to daphnia and other aquatic invertebrates : EC50: 95 mg/l, 24 h, Daphnia magna (Water flea)

Toxicity to algae : no data available
Toxicity to bacteria : no data available

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to the environment : no data available

Mordant Components:

12-wolframophosphoric acid :

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Toxicity to bacteria : no data available

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to the environment : no data available

Blue II

Components:

acetic acid :

Toxicity to fish : LC50: 410 mg/l, 48 h, Leuciscus idus (Golden orfe)

Toxicity to daphnia and other aquatic invertebrates : EC50: 95 mg/l, 24 h, Daphnia magna (Water flea)

Toxicity to algae : no data available

Toxicity to bacteria : no data available

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to the environment : no data available

Clarifier

Components:

acetic acid :

Toxicity to fish : LC50: 410 mg/l, 48 h, Leuciscus idus (Golden orfe)

Toxicity to daphnia and other aquatic invertebrates : EC50: 95 mg/l, 24 h, Daphnia magna (Water flea)

Toxicity to algae : no data available

Toxicity to bacteria : no data available

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to the environment : no data available

12.2 Persistence and degradability

Bouin's Solution

Components:

acetic acid :

Biodegradability : 71 %, Exposure time: 5 d

formaldehyde : : no data available

Biodegradability

Hematoxylin A

Components:

ethanol :

TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Biodegradability methanol :	: no data available
Biodegradability propan-2-ol :	: 99 %, Result: Readily biodegradable., Exposure time: 30 d, OECD Test Guideline 301
Biodegradability haematoxylin :	: 99 %, Exposure time: 11 d, OECD Test Guideline 302 : 57 %, Exposure time: 5 d, OECD Test Guideline 302
Biodegradability <i>Hematoxylin B</i> Components:	: no data available
Iron(III)-chloride hexahydrate :	
Biodegradability hydrogen chloride :	: no data available
Biodegradability <i>Red</i> Components:	: no data available
ethanol :	
Biodegradability acetic acid :	: no data available
Biodegradability <i>Mordant</i> Components:	: 71 %, Exposure time: 5 d
12-wolframophosphoric acid :	
Biodegradability <i>Blue II</i> Components:	: no data available
acetic acid :	
Biodegradability <i>Clarifier</i> Components:	: 71 %, Exposure time: 5 d
acetic acid :	
Biodegradability	: 71 %, Exposure time: 5 d

12.3 Bioaccumulative potential

<i>Bouin's Solution</i>
Components:
acetic acid :
Bioaccumulation
formaldehyde :
Bioaccumulation
<i>Hematoxylin A</i>

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Components:

ethanol :

Bioaccumulation : no data available

methanol :

Bioaccumulation : Does not bioaccumulate.

propan-2-ol :

Bioaccumulation : no data available

haematoxylin :

Bioaccumulation : no data available

Hematoxylin B

Components:

Iron(III)-chloride hexahydrate :

Bioaccumulation : no data available

hydrogen chloride :

Bioaccumulation : no data available

Red

Components:

ethanol :

Bioaccumulation : no data available

acetic acid :

Bioaccumulation : no data available

Mordant

Components:

12-wolframophosphoric acid :

Bioaccumulation : no data available

Blue II

Components:

acetic acid :

Bioaccumulation : no data available

Clarifier

Components:

acetic acid :

Bioaccumulation : no data available

12.4 Mobility in soil

TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Bouin's Solution

Components:

acetic acid :

Mobility : no data available
Distribution among environmental compartments : no data available
Environmental fate and pathways : no data available
Physico-chemical removability : no data available

formaldehyde :

Mobility : no data available
Distribution among environmental compartments : no data available
Environmental fate and pathways : no data available
Physico-chemical removability : no data available

Hematoxylin A

Components:

ethanol :

Mobility : no data available
Distribution among environmental compartments : no data available
Environmental fate and pathways : no data available
Physico-chemical removability : no data available

methanol :

Mobility : no data available
Distribution among environmental compartments : no data available
Environmental fate and pathways : no data available
Physico-chemical removability : no data available

propan-2-ol :

Mobility : no data available
Distribution among environmental compartments : no data available
Environmental fate and pathways : no data available
Physico-chemical removability : no data available

haematoxylin :

Mobility : no data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Distribution among environmental compartments : no data available
Environmental fate and pathways : no data available
Physico-chemical removability : no data available

Hematoxylin B

Components:

Iron(III)-chloride hexahydrate :

Mobility : no data available
Distribution among environmental compartments : no data available
Environmental fate and pathways : no data available
Physico-chemical removability : no data available

hydrogen chloride :

Mobility : no data available
Distribution among environmental compartments : no data available
Environmental fate and pathways : no data available
Physico-chemical removability : no data available

Red

Components:

ethanol :

Mobility : no data available
Distribution among environmental compartments : no data available
Environmental fate and pathways : no data available
Physico-chemical removability : no data available

acetic acid :

Mobility : no data available
Distribution among environmental compartments : no data available
Environmental fate and pathways : no data available
Physico-chemical removability : no data available

Mordant

Components:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

12-wolframophosphoric acid :

Mobility : no data available
Distribution among environmental compartments : no data available
Environmental fate and pathways : no data available
Physico-chemical removability : no data available

Blue II

Components:

acetic acid :

Mobility : no data available
Distribution among environmental compartments : no data available
Environmental fate and pathways : no data available
Physico-chemical removability : no data available

Clarifier

Components:

acetic acid :

Mobility : no data available
Distribution among environmental compartments : no data available
Environmental fate and pathways : no data available
Physico-chemical removability : no data available

12.5 Results of PBT and vPvB assessment

Bouin's Solution

Components:

acetic acid :

Assessment : This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)., This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

formaldehyde :

Assessment

: This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)., This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Hematoxylin A

Components:

ethanol :

Assessment

: This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)., This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

methanol :

Assessment

: This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)., This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

propan-2-ol :

Assessment

: This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)., This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

haematoxylin :

Assessment

: This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)., This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

Hematoxylin B

Components:

Iron(III)-chloride hexahydrate :

Assessment

: This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)., This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

hydrogen chloride :

Assessment

: This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)., This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

Red

Components:

ethanol :

Assessment

: This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)., This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

acetic acid :

Assessment

: This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)., This substance is not

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

considered to be very persistent nor very bioaccumulating (vPvB).

Mordant

Components:

12-wolframophosphoric acid :

Assessment

: This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)., This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

Blue II

Components:

acetic acid :

Assessment

: This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)., This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

Clarifier

Components:

acetic acid :

Assessment

: This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)., This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

12.6 Other adverse effects

Product:

Additional ecological information

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life with long lasting effects.

Bouin's Solution

Components:

acetic acid :

Biochemical Oxygen Demand (BOD)

: no data available

Dissolved organic carbon (DOC)

: no data available

Chemical Oxygen Demand (COD)

: no data available

Adsorbed organic bound halogens (AOX)

: no data available

formaldehyde :

Biochemical Oxygen

: no data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Demand (BOD) : no data available
Dissolved organic carbon (DOC) : no data available
Chemical Oxygen Demand (COD) : no data available
Adsorbed organic bound halogens (AOX) : no data available

Hematoxylin A

Components:

ethanol :

Biochemical Oxygen Demand (BOD) : no data available
Dissolved organic carbon (DOC) : no data available
Chemical Oxygen Demand (COD) : no data available
Adsorbed organic bound halogens (AOX) : no data available

methanol :

Biochemical Oxygen Demand (BOD) : 600 - 1,120 mg/g, Biochemical oxygen demand, 5 d
Dissolved organic carbon (DOC) : no data available
Chemical Oxygen Demand (COD) : 1,420 mg/g
Adsorbed organic bound halogens (AOX) : no data available

propan-2-ol :

Biochemical Oxygen Demand (BOD) : no data available
Dissolved organic carbon (DOC) : no data available
Chemical Oxygen Demand (COD) : no data available
Adsorbed organic bound halogens (AOX) : no data available

haematoxylin :

Biochemical Oxygen Demand (BOD) : no data available
Dissolved organic carbon (DOC) : no data available
Chemical Oxygen Demand (COD) : no data available
Adsorbed organic bound halogens (AOX) : no data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Hematoxylin B

Components:

Iron(III)-chloride hexahydrate :

Biochemical Oxygen Demand (BOD) : no data available
Dissolved organic carbon (DOC) : no data available
Chemical Oxygen Demand (COD) : no data available
Adsorbed organic bound halogens (AOX) : no data available

hydrogen chloride :

Biochemical Oxygen Demand (BOD) : no data available
Dissolved organic carbon (DOC) : no data available
Chemical Oxygen Demand (COD) : no data available
Adsorbed organic bound halogens (AOX) : no data available
Additional ecological information : no data available

Red

Components:

ethanol :

Biochemical Oxygen Demand (BOD) : no data available
Dissolved organic carbon (DOC) : no data available
Chemical Oxygen Demand (COD) : no data available
Adsorbed organic bound halogens (AOX) : no data available

acetic acid :

Biochemical Oxygen Demand (BOD) : no data available
Dissolved organic carbon (DOC) : no data available
Chemical Oxygen Demand (COD) : no data available
Adsorbed organic bound halogens (AOX) : no data available

Mordant

Components:

12-wolframophosphoric acid :

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICHROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Biochemical Oxygen Demand (BOD)	: no data available
Dissolved organic carbon (DOC)	: no data available
Chemical Oxygen Demand (COD)	: no data available
Adsorbed organic bound halogens (AOX)	: no data available

Blue II

Components:

acetic acid :

Biochemical Oxygen Demand (BOD)	: no data available
Dissolved organic carbon (DOC)	: no data available
Chemical Oxygen Demand (COD)	: no data available
Adsorbed organic bound halogens (AOX)	: no data available

Clarifier

Components:

acetic acid :

Biochemical Oxygen Demand (BOD)	: no data available
Dissolved organic carbon (DOC)	: no data available
Chemical Oxygen Demand (COD)	: no data available
Adsorbed organic bound halogens (AOX)	: no data available

13. Disposal considerations

13.1 Waste treatment methods

Product	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

14. Transport information

14.1 UN number

DOT : 3316
IMDG : 3316
IATA : 3316

14.2 Proper shipping name

DOT : Chemical kits
IMDG : Chemical kit
IATA : Chemical kit

14.3 Transport hazard class

DOT : 9
IMDG : 9
IATA : 9

14.4 Packing group

DOT
Packaging group : II
Labels : 9
Tunnel restriction code : packed
IMDG
Packaging group : II
Labels : 9
EmS Number : F-A, S-P
IATA_C
Packing instruction (cargo aircraft) : 960
Packaging group : II
Labels : 9
IATA_P
Packing instruction (passenger aircraft) : 960
Packaging group : II
Labels : 9

14.5 Environmental hazards

DOT
Environmentally hazardous : no
IMDG
Marine Pollutant : no
IATA
Environmentally hazardous : no

14.6 Special precautions for user

no data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICHRMIE II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks : not applicable

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Bouin's Solution

REGULATORY INFORMATION

OSHA Hazards : Highly toxic by inhalation
Toxic by ingestion
Toxic by skin absorption
Skin sensitiser
Corrosive to skin
Carcinogen

WHMIS Classification : D1A Very Toxic Material Causing Immediate and Serious Toxic Effects
Highly toxic by inhalation
D1B Toxic Material Causing Immediate and Serious Toxic Effects
Toxic by ingestion
D2A Very Toxic Material Causing Other Toxic Effects
Toxic by skin absorption
D2B Toxic Material Causing Other Toxic Effects
Carcinogen
E Corrosive Material
Skin sensitiser

Corrosive to metals

Corrosive to skin

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

CERCLA Reportable Quantity

Components : formaldehyde 100 lbs

SARA 302 Reportable Quantity

Product : 2778lbs

Components : formaldehyde
SARA 311/312 Hazards : Acute Health Hazard
Chronic Health Hazard

EPCRA - Emergency Planning and Community Right-to-Know Act

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICHRMIE II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

SARA 302

: The following components are subject to reporting levels established by SARA Title III, Section 302:

Components

: formaldehyde

SARA 304

:

Components

: formaldehyde

Components

: formaldehyde

Clean Air Act

Ozone-Depletion

Potential

: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

formaldehyde 3.6 %

The following chemical(s) are listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F):

formaldehyde 3.6 %

The following chemical(s) are listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F):

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMi Intermediate or Final VOC's (40 CFR 60.489):

acetic acid 5 %

formaldehyde 3.6 %

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

US State Regulations

Massachusetts Right To Know

Components	: acetic acid	5 - 10 %
	formaldehyde	1 - 5 %

Pennsylvania Right To Know

Components	: water	60 - 100 %
	acetic acid	5 - 10 %
	formaldehyde	1 - 5 %
	picric acid	0 - 0.1 %

New Jersey Right To Know

Components	: water	60 - 100 %
------------	---------	------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

acetic acid 5 - 10 %
formaldehyde 1 - 5 %

California Prop 65 Components : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Hematoxylin A

REGULATORY INFORMATION

TSCA list : Listed
(a) List of substances. The following chemical substances are subject to all the provisions of part 716. Manufacturers, importers, and processors of a listed substance are subject to the reporting requirements of subpart A for that substance.

OSHA Hazards : Flammable liquid
Toxic by ingestion
Moderate skin irritant
Moderate eye irritant
Carcinogen

WHMIS Classification : B2 Flammable liquid
Flammable liquid
D1B Toxic Material Causing Immediate and Serious Toxic Effects
Toxic by ingestion
D2B Toxic Material Causing Other Toxic Effects
Moderate skin irritant
Moderate eye irritant

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

CERCLA Reportable Quantity

Components : methanol 5000 lbs
methanol 5000 lbs

SARA 302 Reportable Quantity

Product : This material does not contain any components with a SARA 302 RQ.

Fire Hazard
Acute Health Hazard
Chronic Health Hazard

EPCRA - Emergency Planning and Community Right-to-Know Act

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICHRMIE II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

SARA 302 : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 304 : This material does not contain any components with a section 304 EHS RQ.

Components : methanol

Clean Air Act

Ozone-Depletion Potential : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

methanol 4.9 %

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMi Intermediate or Final VOC's (40 CFR 60.489):

ethanol 89 %

methanol 4.9 %

propan-2-ol 4.9 %

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

US State Regulations

Massachusetts Right To Know

Components	: ethanol	70 - 90 %
	methanol	1 - 5 %
	propan-2-ol	1 - 5 %

Pennsylvania Right To Know

Components	: ethanol	70 - 90 %
	methanol	1 - 5 %
	propan-2-ol	1 - 5 %

New Jersey Right To Know

Components	: ethanol	70 - 90 %
------------	-----------	-----------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICRHOME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

methanol	1 - 5 %
propan-2-ol	1 - 5 %
haematoxylin	1 - 5 %

California Prop 65 Components : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Hematoxylin B

REGULATORY INFORMATION

OSHA Hazards

: Toxic by ingestion
Corrosive to skin
Severe eye irritant
Moderate respiratory irritant

WHMIS Classification

: D1B Toxic Material Causing Immediate and Serious Toxic Effects
Toxic by ingestion
D2B Toxic Material Causing Other Toxic Effects
Moderate respiratory irritant
E Corrosive Material
Corrosive to metals

Corrosive to skin

Corrosive to eyes

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

CERCLA Reportable Quantity

Components : Iron(III)-chloride hexahydrate 1000 lbs

SARA 302 Reportable Quantity

Product : This material does not contain any components with a SARA 302 RQ.

Acute Health Hazard

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 302 : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 304 : This material does not contain any components with a section 304 EHS RQ.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICHROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Clean Air Act

Ozone-Depletion Potential : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

hydrogen chloride 1 %
This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

US State Regulations

Massachusetts Right To Know

Components	: Iron(III)-chloride hexahydrate	1 - 5 %
	hydrogen chloride	1 - 5 %

Pennsylvania Right To Know

Components	: water	90 - 100 %
	Iron(III)-chloride hexahydrate	1 - 5 %
	hydrogen chloride	1 - 5 %

New Jersey Right To Know

Components	: water	90 - 100 %
	Iron(III)-chloride hexahydrate	1 - 5 %
	hydrogen chloride	1 - 5 %

California Prop 65 Components : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Red

REGULATORY INFORMATION

OSHA Hazards : Combustible Liquid
Corrosive to skin

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICHRMIE II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Carcinogen

WHMIS Classification : B3 Combustible Liquid
Combustible Liquid
E Corrosive Material
Corrosive to metals

Corrosive to skin

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

CERCLA Reportable Quantity

Components : acetic acid 5000 lbs

SARA 302 Reportable Quantity

Product : This material does not contain any components with a SARA 302 RQ.

Fire Hazard
Acute Health Hazard
Chronic Health Hazard

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 302 : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 304 : This material does not contain any components with a section 304 EHS RQ.

Clean Air Act

Ozone-Depletion Potential : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMi Intermediate or Final VOC's (40 CFR 60.489):

ethanol 7 %

acetic acid 1.5 %

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.



TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

US State Regulations

Massachusetts Right To Know

Components	:	ethanol	5 - 10 %
		acetic acid	1 - 5 %

Pennsylvania Right To Know

Components	:	water	60 - 100 %
		ethanol	5 - 10 %
		acetic acid	1 - 5 %

New Jersey Right To Know

Components	:	water	60 - 100 %
		ethanol	5 - 10 %
		acetic acid	1 - 5 %

California Prop 65 Components	:	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.
-------------------------------	---	--

Mordant

REGULATORY INFORMATION

OSHA Hazards	:	Corrosive to skin
--------------	---	-------------------

WHMIS Classification	:	E Corrosive Material
		Corrosive to skin

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

CERCLA Reportable Quantity

SARA 302 Reportable Quantity		
Product	:	This material does not contain any components with a SARA 302 RQ.

Acute Health Hazard

EPCRA - Emergency Planning and Community Right-to-Know Act



TRICHRMIE II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

SARA 302 : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 304 : This material does not contain any components with a section 304 EHS RQ.

Clean Air Act

Ozone-Depletion Potential : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

Components	:	water	90 - 100 %
------------	---	-------	------------

New Jersey Right To Know

Components	:	water	90 - 100 %
		12-wolframophosphoric acid	1 - 5 %

California Prop 65 Components : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Blue II REGULATORY INFORMATION

OSHA Hazards : Corrosive to skin

WHMIS Classification : E Corrosive Material
Corrosive to skin

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

CERCLA Reportable Quantity

Components : acetic acid 5000 lbs

SARA 302 Reportable Quantity

Product : This material does not contain any components with a SARA 302 RQ.

Acute Health Hazard

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 302 : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 304 : This material does not contain any components with a section 304 EHS RQ.

Clean Air Act

Ozone-Depletion Potential : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMi Intermediate or Final VOC's (40 CFR 60.489):

acetic acid 2 %

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

US State Regulations

Massachusetts Right To Know

Components : acetic acid 1 - 5 %

Pennsylvania Right To Know

Components : water 90 - 100 %
acetic acid 1 - 5 %

New Jersey Right To Know

Components : water 90 - 100 %
acetic acid 1 - 5 %

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Acid Blue 1 - 5 %

California Prop 65 Components : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Clarifier

REGULATORY INFORMATION

OSHA Hazards : Corrosive to skin

WHMIS Classification : E Corrosive Material
Corrosive to skin

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

CERCLA Reportable Quantity

Components : acetic acid 5000 lbs

SARA 302 Reportable Quantity

Product : This material does not contain any components with a SARA 302 RQ.

Acute Health Hazard

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 302 : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 304 : This material does not contain any components with a section 304 EHS RQ.

Clean Air Act

Ozone-Depletion Potential : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMi Intermediate or Final VOC's (40 CFR 60.489):

acetic acid 1 %

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

US State Regulations

Massachusetts Right To Know

Components	:	acetic acid	1 - 5 %
------------	---	-------------	---------

Pennsylvania Right To Know

Components	:	water	60 - 100 %
		acetic acid	1 - 5 %

New Jersey Right To Know

Components	:	water	60 - 100 %
		sodium 6-(2-hydroxynaphthylazo)-3,4'-azodibenzenesulphonate	1 - 5 %
		acetic acid	1 - 5 %

California Prop 65 Components : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

16. Other information

Full text of R-phrases referred to under sections 2 and 3

R 1	Explosive when dry.
R10	Flammable.
R11	Highly flammable.
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R22	Harmful if swallowed.
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed.

Full text of H-Statements referred to under sections 2 and 3.

Further information

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



TRICHROME II STAINING KIT

Version 1 . 0

Revision Date 09-26-2012

Print Date 05-13-2013

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.