

Version 3.2 Revision Date 2016-05-30

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product information

Product Name : Synfluid® PAO 4 cSt

Material : 1111739, 1111738, 1111733, 1079673, 1079928, 1079872,

1079835, 1079712, 1079702

EC-No.Registration number

Chemical name	CAS-No. EC-No. Index No.	Legal Entity Registration number
1-Decene, homopolymer, hydrogenated	68037-01-4 500-183-1	Chevron Phillips Chemical Company LP 01-2119486452-34-0000
1-Decene, homopolymer, hydrogenated	68037-01-4 500-183-1	Chevron Phillips Chemicals International NV 01-2119486452-34-0006

Relevant Identified Uses

Supported

: Manufacture Distribution

Use as an intermediate

Formulation

Use in coatings – industrial
Use in coatings – professional
Use in Coatings - Consumer
Lubricants - Industrial
Lubricants - Professional
Lubricants - Consumer

Metal working fluids / rolling oils - Industrial Metal working fluids / rolling oils - Professional

Functional Fluids - Industrial Functional Fluids - Professional Functional Fluids - Consumer

Use in polymer production – industrial

Agrochemical uses Agrochemical uses Other consumer uses

Company : Chevron Phillips Chemical Company LP

10001 Six Pines Drive The Woodlands, TX 77380

SDS Number:100000010950 1/37

Version 3.2 Revision Date 2016-05-30

Local : Chevron Phillips Chemicals International N.V.

Airport Plaza (Stockholm Building)

Leonardo Da Vincilaan 19

1831 Diegem Belgium

SDS Requests: (800) 852-5530 Technical Information: (832) 813-4862 Responsible Party: Product Safety Group

Email:sds@cpchem.com

Emergency telephone:

Health:

866.442.9628 (North America) 1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: +800 CHEMCALL (+800 2436 2255) China:+86-21-22157316 EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Responsible Department : Product Safety and Toxicology Group

E-mail address : SDS@CPChem.com Website : www.CPChem.com

SECTION 2: Hazards identification

Classification of the substance or mixture REGULATION (EC) No 1272/2008

Aspiration hazard, Category 1 H304:

May be fatal if swallowed and enters airways.

Label elements

Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal Word : Danger

Hazard Statements : H304 May be fatal if swallowed and enters

airways.

Precautionary Statements : Response:

P301 + P310 IF SWALLOWED: Immediately call a

POISON CENTER/doctor.

P331 Do NOT induce vomiting.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an

approved waste disposal plant.

SDS Number:100000010950 2/37

Version 3.2 Revision Date 2016-05-30

Hazardous ingredients which must be listed on the label:

• 68037-01-4 1-Decene, homopolymer, hydrogenated

SECTION 3: Composition/information on ingredients

Synonyms : Polyalphaolefin

PAO

Molecular formula : UVCB

Mixtures

Hazardous ingredients

Chemical name	CAS-No. EC-No. Index No.	Classification (REGULATION (EC) No 1272/2008)	Concentration [wt%]
1-Decene, homopolymer, hydrogenated	68037-01-4 500-183-1	Asp. Tox. 1; H304	100

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

General advice : Move out of dangerous area. Show this material safety data

sheet to the doctor in attendance. Do not leave the victim unattended. Material may produce a serious, potentially fatal

pneumonia if swallowed or vomited.

If inhaled : Move to fresh air. If unconscious place in recovery position

and seek medical advice. If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water. If on clothes, remove clothes.

If skin irritation persists, call a physician.

In case of eye contact : Flush eyes with water as a precaution. Remove contact

lenses. Protect unharmed eye. Keep eye wide open while

rinsing. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Do NOT induce vomiting. If

symptoms persist, call a physician.

SECTION 5: Firefighting measures

Flash point : 219 °C (426 °F)

Method: Cleveland Open Cup

Autoignition temperature : 343 °C (649 °F)

SDS Number:100000010950 3/37

Synfluid® PAO 4 cSt

Version 3.2 Revision Date 2016-05-30

Unsuitable extinguishing

media

: High volume water jet.

Special protective

equipment for fire-fighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : Standard procedure for chemical fires. Use extinguishing

measures that are appropriate to local circumstances and the

surrounding environment.

Fire and explosion

protection

: Normal measures for preventive fire protection.

Hazardous decomposition

products

: Carbon oxides.

SECTION 6: Accidental release measures

Personal precautions : Use personal protective equipment. Ensure adequate

ventilation.

Environmental precautions : Prevent product from entering drains. Prevent further leakage

or spillage if safe to do so. If the product contaminates rivers

and lakes or drains inform respective authorities.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust). Keep in suitable, closed

containers for disposal.

SECTION 7: Handling and storage

Handling

Advice on safe handling : Do not breathe vapors/dust. For personal protection see

> section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance

with local and national regulations.

Advice on protection against fire and explosion

: Normal measures for preventive fire protection.

Storage

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

SECTION 8: Exposure controls/personal protection

Engineering measures

SDS Number: 100000010950 4/37

Version 3.2 Revision Date 2016-05-30

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection : Wear a supplied-air NIOSH approved respirator unless

ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as:. Full-Face Supplied-Air Respirator. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, exposure levels are not known, or other circumstances where air-purifying respirators may not

provide adequate protection.

Hand protection : The suitability for a specific workplace should be discussed

with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.

Skin and body protection : Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate: Protective suit.

Safety shoes.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Form : Liquid Physical state : Liquid

Color : Clear, Colorless
Odor : Odorless

Safety data

Flash point : 219 °C (426 °F)

Method: Cleveland Open Cup

Autoignition temperature : 343 °C (649 °F)

Thermal decomposition : No data available

SDS Number:100000010950 5/37

Synfluid® PAO 4 cSt

Version 3.2 Revision Date 2016-05-30

Molecular formula : UVCB

Boiling point/boiling range : 414 °C (777 °F)

Vapor pressure : 1,70 MMHG

at 177 °C (351 °F)

Relative density : 0,82

at 15,6 °C (60,1 °F)

Viscosity, kinematic : 16 cSt

at 37,8 °C (100,0 °F)

Evaporation rate : No data available

SECTION 10: Stability and reactivity

Chemical stability : This material is considered stable under normal ambient and

anticipated storage and handling conditions of temperature

and pressure.

Possibility of hazardous reactions

Conditions to avoid : No data available.

Thermal decomposition : No data available

Hazardous decomposition

products

: Carbon oxides

Other data : No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

Synfluid® PAO 4 cSt

Acute oral toxicity : LD50: > 5.000 mg/kg

Species: Rat

Synfluid® PAO 4 cSt

Acute inhalation toxicity : LC50: > 5,2 mg/l

Exposure time: 4 h Species: Rat

Sex: male and female Test atmosphere: dust/mist

Synfluid® PAO 4 cSt

Acute dermal toxicity : LD50: > 2.000 mg/kg

Species: Rat

SDS Number:100000010950 6/37

Synfluid® PAO 4 cSt

Version 3.2 Revision Date 2016-05-30

Synfluid® PAO 4 cSt

Skin irritation : No skin irritation

Synfluid® PAO 4 cSt

Eye irritation : No eye irritation

Sensitization

1-Decene, homopolymer,

hydrogenated

: Classification: Did not cause sensitization on laboratory

animals.

Synfluid® PAO 4 cSt

Aspiration toxicity : May be fatal if swallowed and enters airways.

> Substances known to cause human aspiration toxicity hazards or to be regarded as if they cause human aspiration toxicity

hazard.

CMR effects

1-Decene, homopolymer,

hydrogenated

: Carcinogenicity: Not classifiable as a human carcinogen. Mutagenicity: Animal testing did not show any mutagenic

effects.

Teratogenicity: Did not show teratogenic effects in animal

experiments.

Reproductive toxicity: No toxicity to reproduction

Synfluid® PAO 4 cSt

Further information : Solvents may degrease the skin.

SECTION 12: Ecological information

Ecotoxicity effects

Toxicity to fish : LC50: > 1.000 mg/l

Exposure time: 96 h

Species: Salmo gairdneri (Rainbow trout)

LC50: > 750 mg/l Exposure time: 96 h

Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates : EC50: 190 mg/l Exposure time: 48 h

Species: Daphnia magna (Water flea)

Toxicity to algae

1-Decene, homopolymer,

hydrogenated

: NOELR: 1.000 mg/l Exposure time: 72 h

Species: Scenedesmus capricornutum (fresh water algae)

static test Method: OECD Test Guideline 201

SDS Number:100000010950 7/37

Synfluid® PAO 4 cSt

Version 3.2 Revision Date 2016-05-30

Bioaccumulation

hydrogenated

1-Decene, homopolymer, : This material is not expected to bioaccumulate.

Biodegradability

1-Decene, homopolymer,

hydrogenated

: Expected to be inherently biodegradable.

Ecotoxicology Assessment

Results of PBT assessment

1-Decene, homopolymer,

hydrogenated

Additional ecological

information

: Non-classified PBT substance, Non-classified vPvB substance

: No data available

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : Do not dispose of waste into sewer. Do not contaminate

ponds, waterways or ditches with chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product.

Do not re-use empty containers.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

SDS Number: 100000010950 8/37

Version 3.2 Revision Date 2016-05-30

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

National legislation

Chemical Safety Assessment

Ingredients : 1-Decene, A Chemical Safety Assessment

homopolymer, has been carried out for this

hydrogenated substance.

Major Accident Hazard : 96/82/EC Update: 2003

Legislation Directive 96/82/EC does not apply

Water contaminating class : WGK 1 slightly water endangering

(Germany) Description of the classification procedure for all materials,

which are not named in the appendices 1 and 2, on the basis of R-sentence-classifications of the European dangerous

materials

Notification status

Europe REACH : On the inventory, or in compliance with the inventory United States of America TSCA : On the inventory, or in compliance with the inventory Canada DSL : On the inventory, or in compliance with the inventory Australia AICS : On the inventory, or in compliance with the inventory New Zealand NZIOC : On the inventory, or in compliance with the inventory

Notification number: HSR002606

Japan ENCS : On the inventory, or in compliance with the inventory Korea KECI : On the inventory, or in compliance with the inventory Philippines PICCS : On the inventory, or in compliance with the inventory

SDS Number:100000010950 9/37

Synfluid® PAO 4 cSt


Version 3.2 Revision Date 2016-05-30

China IECSC : On the inventory, or in compliance with the inventory

SECTION 16: Other information

NFPA Classification : Health Hazard: 0

Fire Hazard: 1
Reactivity Hazard: 0



Further information

Legacy SDS Number : 3332

NSF H1, HX-1 Registered, meets USDA 1998 H1 Guidelines

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key	y or legend to abbreviations and a	cronyms used in	the safety data sheet
ACGIH	American Conference of	LD50	Lethal Dose 50%
	Government Industrial Hygienists		
AICS	Australia, Inventory of Chemical	LOAEL	Lowest Observed Adverse Effect
	Substances		Level
DSL	Canada, Domestic Substances	NFPA	National Fire Protection Agency
	List		
NDSL	Canada, Non-Domestic	NIOSH	National Institute for Occupational
	Substances List		Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of
			Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect
			Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure	OSHA	Occupational Safety & Health
	Scenario Tool		Administration
EOSCA	European Oilfield Specialty	PEL	Permissible Exposure Limit
	Chemicals Association		
EINECS	European Inventory of Existing	PICCS	Philippines Inventory of
	Chemical Substances		Commercial Chemical Substances
MAK	Germany Maximum Concentration	PRNT	Presumed Not Toxic
	Values		
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery
			Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and

SDS Number:100000010950 10/37

Synfluid® PAO 4 cSt

Version 3.2 Revision Date 2016-05-30

			Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		

Full text of H-Statement	referred to	under	sections	2 and	3.
--------------------------	-------------	-------	----------	-------	----

H304 May be fatal if swallowed and enters airways.

SDS Number:100000010950 11/37

Version 3.2 Revision Date 2016-05-30

Annex

1. Short title of Exposure Scenario: Manufacture

Main User Groups : SU 3: Industrial uses: Uses of substances as such or in

preparations at industrial sites

Sector of use : SU3, SU8, SU9: Industrial Manufacturing (all), Manufacture of

bulk, large scale chemicals (including petroleum products),

Manufacture of fine chemicals

Process category : **PROC1:** Use in closed process, no likelihood of exposure

PROC2: Use in closed, continuous process with occasional

controlled exposure

PROC3: Use in closed batch process (synthesis or

formulation)

PROC4: Use in batch and other process (synthesis) where

opportunity for exposure arises

PROC8: Transfer of substance or mixture

(charging/discharging) from/to vessels(large containers at non dedicated facilities; Industrial or non-industrial setting; PROC8b: Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated

facilities

PROC15: Use as laboratory reagent

Environmental release category : ERC1, ERC4: Manufacture of substances, Industrial use of

processing aids in processes and products, not becoming part

of articles

Further information

Manufacture of the substance or use as a process chemical or

extraction agent. Includes recycling/ recovery, material

transfers, storage, maintenance and loading (including marine vessel/barge, road/rail car and bulk container), sampling and

associated laboratory activities

2.1 Contributing scenario controlling environmental exposure for:ERC1, ERC4: Manufacture of substances, Industrial use of processing aids in processes and products, not becoming part of articles

Technical conditions and measures / Organizational measures

Remarks : Not applicable

2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC8a, PROC8b, PROC15: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities,

SDS Number:100000010950 12/37

Synfluid® PAO 4 cSt

Version 3.2 Revision Date 2016-05-30

Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Use as laboratory reagent

Amount used

Remarks : Not applicable

3. Exposure estimation and reference to its source

Remarks: Not applicable

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Not applicable

1. Short title of Exposure Scenario: **Distribution**

Main User Groups : SU 3: Industrial uses: Uses of substances as such or in

preparations at industrial sites

Sector of use : SU3: Industrial Manufacturing (all)

Process category : **PROC1:** Use in closed process, no likelihood of exposure

PROC2: Use in closed, continuous process with occasional

controlled exposure

PROC3: Use in closed batch process (synthesis or

formulation)

PROC4: Use in batch and other process (synthesis) where

opportunity for exposure arises

PROC8: Transfer of substance or mixture

(charging/discharging) from/to vessels(large containers at non dedicated facilities; Industrial or non-industrial setting; PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing) PROC8b: Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated facilities

PROC15: Use as laboratory reagent

Environmental release category : ERC1, ERC2, ERC3, ERC4, ERC5, ERC6a, ERC6b, ERC6c,

ERC6d, ERC7: Manufacture of substances, Formulation of preparations, Formulation in materials, Industrial use of processing aids in processes and products, not becoming part of articles, Industrial use resulting in inclusion into or onto a matrix, Industrial use resulting in manufacture of another substance (use of intermediates), Industrial use of reactive processing aids, Industrial use of monomers for manufacture of thermoplastics, Industrial use of process regulators for polymerisation processes in production of resins, rubbers, polymers, Industrial use of substances in closed systems

Further information

Loading (including marine vessel/barge, rail/road car and IBC loading) and repacking (including drums and small packs) of substance, including its sampling, storage, unloading

SDS Number:100000010950 13/37

Synfluid® PAO 4 cSt

Version 3.2 Revision Date 2016-05-30

distribution and associated laboratory activities.

2.1 Contributing scenario controlling environmental exposure for:ERC1, ERC2, ERC3, ERC4, ERC5, ERC6a, ERC6b, ERC6c, ERC6d, ERC7: Manufacture of substances, Formulation of preparations, Formulation in materials, Industrial use of processing aids in processes and products, not becoming part of articles, Industrial use resulting in inclusion into or onto a matrix, Industrial use resulting in manufacture of another substance (use of intermediates), Industrial use of reactive processing aids, Industrial use of monomers for manufacture of thermoplastics, Industrial use of process regulators for polymerisation processes in production of resins, rubbers, polymers, Industrial use of substances in closed systems

Technical conditions and measures / Organizational measures

Remarks : Not applicable

2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC8a, PROC8b, PROC9, PROC15: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing), Use as laboratory reagent

Amount used

Remarks : Not applicable

3. Exposure estimation and reference to its source

Remarks: Not applicable

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Not applicable

1. Short title of Exposure Scenario: Use as an intermediate

Main User Groups : SU 3: Industrial uses: Uses of substances as such or in

preparations at industrial sites

Sector of use : SU3, SU8, SU9: Industrial Manufacturing (all), Manufacture of

bulk, large scale chemicals (including petroleum products),

SDS Number:100000010950 14/37

SAFETY DATA SHEET Synfluid® PAO 4 cSt Version 3.2 Revision Date 2016-05-30 Manufacture of fine chemicals Process category PROC1: Use in closed process, no likelihood of exposure PROC2: Use in closed, continuous process with occasional controlled exposure PROC3: Use in closed batch process (synthesis or formulation) PROC4: Use in batch and other process (synthesis) where opportunity for exposure arises PROC8: Transfer of substance or mixture (charging/discharging) from/to vessels(large containers at non dedicated facilities; Industrial or non-industrial setting; PROC8b: Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities PROC15: Use as laboratory reagent Environmental release category : **ERC6a:** Industrial use resulting in manufacture of another substance (use of intermediates) Further information Use as an isolated intermediate under strictly controlled conditions 2.1 Contributing scenario controlling environmental exposure for: ERC6a: Industrial use resulting in manufacture of another substance (use of intermediates) Technical conditions and measures / Organizational measures Remarks : Not applicable 2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC8a, PROC8b, PROC15: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Use as laboratory reagent Amount used : Not applicable Remarks 3. Exposure estimation and reference to its source

SDS Number:100000010950 15/37

Not applicable

Remarks:

Synfluid® PAO 4 cSt

Version 3.2 Revision Date 2016-05-30

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Not applicable

1. Short title of Exposure Scenario: Formulation

Main User Groups : SU 3: Industrial uses: Uses of substances as such or in

preparations at industrial sites

Sector of use : SU3, SU 10: Industrial Manufacturing (all), Formulation

[mixing] of preparations and/ or re-packaging (excluding

alloys)

Process category : **PROC1:** Use in closed process, no likelihood of exposure

PROC2: Use in closed, continuous process with occasional

controlled exposure

PROC3: Use in closed batch process (synthesis or

formulation)

PROC4: Use in batch and other process (synthesis) where

opportunity for exposure arises

PROC5: Mixing or blending in batch processes for formulation of mixtures and articles (multistage and/or significant contact)

Industrial setting;

PROC8: Transfer of substance or mixture

(charging/discharging) from/to vessels(large containers at non dedicated facilities; Industrial or non-industrial setting; **PROC8b:** Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated

acilities

PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing) **PROC14:** Production of mixtures or articles by tabletting, compression, extrusion, pelletization; Industrial setting;

PROC15: Use as laboratory reagent

Environmental release category : **ERC2:** Formulation of preparations

Further information :

Formulation, packing and re-packing of the substance and its mixtures in batch or continuous operations, including storage,

materials transfers, mixing, tabletting, compression, pelletisation, extrusion, large and small scale packing, sampling, maintenance and associated laboratory activities.

2.1 Contributing scenario controlling environmental exposure for:ERC2: Formulation of preparations

Technical conditions and measures / Organizational measures

Remarks : Not applicable

2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3,

SDS Number:100000010950 16/37

Synfluid® PAO 4 cSt

Version 3.2 Revision Date 2016-05-30

PROC4, PROC8, PROC8b, PROC9, PROC14, PROC15: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, PROC 5: Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact), Transfer of substance or mixture (charging/discharging) from/to vessels(large containers at non dedicated facilities; Industrial or non-industrial setting;, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing), Production of mixtures or articles by tabletting, compression, extrusion, pelletization; Industrial setting;, Use as laboratory reagent

Amount used

Remarks : Not applicable

3. Exposure estimation and reference to its source

Remarks: Not applicable

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Not applicable

1. Short title of Exposure Scenario: Use in coatings - industrial

Main User Groups : SU 3: Industrial uses: Uses of substances as such or in

preparations at industrial sites

Sector of use : SU3: Industrial Manufacturing (all)

Process category : PROC1: Use in closed process, no likelihood of exposure

PROC2: Use in closed, continuous process with occasional

controlled exposure

PROC3: Use in closed batch process (synthesis or

formulation)

PROC4: Use in batch and other process (synthesis) where

opportunity for exposure arises

PROC5: Mixing or blending in batch processes for formulation of mixtures and articles (multistage and/or significant contact)

Industrial setting:

PROC7: Industrial spraying

PROC8: Transfer of substance or mixture

(charging/discharging) from/to vessels(large containers at non dedicated facilities; Industrial or non-industrial setting; **PROC8b:** Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated

facilities

PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

PROC10: Roller application or brushing

PROC13: Treatment of articles by dipping and pouring **PROC14:** Production of mixtures or articles by tabletting,

SDS Number:100000010950

17/37

	SAFETY DATA SHEET
Synfluid® PAO 4 cSt	
Version 3.2	Revision Date 2016-05-30
	compression, extrusion, pelletization; Industrial setting; PROC15: Use as laboratory reagent
Environmental release category	: ERC4: Industrial use of processing aids in processes and products, not becoming part of articles
Further information	: Covers the use in coatings (paints, inks, adhesives, etc) including exposures during use (including materials receipt, storage, preparation and transfer from bulk and semi-bulk, application by spray, roller, spreader, dip, flow, fluidised bed on production lines and film formation) and equipment cleaning, maintenance and associated laboratory activities.
Technical conditions and measures Remarks	/ Organizational measures : Not applicable
2.2 Contributing scenario control PROC4, PROC5, PROC7, PROC8; PROC15: Use in closed process, process with occasional controll formulation), Use in batch and ot arises, Mixing or blending in batch (multistage and/or significant con substance or preparation (chargi non-dedicated facilities, Transfer from/ to vessels/ large containers preparation into small containers application or brushing, Treatme	lling worker exposure for: PROC1, PROC2, PROC3, a, PROC8b, PROC9, PROC10, PROC13, PROC14, no likelihood of exposure, Use in closed, continuous ed exposure, Use in closed batch process (synthesis or her process (synthesis) where opportunity for exposure ch processes for formulation of mixtures and articles ntact) Industrial setting;, Industrial spraying, Transfer of ng/discharging) from/to vessels/large containers at of substance or preparation (charging/ discharging) at dedicated facilities, Transfer of substance or (dedicated filling line, including weighing), Roller nt of articles by dipping and pouring, Production of compression, extrusion, pelletization; Industrial
Amount used	

Remarks : Not applicable

3. Exposure estimation and reference to its source

Remarks: Not applicable

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set

SDS Number:100000010950 18/37

Synfluid® PAO 4 cSt

Version 3.2 Revision Date 2016-05-30

by the Exposure Scenario

Not applicable

1. Short title of Exposure Scenario: Use in coatings - professional

Main User Groups : SU 22: Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

Sector of use : **SU22:** Public domain (administration, education,

entertainment, services, craftsmen)

Process category : **PROC1:** Use in closed process, no likelihood of exposure

PROC2: Use in closed, continuous process with occasional

controlled exposure

PROC3: Use in closed batch process (synthesis or

formulation)

PROC4: Use in batch and other process (synthesis) where

opportunity for exposure arises

PROC5: Mixing or blending in batch processes for formulation of mixtures and articles (multistage and/or significant contact)

Industrial setting:

PROC8: Transfer of substance or mixture

(charging/discharging) from/to vessels(large containers at non dedicated facilities; Industrial or non-industrial setting; **PROC8b:** Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated facilities

PROC10: Roller application or brushing **PROC11:** Non industrial spraying

PROC13: Treatment of articles by dipping and pouring

PROC15: Use as laboratory reagent

PROC19: Hand-mixing with intimate contact and only PPE

available

Environmental release category : ERC8a, ERC8d: Wide dispersive indoor use of processing

aids in open systems. Wide dispersive outdoor use of

processing aids in open systems

Further information

Covers the use in coatings (paints, inks, adhesives, etc) including exposures during use (including materials receipt, storage, preparation and transfer from bulk and semi-bulk, application by spray, roller, brush, spreader by hand or similar methods, and film formation), and equipment cleaning, maintenance and associated laboratory activities.

2.1 Contributing scenario controlling environmental exposure for:ERC8a, ERC8d: Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems

Technical conditions and measures / Organizational measures

Remarks : Not applicable

SDS Number:100000010950 19/37

Synfluid® PAO 4 cSt

Version 3.2 Revision Date 2016-05-30

2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC5, PROC8a, PROC8b, PROC10, PROC11, PROC13, PROC15, PROC19: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Mixing or blending in batch processes for formulation of mixtures and articles (multistage and/or significant contact) Industrial setting;, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Roller application or brushing, Non industrial spraying, Treatment of articles by dipping and pouring, Use as laboratory reagent, Handmixing with intimate contact and only PPE available

Amount used

Remarks : Not applicable

3. Exposure estimation and reference to its source

Remarks: Not applicable

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Not applicable

1. Short title of Exposure Scenario: Use in Coatings - Consumer

Main User Groups : **SU 21:** Consumer uses: Private households (= general public

= consumers)

: **SU 21:** Consumer uses: Private households (= general public Sector of use

= consumers)

: **PC1:** Adhesives, sealants Product category

PC4: Anti-Freeze and de-icing products

PC8: Biocidal products (e.g. Disinfectants, pest control) PC9a: Coatings and paints, thinners, paint removers PC9b: Fillers, putties, plasters, modelling clay

PC9c: Finger paints

PC15: Non-metal-surface treatment products

PC18: Ink and toners

PC23: Leather tanning, dye, finishing, impregnation and care

products

PC24: Lubricants, greases, release products

PC31: Polishes and wax blends

PC34: Textile dyes, finishing and impregnating products;

including bleaches and other processing aids

: ERC8a, ERC8d: Wide dispersive indoor use of processing Environmental release category

aids in open systems, Wide dispersive outdoor use of

processing aids in open systems

Further information

SDS Number:100000010950 20/37

	SAFETY DATA SHEET
Synfluid® PAO 4 cSt	
Version 3.2	Revision Date 2016-05-30
	Covers the use in coatings (paints, inks, adhesives, etc) including exposures during use (including product transfer and preparation, application by brush, spray by hand or similar methods) and equipment cleaning.
2.1 Contributing scenario controllin	g environmental exposure for:ERC8a, ERC8d: Wide
	g aids in open systems, Wide dispersive outdoor use
Technical conditions and measures / O Remarks	organizational measures Not applicable
PC9b, PC9c, PC15, PC18, PC23, PC de-icing products, Biocidal product paints, thinners, paint removers, Fi Non-metal-surface treatment produ impregnation and care products, Luwax blends, Textile dyes, finishing	ng consumer exposure for: PC1, PC4, PC8, PC9a, 24, PC31, PC34: Adhesives, sealants, Anti-Freeze and its (e.g. Disinfectants, pest control), Coatings and Illers, putties, plasters, modelling clay, Finger paints, cts, Ink and toners, Leather tanning, dye, finishing, ubricants, greases, release products, Polishes and and impregnating products; including bleaches and
other processing aids	
Amount used Remarks :	Not applicable
3. Exposure estimation and referen	ce to its source
Remarks: Not applicable	
4. Guidance to Downstream User to by the Exposure Scenario	evaluate whether he works inside the boundaries set
Not applicable 1. Short title of Exposure Scenario: Lubr i	cants - Industrial
Main User Groups : Sector of use :	SU 3: Industrial uses: Uses of substances as such or in preparations at industrial sites SU3: Industrial Manufacturing (all)
SDS Number:100000010950	21/37

Synfluid® PAO 4 cSt

Version 3.2 Revision Date 2016-05-30

Process category : **PROC1:** Use in closed process, no likelihood of exposure

PROC2: Use in closed, continuous process with occasional

controlled exposure

PROC3: Use in closed batch process (synthesis or

formulation)

PROC4: Use in batch and other process (synthesis) where

opportunity for exposure arises **PROC7:** Industrial spraying

PROC8: Transfer of substance or mixture

(charging/discharging) from/to vessels(large containers at non dedicated facilities; Industrial or non-industrial setting; **PROC8b:** Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated

facilities

PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

PROC10: Roller application or brushing

PROC13: Treatment of articles by dipping and pouring **PROC17:** Lubrication at high energy conditions and in partly

open process

PROC18: Greasing at high energy conditions

Environmental release category : **ERC4**, **ERC7**: Industrial use of processing aids in processes

and products, not becoming part of articles, Industrial use of

substances in closed systems

Further information

Covers the use of formulated lubricants in closed and open

systems including transfer operations, operation of

22/37

machinery/engines and similar articles, reworking on reject articles, equipment maintenance and disposal of wastes.

2.1 Contributing scenario controlling environmental exposure for:ERC4, ERC7: Industrial use of processing aids in processes and products, not becoming part of articles, Industrial use of substances in closed systems

Technical conditions and measures / Organizational measures

Remarks : Not applicable

2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC7, PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC17, PROC18: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Industrial spraying, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing), Roller application or brushing, Treatment of articles by dipping and pouring, Lubrication at high energy conditions and in partly open process, Greasing at high

SDS Number:100000010950

Version 3.2 Revision Date 2016-05-30

energy conditions

Amount used

Remarks : Not applicable

3. Exposure estimation and reference to its source

Remarks: Not applicable

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Not applicable

1. Short title of Exposure Scenario: Lubricants - Professional

Main User Groups : SU 22: Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

Sector of use : SU 22: Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

Process category : **PROC1:** Use in closed process, no likelihood of exposure

PROC2: Use in closed, continuous process with occasional

controlled exposure

PROC3: Use in closed batch process (synthesis or

formulation)

PROC4: Use in batch and other process (synthesis) where

opportunity for exposure arises

PROC8: Transfer of substance or mixture

(charging/discharging) from/to vessels(large containers at non dedicated facilities; Industrial or non-industrial setting; **PROC8b:** Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated facilities

PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

PROC10: Roller application or brushing **PROC11:** Non industrial spraying

PROC13: Treatment of articles by dipping and pouring **PROC17:** Lubrication at high energy conditions and in partly

open process

PROC18: Greasing at high energy conditions

PROC20: Heat and pressure transfer fluids in dispersive,

professional use but closed systems

Environmental release category : ERC8a, ERC9a, ERC9b: Wide dispersive indoor use

of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems, Wide dispersive indoor use of substances in closed systems, Wide dispersive

outdoor use of substances in closed systems

Further information

Covers the use of formulated lubricants in closed and open systems including transfer operations, operation of engines

SDS Number:100000010950 23/37

Synfluid® PAO 4 cSt

Version 3.2 Revision Date 2016-05-30

and similar articles, reworking on reject articles, equipment maintenance and disposal of waste oil.

2.1 Contributing scenario controlling environmental exposure for:ERC8a, ERC8d, ERC9a, ERC9b: Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems, Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems

Technical conditions and measures / Organizational measures

Remarks : Not applicable

2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC8a, PROC8b, PROC9, PROC10, PROC11, PROC13, PROC17, PROC18, PROC20: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing), Roller application or brushing, Non industrial spraying, Treatment of articles by dipping and pouring, Lubrication at high energy conditions and in partly open process, Greasing at high energy conditions, Heat and pressure transfer fluids in dispersive, professional use but closed systems

Amount used

Remarks : Not applicable

3. Exposure estimation and reference to its source

Remarks: Not applicable

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Not applicable

1. Short title of Exposure Scenario: Lubricants - Consumer

Main User Groups : SU 21: Consumer uses: Private households (= general public

= consumers)

Sector of use : **SU 21:** Consumer uses: Private households (= general public

SDS Number:100000010950 24/37

C	SAFETY DATA SHEET
Synfluid® PAO 4 cSt	
Version 3.2	Revision Date 2016-05-30
Product category	 = consumers) : PC1: Adhesives, sealants PC24: Lubricants, greases, release products PC31: Polishes and wax blends
Environmental release category	: ERC8a, ERC8d, ERC9a, ERC9b: Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems, Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems
Further information	: Covers the consumer use of formulated lubricants in closed and open systems including transfer operations, application, operation of engines and similar articles, equipment maintenance and disposal of waste oil.
ERC9a, ERC9b: Wide dispersive dispersive dispersive outdoor use of proces	lling environmental exposure for:ERC8a, ERC8d, indoor use of processing aids in open systems, Wide sing aids in open systems, Wide dispersive indoor use, Wide dispersive outdoor use of substances in closed
Technical conditions and measures Remarks	/ Organizational measures : Not applicable
	lling consumer exposure for: PC1, PC24, PC31: greases, release products, Polishes and wax blends
Amount used Remarks	: Not applicable
3. Exposure estimation and refer	ence to its source
Remarks: Not applicable	
4. Guidance to Downstream User by the Exposure Scenario	to evaluate whether he works inside the boundaries set
SDS Number:100000010950	25/37

Synfluid® PAO 4 cSt

Version 3.2 Revision Date 2016-05-30

Not applicable

1. Short title of Exposure Scenario: Metal working fluids / rolling oils - Industrial

Main User Groups : SU 3: Industrial uses: Uses of substances as such or in

preparations at industrial sites

Sector of use : SU3: Industrial Manufacturing (all)

Process category : **PROC1:** Use in closed process, no likelihood of exposure

PROC2: Use in closed, continuous process with occasional

controlled exposure

PROC3: Use in closed batch process (synthesis or

formulation)

PROC4: Use in batch and other process (synthesis) where

opportunity for exposure arises

PROC5: Mixing or blending in batch processes for formulation of mixtures and articles (multistage and/or significant contact)

Industrial setting;

PROC7: Industrial spraying

PROC8: Transfer of substance or mixture

(charging/discharging) from/to vessels(large containers at non dedicated facilities; Industrial or non-industrial setting; **PROC8b:** Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated

facilities

PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

PROC10: Roller application or brushing

PROC13: Treatment of articles by dipping and pouring **PROC17:** Lubrication at high energy conditions and in partly

open process

Environmental release category : ERC4: Industrial use of processing aids in processes and

products, not becoming part of articles

Further information

Covers the use in formulated MWFs/rolling oils including transfer operations, rolling and annealing activities, cutting/machining activities, automated and manual application of corrosion protections (including brushing, dipping and spraying), equipment maintenance, draining and

disposal of waste oils.

2.1 Contributing scenario controlling environmental exposure for: ERC4: Industrial use of processing aids in processes and products, not becoming part of articles

Technical conditions and measures / Organizational measures

Remarks : Not applicable

2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC5, PROC7, PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC17: Use in

SDS Number:100000010950 26/37

Synfluid® PAO 4 cSt

Version 3.2 Revision Date 2016-05-30

closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure. Use in closed batch process (synthesis or formulation). Use in batch and other process (synthesis) where opportunity for exposure arises, Mixing or blending in batch processes for formulation of mixtures and articles (multistage and/or significant contact) Industrial setting;, Industrial spraying, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing), Roller application or brushing, Treatment of articles by dipping and pouring, Lubrication at high energy conditions and in partly open process

Amount used

: Not applicable Remarks

3. Exposure estimation and reference to its source

Not applicable Remarks:

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Not applicable

1. Short title of Exposure Scenario: Metal working fluids / rolling oils - Professional

Main User Groups : **SU 22:** Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

: **SU 22:** Professional uses: Public domain (administration, Sector of use

education, entertainment, services, craftsmen)

PROC1: Use in closed process, no likelihood of exposure Process category

PROC2: Use in closed, continuous process with occasional

controlled exposure

PROC3: Use in closed batch process (synthesis or

formulation)

PROC8: Transfer of substance or mixture

(charging/discharging) from/to vessels(large containers at non dedicated facilities; Industrial or non-industrial setting; PROC8b: Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated

PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

PROC10: Roller application or brushing PROC11: Non industrial spraying

PROC13: Treatment of articles by dipping and pouring **PROC17:** Lubrication at high energy conditions and in partly

open process

Environmental release category ERC8a, ERC8d, ERC9a, ERC9b: Wide dispersive indoor use

> of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems, Wide dispersive

SDS Number: 100000010950 27/37

	SAFETY DATA SHEET
Synfluid® PAO 4 cSt	5,112112,111,131
Version 3.2	Revision Date 2016-05-30
	indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems
Further information	Covers the use in formulated MWFs including transfer operations, open and contained cutting/machining activities, automated and manual application of corrosion protections, draining and working on contaminated/ reject articles, and disposal of waste oils.
ERC9a, ERC9b: Wide dispers dispersive outdoor use of pr	ntrolling environmental exposure for:ERC8a, ERC8d, sive indoor use of processing aids in open systems, Wide ocessing aids in open systems, Wide dispersive indoor use ems, Wide dispersive outdoor use of substances in closed
Technical conditions and meas Remarks	ures / Organizational measures : Not applicable
PROC8a, PROC8b, PROC9, Fino likelihood of exposure, Use exposure, Use in closed bate or preparation (charging/disc facilities, Transfer of substanlarge containers at dedicated containers (dedicated filling	ntrolling worker exposure for: PROC1, PROC2, PROC3, PROC10, PROC11, PROC13, PROC17: Use in closed process, se in closed, continuous process with occasional controlled ch process (synthesis or formulation), Transfer of substance charging) from/to vessels/large containers at non-dedicated nce or preparation (charging/ discharging) from/ to vessels/d facilities, Transfer of substance or preparation into small line, including weighing), Roller application or brushing, atment of articles by dipping and pouring, Lubrication at in partly open process
Amount used Remarks	: Not applicable
3. Exposure estimation and r	reference to its source
Remarks: Not applicable	
4. Guidance to Downstream by the Exposure Scenario	User to evaluate whether he works inside the boundaries set
Not applicable 1. Short title of Exposure Scenario	o: Functional Fluids - Industrial

28/37

SDS Number:100000010950

Synfluid® PAO 4 cSt

Version 3.2 Revision Date 2016-05-30

Main User Groups : SU 3: Industrial uses: Uses of substances as such or in

preparations at industrial sites

Sector of use : Su3: Industrial Manufacturing (all)

Process category : **PROC1:** Use in closed process, no likelihood of exposure **PROC2:** Use in closed, continuous process with occasional

controlled exposure

PROC3: Use in closed batch process (synthesis or

formulation)

PROC4: Use in batch and other process (synthesis) where

opportunity for exposure arises

PROC8: Transfer of substance or mixture

(charging/discharging) from/to vessels(large containers at non dedicated facilities; Industrial or non-industrial setting; **PROC8b:** Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated

facilities

PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

Environmental release category : ERC7: Industrial use of substances in closed systems

Further information :

Use as functional fluids e.g. cable oils, transfer oils, coolants, insulators, refrigerants, hydraulic fluids in industrial equipment including maintenance and related material transfers.

2.1 Contributing scenario controlling environmental exposure for:ERC7: Industrial use of substances in closed systems

Technical conditions and measures / Organizational measures

Remarks : Not applicable

2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC8a, PROC8b, PROC9: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

Amount used

Remarks : Not applicable

SDS Number:100000010950 29/37

Synfluid® PAO 4 cSt

Version 3.2 Revision Date 2016-05-30

3. Exposure estimation and reference to its source

Remarks: Not applicable

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Not applicable

1. Short title of Exposure Scenario: Functional Fluids - Professional

Main User Groups : SU 22: Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

Sector of use : SU 22: Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

Process category : PROC1: Use in closed process, no likelihood of exposure

PROC2: Use in closed, continuous process with occasional

controlled exposure

PROC3: Use in closed batch process (synthesis or

formulation)

PROC8a: Transfer of substance or preparation

(charging/discharging) from/to vessels/large containers at

non-dedicated facilities

PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

Environmental release category : ERC9a, ERC9b: Wide dispersive indoor use of substances in

closed systems, Wide dispersive outdoor use of substances in

closed systems

Further information :

Use as functional fluids e.g. cable oils, transfer oils, coolants, insulators, refrigerants, hydraulic fluids in professional equipment including maintenance and related material

transfers.

2.1 Contributing scenario controlling environmental exposure for:ERC9a, ERC9b: Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems

Technical conditions and measures / Organizational measures

Remarks : Not applicable

2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC8, PROC8a, PROC9: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Transfer of substance or mixture (charging/discharging) from/to vessels(large containers at non dedicated facilities;

SDS Number:100000010950 30/37

Not applicable		SAFETY DATA SHEET
Industrial or non-industrial setting;, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing) Amount used Remarks : Not applicable : Not applicable : Not applicable : Not applicable : State in the boundaries set by the Exposure Scenario : Functional Fluids - Consumer : Su 21: Consumer uses: Private households (= general public = consumers) : Su 21: Consumer uses: Private households (= general public = consumers) : Su 21: Consumer uses: Private households (= general public = consumers) : PC16: Heal transfer fluids PC17: Hydraulic fluids : PC17: Hydraulic fluids : Use of sealed items containing functional fluids e.g. transfer oils, hydraulic fluids, refrigerants. Further information : Use of sealed items containing functional fluids e.g. transfer oils, hydraulics fluids, refrigerants. Technical conditions and measures / Organizational measures Remarks : Not applicable	Synfluid® PAO 4 cSt	
(charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation into small containers (dedicated filling line, including weighing) Amount used Remarks : Not applicable 3. Exposure estimation and reference to its source Remarks: Not applicable 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario Not applicable 1. Short title of Exposure Scenario: Functional Fluids - Consumer Main User Groups : SU 21: Consumer uses: Private households (= general public = consumers) Sector of use : SU 21: Consumer uses: Private households (= general public = consumers) Product category : PC16: Heat transfer fluids PC17: Hydraulic fluids Environmental release category : ERC9a, ERC9b: Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems. Further information : Use of sealed items containing functional fluids e.g. transfer oils, hydraulic fluids, refrigerants. 2.1 Contributing scenario controlling environmental exposure for:ERC9a, ERC9b: Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems.	Version 3.2	Revision Date 2016-05-30
Remarks : Not applicable 3. Exposure estimation and reference to its source Remarks: Not applicable 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario Not applicable 1. Short title of Exposure Scenario: Functional Fluids - Consumer Main User Groups : SU 21: Consumer uses: Private households (= general public = consumers) Sector of use : SU 21: Consumer uses: Private households (= general public = consumers) Product category : PC16: Heat transfer fluids PC17: Hydraulic fluids Environmental release category : ERC9a, ERC9b: Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems Further information : Use of sealed items containing functional fluids e.g. transfer oils, hydraulic fluids, refrigerants. 2.1 Contributing scenario controlling environmental exposure for:ERC9a, ERC9b: Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems. Technical conditions and measures / Organizational measures Remarks : Not applicable	(charging/discharging) from/to	vessels/large containers at non-dedicated facilities,
A. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario Not applicable 1. Short title of Exposure Scenario: Functional Fluids - Consumer Main User Groups Sector of use Su 21: Consumer uses: Private households (= general public = consumers) Product category Product category Prof16: Heat transfer fluids PC17: Hydraulic fluids PC17: Hydraulic fluids Environmental release category ERC9a, ERC9b: Wide dispersive outdoor use of substances in closed systems Further information Use of sealed items containing functional fluids e.g. transfer oils, hydraulic fluids, refrigerants. 2.1 Contributing scenario controlling environmental exposure for:ERC9a, ERC9b: Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems, wide dispersive outdoor use of substances in closed systems. 2.1 Contributing scenario controlling environmental exposure for:ERC9a, ERC9b: Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems. Prof17: Hydraulic fluids, refrigerants.	Amount used Remarks	: Not applicable
4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario Not applicable 1. Short title of Exposure Scenario: Functional Fluids - Consumer Main User Groups Sul 21: Consumer uses: Private households (= general public = consumers) Sector of use Sul 21: Consumer uses: Private households (= general public = consumers) Product category Product category Profie: Heat transfer fluids PC17: Hydraulic fluids Environmental release category ERC9a, ERC9b: Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems Further information Use of sealed items containing functional fluids e.g. transfer oils, hydraulic fluids, refrigerants. 2.1 Contributing scenario controlling environmental exposure for:ERC9a, ERC9b: Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems. Profice Heat transfer fluids Further information Technical conditions and measures / Organizational measures Remarks Not applicable	3. Exposure estimation and refe	erence to its source
Not applicable 1. Short title of Exposure Scenario: Functional Fluids - Consumer Main User Groups Sector of use Product category Product category Environmental release category Environmental release category Further information Use of sealed items containing functional fluids e.g. transfer oils, hydraulic fluids, refrigerants. 2.1 Contributing scenario controlling environmental exposure for:ERC9a, ERC9b: Wide dispersive outdoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems.	Remarks: Not applicable	
Main User Groups Sector of use Product category Environmental release category Further information Sussemble Sector of use (Suspensive Suspensive Sus	4. Guidance to Downstream Use by the Exposure Scenario	er to evaluate whether he works inside the boundaries set
sector of use : SU 21: Consumer uses: Private households (= general public = consumers) Product category : PC16: Heat transfer fluids PC17: Hydraulic fluids Environmental release category : ERC9a, ERC9b: Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems Further information : Use of sealed items containing functional fluids e.g. transfer oils, hydraulic fluids, refrigerants. 2.1 Contributing scenario controlling environmental exposure for:ERC9a, ERC9b: Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems. Technical conditions and measures / Organizational measures Remarks : Not applicable	·	unctional Fluids - Consumer
Sector of use SU 21: Consumer uses: Private households (= general public = consumers) Product category	Main User Groups	: SU 21: Consumer uses: Private households (= general public
Product category : PC16: Heat transfer fluids PC17: Hydraulic fluids Environmental release category : ERC9a, ERC9b: Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems Further information : Use of sealed items containing functional fluids e.g. transfer oils, hydraulic fluids, refrigerants. 2.1 Contributing scenario controlling environmental exposure for:ERC9a, ERC9b: Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems. Technical conditions and measures / Organizational measures Remarks : Not applicable	Sector of use	
closed systems, Wide dispersive outdoor use of substances in closed systems Further information Use of sealed items containing functional fluids e.g. transfer oils, hydraulic fluids, refrigerants. 2.1 Contributing scenario controlling environmental exposure for:ERC9a, ERC9b: Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems Technical conditions and measures / Organizational measures Remarks : Not applicable	Product category	: PC16: Heat transfer fluids
Use of sealed items containing functional fluids e.g. transfer oils, hydraulic fluids, refrigerants. 2.1 Contributing scenario controlling environmental exposure for:ERC9a, ERC9b: Wide dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems Technical conditions and measures / Organizational measures Remarks : Not applicable	Environmental release category	closed systems, Wide dispersive outdoor use of substances in
dispersive indoor use of substances in closed systems, Wide dispersive outdoor use of substances in closed systems Technical conditions and measures / Organizational measures Remarks : Not applicable	Further information	· · · · · · · · · · · · · · · · · · ·
Remarks : Not applicable		
SDS Number:100000010950 31/37		
	SDS Number:100000010950	31/37

Version 3.2 Revision Date 2016-05-30

2.2 Contributing scenario controlling consumer exposure for: PC16, PC17: Heat transfer fluids, Hydraulic fluids

Amount used

Remarks : Not applicable

3. Exposure estimation and reference to its source

Remarks: Not applicable

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Not applicable

1. Short title of Exposure Scenario: Use in polymer production - industrial

Main User Groups : SU 3: Industrial uses: Uses of substances as such or in

preparations at industrial sites

Sector of use : SU3, SU 10: Industrial Manufacturing (all), Formulation

[mixing] of preparations and/ or re-packaging (excluding

alloys)

Process category : **PROC1:** Use in closed process, no likelihood of exposure

PROC2: Use in closed, continuous process with occasional

controlled exposure

PROC3: Use in closed batch process (synthesis or

formulation)

PROC4: Use in batch and other process (synthesis) where

opportunity for exposure arises

: PROC 5: Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or

significant contact)

PROC6: Calendering operations

PROC8a: Transfer of substance or preparation

(charging/discharging) from/to vessels/large containers at

non-dedicated facilities

PROC8b: Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated

facilities

PROC15: Use as laboratory reagent

PROC14: Production of mixtures or articles by tabletting, compression, extrusion, pelletization; Industrial setting;

Environmental release category : **ERC4**, **ERC6c**: Industrial use of processing aids in processes

and products, not becoming part of articles, Industrial use of

monomers for manufacture of thermoplastics

Further information

Manufacture of polymers from monomers in continuous and

SDS Number:100000010950 32/37

Synfluid® PAO 4 cSt

Version 3.2 Revision Date 2016-05-30

batch processes, include sparging, discharging, and reactor maintenance and immediate polymer product formation (i.e. compounding, pelletisation, product off-gassing).

2.1 Contributing scenario controlling environmental exposure for:ERC4, ERC6c: Industrial use of processing aids in processes and products, not becoming part of articles, Industrial use of monomers for manufacture of thermoplastics

Technical conditions and measures / Organizational measures

Remarks : Not applicable

2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC6, PROC5, PROC8a, PROC8b, PROC15, PROC14: Use in closed process, no likelihood of exposure, Use in closed, continuous process with occasional controlled exposure, Use in closed batch process (synthesis or formulation), Use in batch and other process (synthesis) where opportunity for exposure arises, Calendering operations, Mixing or blending in batch processes for formulation of mixtures and articles (multistage and/or significant contact) Industrial setting;, Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities, Transfer of substance or preparation (charging/ discharging) from/ to vessels/large containers at dedicated facilities, Use as laboratory reagent, Production of mixtures or articles by tabletting, compression, extrusion, pelletization; Industrial setting;

Amount used

Remarks : Not applicable

3. Exposure estimation and reference to its source

Remarks: Not applicable

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Not applicable

1. Short title of Exposure Scenario: Agrochemical uses

Main User Groups : **SU 22:** Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

Sector of use : SU 22: Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

Process category : PROC1: Use in closed process, no likelihood of exposure

SDS Number:100000010950 33/37

	SAFETY DATA SHEE
Synfluid® PAO 4 cSt	
Version 3.2	Revision Date 2016-05-3
	PROC2: Use in closed, continuous process with occasional controlled exposure PROC4: Use in batch and other process (synthesis) where opportunity for exposure arises PROC8a: Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities PROC8b: Transfer of substance or preparation (charging/discharging) from/ to vessels/ large containers at dedicated facilities PROC11: Non industrial spraying PROC13: Treatment of articles by dipping and pouring
Environmental release category	: ERC8a, ERC8d: Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems
Further information	:
2.1 Contributing scenario contro	Covers the use as binders and release agents including material transfers, mixing, application by spraying, brushing, and handling of waste. Colling environmental exposure for:ERC8a, ERC8d: Wide ising aids in open systems, Wide dispersive outdoor use
2.1 Contributing scenario contro dispersive indoor use of proces	material transfers, mixing, application by spraying, brushing, and handling of waste. colling environmental exposure for:ERC8a, ERC8d: Wide asing aids in open systems, Wide dispersive outdoor use
2.1 Contributing scenario contro	material transfers, mixing, application by spraying, brushing, and handling of waste. colling environmental exposure for:ERC8a, ERC8d: Wide ssing aids in open systems, Wide dispersive outdoor use ems
2.1 Contributing scenario control dispersive indoor use of proces of processing aids in open syst Technical conditions and measure Remarks 2.2 Contributing scenario control PROC8a, PROC8b, PROC11, PR Use in closed, continuous proce and other process (synthesis) we substance or preparation (chargenon-dedicated facilities, Transfer	material transfers, mixing, application by spraying, brushing, and handling of waste. colling environmental exposure for:ERC8a, ERC8d: Wide sign aids in open systems, Wide dispersive outdoor use ems s / Organizational measures : Not applicable colling worker exposure for: PROC1, PROC2, PROC4, 100C13: Use in closed process, no likelihood of exposure, ess with occasional controlled exposure, Use in batch where opportunity for exposure arises, Transfer of ging/discharging) from/to vessels/large containers at ear of substance or preparation (charging/ discharging) rs at dedicated facilities, Non industrial spraying,

SDS Number:100000010950 34/37

Not applicable

Remarks:

	SAFETY DATA SHEET
Synfluid® PAO 4 cSt	
Version 3.2	Revision Date 2016-05-30
4. Guidance to Downstream Use by the Exposure Scenario	er to evaluate whether he works inside the boundaries set
Not applicable 1. Short title of Exposure Scenario: A	grochemical uses
Main User Groups	: SU 21: Consumer uses: Private households (= general public = consumers)
Sector of use	: SU 21: Consumer uses: Private households (= general public
Product category	= consumers) : PC12: Fertilizers PC27: Plant protection products
Environmental release category	: ERC8d: Wide dispersive outdoor use of processing aids in open systems
Further information	: Covers the consumer use in agrochemicals in liquid and solid forms.
Technical conditions and measures Remarks	s / Organizational measures : Not applicable
2.2 Contributing scenario contro Plant protection products	olling consumer exposure for: PC12, PC27: Fertilizers,
Amount used Remarks	: Not applicable
2 Evangura actimation and rate	
3. Exposure estimation and refe	rence to its source
Remarks: Not applicable	
SDS Number:100000010950	35/37

	SAFETY DATA SHEE	
Synfluid® PAO 4 cSt		
Version 3.2	Revision Date 2016-05-3	
4. Guidance to Downstream User to evaluate whether he works inside the boundaries so by the Exposure Scenario		
Not applicable . Short title of Exposure Scenario:	Other consumer uses	
Main User Groups	: SU 21: Consumer uses: Private households (= general public = consumers)	
Sector of use	: SU 21: Consumer uses: Private households (= general public = consumers)	
Product category	: PC31: Polishes and wax blends	
Environmental release category	: ERC8a, ERC8d: Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems	
Further information	Consumer uses e.g. as a carrier in cosmetics/personal care products, perfumes and fragrances. Note: For cosmetic and personal care products, risk assessment only required for the	
dispersive indoor use of proce of processing aids in open sys	alternative legislation. rolling environmental exposure for:ERC8a, ERC8d: Wide essing aids in open systems, Wide dispersive outdoor use stems	
dispersive indoor use of process of processing aids in open system of processing aids in open system o	alternative legislation. rolling environmental exposure for:ERC8a, ERC8d: Wide essing aids in open systems, Wide dispersive outdoor use stems es / Organizational measures	
dispersive indoor use of process of processing aids in open system of processing aids in open system o	alternative legislation. rolling environmental exposure for:ERC8a, ERC8d: Wide essing aids in open systems, Wide dispersive outdoor use stems es / Organizational measures : Not applicable	
dispersive indoor use of process of processing aids in open system open open system open open system open open open open open open open open	alternative legislation. rolling environmental exposure for:ERC8a, ERC8d: Wide essing aids in open systems, Wide dispersive outdoor use stems es / Organizational measures : Not applicable	
dispersive indoor use of processing aids in open system of processing aids in open system open system of processing aids in open system op	rolling environmental exposure for:ERC8a, ERC8d: Wide essing aids in open systems, Wide dispersive outdoor use stems es / Organizational measures : Not applicable rolling consumer exposure for: PC31: Polishes and wax	

36/37

SDS Number:100000010950

	SAFETY DATA SHEET	
Synfluid® PAO 4 cSt	SALETT BATTACHEET	
Version 3.2	Revision Date 2016-05-30	
4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario		
Not applicable		
SDS Number:100000010950	37/37	