

**Ethyl n-Octyl Sulfide**

Version 1.6

Revision Date 2016-05-23

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product information**

Product Name : Ethyl n-Octyl Sulfide
Material : 1024543, 1029742, 1024540, 1024542, 1024541, 1104919

Company : Chevron Phillips Chemical Company LP
Specialty Chemicals
10001 Six Pines Drive
The Woodlands, TX 77380

Local : Chevron Phillips Chemicals International N.V.
Airport Plaza (Stockholm Building)
Leonardo Da Vincilaan 19
1831 Diegem
Belgium

SDS Requests: (800) 852-5530
Technical Information: (832) 813-4862
Responsible Party: Product Safety Group
Email:sds@cpchem.com

Emergency telephone:**Health:**

866.442.9628 (North America)
1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)
Asia: +800 CHEMCALL (+800 2436 2255) China:+86-21-22157316
EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Responsible Department : Product Safety and Toxicology Group
E-mail address : SDS@CPChem.com
Website : www.CPChem.com

SECTION 2: Hazards identification

Classification of the substance or mixture
REGULATION (EC) No 1272/2008

Ethyl n-Octyl Sulfide

Version 1.6

Revision Date 2016-05-23

Eye irritation, Category 2

H319:

Causes serious eye irritation.

Acute aquatic toxicity, Category 1

H400:

Very toxic to aquatic life.

Label elements**Labeling (REGULATION (EC) No 1272/2008)**

Hazard pictograms

:



Signal Word

: Warning

Hazard Statements

: H319
H400Causes serious eye irritation.
Very toxic to aquatic life.

Precautionary Statements

: **Prevention:**

P264

Wash skin thoroughly after handling.

P273

Avoid release to the environment.

P280

Wear protective gloves/ eye protection/ face protection.

Response:

P337 + P313

If eye irritation persists: Get medical advice/ attention.

P391

Collect spillage.

Disposal:

P501

Dispose of contents/ container to an approved waste disposal plant.

SECTION 3: Composition/information on ingredients

Synonyms

: n-Octyl ethyl sulfide
Ethyl n-Octyl Sulfide
ENOS
Ethyl Normal Octyl Sulfide

Molecular formula

: C₁₀H₂₂S**Mixtures****Hazardous ingredients**

| Chemical name | CAS-No. EC-No. Index No. | Classification (REGULATION (EC) No 1272/2008) | Concentration [wt%] |
|------------------------------|--------------------------------|--|------------------------|
| Ethyl n-Octyl Sulfide | 3698-94-0 | Acute Tox. 4; H312 Eye Irrit. 2; H319 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 | 92 - 100 |

Ethyl n-Octyl Sulfide

Version 1.6

Revision Date 2016-05-23

Ethyl 2-Octyl Sulfide

53970-40-4

Eye Irrit. 2; H319
Aquatic Acute 1; H400

5 - 10

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

- General advice : No hazards which require special first aid measures.
- If inhaled : Move to fresh air. If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear. If symptoms persist, call a physician.

SECTION 5: Firefighting measures

- Flash point : 93,9 °C (201,0 °F)
Method: PMCC
estimated
- Autoignition temperature : No data available
- Unsuitable extinguishing media : High volume water jet.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Fire and explosion protection : Normal measures for preventive fire protection.
- Hazardous decomposition products : Carbon oxides. Sulfur oxides.

SECTION 6: Accidental release measures

- Personal precautions : Use personal protective equipment.

Ethyl n-Octyl Sulfide

Version 1.6

Revision Date 2016-05-23

Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage**Handling**

Advice on safe handling : Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Storage

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

SECTION 8: Exposure controls/personal protection**Engineering measures**

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection : Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as:. Wear a supplied-air NIOSH approved respirator unless ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Air-Purifying Respirator for Organic Vapors. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.

Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe

Ethyl n-Octyl Sulfide

Version 1.6

Revision Date 2016-05-23

the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

- Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.
- Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place. Wear as appropriate: Protective suit. Safety shoes.
- Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties**Information on basic physical and chemical properties****Appearance**

- Form : Liquid
- Physical state : Liquid
- Color : Colorless
- Odor : unpleasant

Safety data

- Flash point : 93,9 °C (201,0 °F)
Method: PMCC
estimated
- Lower explosion limit : 0,7 %(V)
- Upper explosion limit : 5,7 %(V)
- Oxidizing properties : no
- Autoignition temperature : No data available
- Molecular formula : C₁₀H₂₂S
- Molecular weight : 174,38 g/mol
- pH : Not applicable
- Boiling point/boiling range : 232 °C (450 °F)
estimated
- Vapor pressure : 0,24 MMHG
at 37,8 °C (100,0 °F)
- Relative density : 0,844
at 15,6 °C (60,1 °F), estimated
- Water solubility : Insoluble
- Partition coefficient: n- : No data available

Ethyl n-Octyl Sulfide

Version 1.6

Revision Date 2016-05-23

octanol/water
Viscosity, kinematic : No data available

Relative vapor density : No data available

Evaporation rate : < 1

Percent volatile : > 99 %

SECTION 10: Stability and reactivity

Chemical stability : This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

Possibility of hazardous reactions

Conditions to avoid : No data available.

Materials to avoid : Avoid oxidizing agents.

Hazardous decomposition products : Carbon oxides
Sulfur oxides

Other data : No decomposition if stored and applied as directed.

SECTION 11: Toxicological information**Acute dermal toxicity**

Ethyl n-Octyl Sulfide : LD50: 2.000 mg/kg
Species: Rabbit

**Ethyl n-Octyl Sulfide
Skin irritation**

: May cause skin irritation in susceptible persons.

**Ethyl n-Octyl Sulfide
Eye irritation**

: Vapors may cause irritation to the eyes, respiratory system and the skin.

Sensitization

Ethyl n-Octyl Sulfide : Does not cause skin sensitization.
Information given is based on data obtained from similar substances.

Repeated dose toxicity

Ethyl n-Octyl Sulfide : Species: Rat, Male and female
Sex: Male and female
Application Route: Oral
Dose: 0, 74, 368, 1842 mg/kg/day
Exposure time: 13 wks
NOEL: > 1842 mg/kg/day

Ethyl n-Octyl Sulfide

Version 1.6

Revision Date 2016-05-23

Information given is based on data obtained from similar substances.

Species: Rabbit, Male and female

Sex: Male and female

Application Route: Dermal

Dose: 50, 100, 200 mg/kg/day

Exposure time: 21 days

NOEL: > 200 mg/kg/day

Information given is based on data obtained from similar substances.

Developmental Toxicity

Ethyl n-Octyl Sulfide

: Species: Rat

Application Route: oral gavage

Dose: 0, 100, 300, 1000 mg/kg.d

Number of exposures: daily

Test period: GD 6 - 15

Method: OECD Guideline 414

NOAEL Teratogenicity: 300 mg/kg/day

NOAEL Maternal: 1000 mg/kg/day

Information given is based on data obtained from similar substances.

Species: Rat

Application Route: oral gavage

Dose: 47, 187. 748 mg/kg/day

Number of exposures: daily

Test period: GD 5 - 15

Method: OECD Guideline 414

NOAEL Teratogenicity: 748 mg/kg/day

NOAEL Maternal: 748 mg/kg/day

Information given is based on data obtained from similar substances.

**Ethyl n-Octyl Sulfide
Aspiration toxicity**

: No aspiration toxicity classification.

CMR effects

Ethyl n-Octyl Sulfide

: Carcinogenicity: Not available

Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Teratogenicity: Animal testing did not show any effects on fetal development.

Reproductive toxicity: Animal testing did not show any effects on fertility.

**Ethyl n-Octyl Sulfide
Further information**

: No data available.

SECTION 12: Ecological information**Toxicity to fish**

Ethyl n-Octyl Sulfide

: LC50: > 1,4 mg/l

Ethyl n-Octyl Sulfide

Version 1.6

Revision Date 2016-05-23

Exposure time: 96 h
Species: Pimephales promelas (fathead minnow)
No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates

Ethyl n-Octyl Sulfide : EC50: 0,73 mg/l
Exposure time: 48 h
Species: Daphnia magna (Water flea)

Elimination information (persistence and degradability)

Biodegradability : This material is expected to be readily biodegradable.

Ecotoxicology Assessment

Acute aquatic toxicity
Ethyl 2-Octyl Sulfide : Very toxic to aquatic life.

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Very toxic to aquatic life.

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)
NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR

Ethyl n-Octyl Sulfide

Version 1.6

Revision Date 2016-05-23

TRANSPORTATION BY THIS AGENCY.

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (ETHYL N-OCTYL SULFIDE), 9, III, (93,9 °C), MARINE POLLUTANT, (ETHYL N-OCTYL SULFIDE)

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (ETHYL N-OCTYL SULFIDE), 9, III

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (ETHYL N-OCTYL SULFIDE), 9, III, (E)

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (ETHYL N-OCTYL SULFIDE), 9, III

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (ETHYL N-OCTYL SULFIDE), 9, III

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information**National legislation**

Major Accident Hazard Legislation : 96/82/EC Update: 2003
 Directive 96/82/EC does not apply

Notification status

| | | |
|-------------------------------|---|---|
| Europe REACH | : | Not in compliance with the inventory |
| United States of America TSCA | : | On the inventory, or in compliance with the inventory |
| Canada DSL | : | On the inventory, or in compliance with the inventory |
| Australia AICS | : | On the inventory, or in compliance with the inventory |
| New Zealand NZIoC | : | Not in compliance with the inventory |
| Japan ENCS | : | Not in compliance with the inventory |
| Korea KECI | : | Not in compliance with the inventory |
| Philippines PICCS | : | On the inventory, or in compliance with the inventory |
| China IECSC | : | Not in compliance with the inventory |


Ethyl n-Octyl Sulfide

Version 1.6

Revision Date 2016-05-23

SECTION 16: Other information

NFPA Classification : Health Hazard: 1
Fire Hazard: 2
Reactivity Hazard: 0

**Further information**

Legacy SDS Number : 398880

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet

| | | | |
|--------|---|-------|---|
| ACGIH | American Conference of Government Industrial Hygienists | LD50 | Lethal Dose 50% |
| AICS | Australia, Inventory of Chemical Substances | LOAEL | Lowest Observed Adverse Effect Level |
| DSL | Canada, Domestic Substances List | NFPA | National Fire Protection Agency |
| NDSL | Canada, Non-Domestic Substances List | NIOSH | National Institute for Occupational Safety & Health |
| CNS | Central Nervous System | NTP | National Toxicology Program |
| CAS | Chemical Abstract Service | NZIoC | New Zealand Inventory of Chemicals |
| EC50 | Effective Concentration | NOAEL | No Observable Adverse Effect Level |
| EC50 | Effective Concentration 50% | NOEC | No Observed Effect Concentration |
| EGEST | EOSCA Generic Exposure Scenario Tool | OSHA | Occupational Safety & Health Administration |
| EOSCA | European Oilfield Specialty Chemicals Association | PEL | Permissible Exposure Limit |
| EINECS | European Inventory of Existing Chemical Substances | PICCS | Philippines Inventory of Commercial Chemical Substances |
| MAK | Germany Maximum Concentration Values | PRNT | Presumed Not Toxic |
| GHS | Globally Harmonized System | RCRA | Resource Conservation Recovery Act |
| >= | Greater Than or Equal To | STEL | Short-term Exposure Limit |
| IC50 | Inhibition Concentration 50% | SARA | Superfund Amendments and Reauthorization Act. |
| IARC | International Agency for Research on Cancer | TLV | Threshold Limit Value |
| IECSC | Inventory of Existing Chemical | TWA | Time Weighted Average |

Ethyl n-Octyl Sulfide

Version 1.6

Revision Date 2016-05-23

| | | | |
|------|--|-------|--|
| | Substances in China | | |
| ENCS | Japan, Inventory of Existing and New Chemical Substances | TSCA | Toxic Substance Control Act |
| KECI | Korea, Existing Chemical Inventory | UVCB | Unknown or Variable Composition, Complex Reaction Products, and Biological Materials |
| <= | Less Than or Equal To | WHMIS | Workplace Hazardous Materials Information System |
| LC50 | Lethal Concentration 50% | | |

Full text of H-Statements referred to under sections 2 and 3.

H312 Harmful in contact with skin.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.