

**Flowzan® Biopolymer**

Version 1.11

Revision Date 2016-05-16

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product information**

Product Name : Flowzan® Biopolymer
Material : 1016765, 1016826, 1016827

Use : Drilling Fluid Additive

Company : Chevron Phillips Chemical Company LP
Drilling Specialties Company LLC
10001 Six Pines Drive
The Woodlands, TX 77380

Local : Chevron Phillips Chemicals International N.V.
Airport Plaza (Stockholm Building)
Leonardo Da Vincilaan 19
1831 Diegem
Belgium

SDS Requests: (800) 852-5530
Technical Information: (832) 813-4862
Responsible Party: Product Safety Group
Email:sds@cpchem.com

Emergency telephone:**Health:**

866.442.9628 (North America)
1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)
Asia: +800 CHEMCALL (+800 2436 2255) China:+86-21-22157316
EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Responsible Department : Product Safety and Toxicology Group
E-mail address : SDS@CPChem.com
Website : www.CPChem.com

Flowzan® Biopolymer

Version 1.11

Revision Date 2016-05-16

SECTION 2: Hazards identification**Classification of the substance or mixture
REGULATION (EC) No 1272/2008**

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

Label elements**Labeling (REGULATION (EC) No 1272/2008)**

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

SECTION 3: Composition/information on ingredients

Synonyms : None Established

Molecular formula : Mixture

Contains no hazardous ingredients according to GHS. :

Remarks : Contains no hazardous ingredients according to GHS.

SECTION 4: First aid measures

General advice : No hazards which require special first aid measures.

If inhaled : If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

In case of eye contact : Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

SECTION 5: Firefighting measures

Flash point : Not applicable

Autoignition temperature : No data available

Specific hazards during fire fighting : Risks of ignition followed by flame propagation or secondary explosions can be caused by the accumulation of dust, e.g. on floors and ledges.

Special protective : Wear self-contained breathing apparatus for firefighting if

Flowzan® Biopolymer

Version 1.11

Revision Date 2016-05-16

- | | |
|----------------------------------|---|
| equipment for fire-fighters | necessary. |
| Further information | : Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Fire and explosion protection | : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Provide appropriate exhaust ventilation at places where dust is formed. |
| Hazardous decomposition products | : No data available. |

SECTION 6: Accidental release measures

- | | |
|---------------------------|--|
| Personal precautions | : Avoid dust formation. |
| Environmental precautions | : If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods for cleaning up | : Pick up and arrange disposal without creating dust. Clean up promptly by sweeping or vacuum. Keep in suitable, closed containers for disposal. |
| Additional advice | : Contaminated surfaces will be extremely slippery. Avoid spillage on floor as the product can become very slippery when wet. Sweep up to prevent slipping hazard. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Special exposure hazards arising from the substance or mixture itself, combustion products, resulting gases |

SECTION 7: Handling and storage**Handling**

- | | |
|---|---|
| Advice on safe handling | : For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary, but may not by themselves be sufficient. |
| Advice on protection against fire and explosion | : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Provide appropriate exhaust ventilation at places where dust is formed. |

Storage

- | | |
|---|---|
| Requirements for storage areas and containers | : Electrical installations / working materials must comply with the technological safety standards. |
| Advice on common storage | : No materials to be especially mentioned. |

Flowzan® Biopolymer

Version 1.11

Revision Date 2016-05-16

SECTION 8: Exposure controls/personal protection**Ingredients with workplace control parameters****SE**

Beståndsdelar	Grundval	Värde	Kontrollparametrar	Anmärkning
Saturated monocarboxylic acid, calcium salt	SE AFS	NGV	5 mg/m3	43, 44, II.c, Total
	SE AFS	NGV	5 mg/m3	2, 43, 44, Total
	SE AFS	NGV	5 mg/m3	2, 43, 44, Totalt damm

- 2 Med respirabelt damm menas den dammfraction som definieras i svensk standard SS-EN 481, Arbetsplatsluft. - Partikelstorleksfraktioner för mätning av luftburna partiklar, Utgåva 1, 1993, punkt 2.11 och som har en provtagningskaraktäristik enligt punkt 5.3. Med inhalerbart damm menas den dammfraction som definieras i svensk standard SS-EN 481, Arbetsplatsluft - Partikelstorleksfraktioner för mätning av luftburna partiklar, Utgåva 1, 1993, punkt 2.3 och som har en provtagningskaraktäristik enligt punkt 5.1. Med respirabelt damm menas den dammfraction som definieras i svensk standard SS-EN 481, Arbetsplatsluft - Partikelstorleksfraktioner för mätning av luftburna partiklar, Utgåva 1, 1993, punkt 2.11 och som har en provtagningskaraktäristik enligt punkt 5.3. Med totaldamm menas de partiklar (aerosoler) som fastnar på ett filter i den provtagare som beskrivs i Metodserien, Provtagning av totaldamm och respirabelt damm, Metod nr 1010, Arbetarskyddsstyrelsen, numera Arbetsmiljöverket. Filterdiametern är normalt 37 mm, men kan även vara 25 mm. Trots sitt namn provtas inte den totala mängden luftburna partiklar med denna metod.
- 43 Här innefattas stearater som salter och estrar, bl.a. Aluminiummonostearat [7047-84-9], Aluminiumdistearat [300-92-5], Aluminiumtristearat [637-12-7], Ammoniumstearat [1002-89-7], N-butylstearat [123-95-5], Dietylglykolmonostearat [106-11-6], Etylglykolmonostearat [111-60-4], Glycerolmonostearat [31566-31-1], Kalciumstearat [1592-23-0], Kaliumstearat [593-29-3], Litiumstearat [4485-12-5], Magnesiumstearat [557-04-0], Natriumstearat [822-16-2], Zinkstearat [557-05-1]
- 44 Gränsvärdet gäller inte sådana metallstearater som innehåller toxiska metaller, t.ex. bly. I detta fall ska gränsvärdet för bly användas
- II.c Se sidan 57 anmärkning II: Med totaldamm menas de partiklar (aerosoler) som fastnar på ett filter i den provtagare som beskrivs i Metodserien, Provtagning av totaldamm och respirabelt damm, Metod nr 1010, arbetarskyddsstyrelsen, numera Arbetslivsinstitutet, 1979. Filterdiametern är normalt 37 mm, men kan även vara 25 mm.

PT

Componentes	Bases	Valor	Parâmetros de controlo	Nota
Saturated monocarboxylic acid, calcium salt	PT OEL	VLE-MP	10 mg/m3	(J), A4, irritação do TRS,

- (J) Não inclui estearatos de metais tóxicos
A4 Agente não classificável como carcinogénico no Homem.
irritação do trato respiratório superior
TRS

LT

Komponentai	Pagrindas, bazė	Vertė	Kontrolės parametrai	Pastaba
Saturated monocarboxylic acid, calcium salt	LT OEL	IPRD	5 mg/m3	

IE

Ingredients	Basis	Value	Control parameters	Note
Saturated monocarboxylic acid, calcium salt	IE OEL	OELV - 8 hrs (TWA)	10 mg/m3	

ES

Componentes	Base	Valor	Parámetros de control	Nota
Saturated monocarboxylic acid, calcium salt	ES VLA	VLA-ED	10 mg/m3	

BE

Bestanddelen	Basis	Waarde	Controleparameters	Opmerking
Saturated monocarboxylic acid, calcium salt	BE OEL	TGG 8 hr	10 mg/m3	

Engineering measures

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Flowzan® Biopolymer

Version 1.11

Revision Date 2016-05-16

- Respiratory protection : Wear a supplied-air NIOSH approved respirator unless ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as:. Air-Purifying Respirator for Dusts and Mists / P100. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.
- Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Eye protection : Eye wash bottle with pure water. Safety glasses.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Protective suit. Safety shoes.
- Hygiene measures : General industrial hygiene practice.

SECTION 9: Physical and chemical properties**Information on basic physical and chemical properties****Appearance**

- Form : Powder
- Physical state : Solid
- Color : Cream to light yellow
- Odor : Slight
- Odor Threshold : No data available

Safety data

- Flash point : Not applicable
- Lower explosion limit : No data available
- Upper explosion limit : No data available
- Oxidizing properties : No
- Autoignition temperature : No data available
- Molecular formula : Mixture
- Molecular weight : Not applicable

Flowzan® Biopolymer

Version 1.11

Revision Date 2016-05-16

pH	: 5,5 - 8,5
Pour point	: No data available
Boiling point/boiling range	: Not applicable
Vapor pressure	: Not applicable
Relative density	: 1,4 - 1,6
Water solubility	: Completely Soluble
Partition coefficient: n-octanol/water	: No data available
Viscosity, kinematic	: No data available
Relative vapor density	: Not applicable
Evaporation rate	: No data available

SECTION 10: Stability and reactivity

Chemical stability	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
--------------------	--

Possibility of hazardous reactions

Conditions to avoid	: Generation of Dusts.
Hazardous decomposition products	: No data available
Other data	: No decomposition if stored and applied as directed.

SECTION 11: Toxicological information**Flowzan® Biopolymer
Further information**

: The product contains no substances classified as hazardous to health in concentrations which should be taken into account.

SECTION 12: Ecological information

Elimination information (persistence and degradability)

Biodegradability	: Taking into consideration the properties of several ingredients, the product is estimated to be biodegradable according to OECD classification.
------------------	---

Flowzan® Biopolymer

Version 1.11

Revision Date 2016-05-16

Ecotoxicology Assessment

Results of PBT assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Additional ecological information : This material is not expected to be harmful to aquatic organisms.

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF

Flowzan® Biopolymer

Version 1.11

Revision Date 2016-05-16

DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information**National legislation**

Major Accident Hazard Legislation : 96/82/EC Update: 2003
 Directive 96/82/EC does not apply

Other Registrations


Regulation Registration number
 Danish PR number: 1764847

Notification status

Europe REACH	:	On the inventory, or in compliance with the inventory
United States of America TSCA	:	On TSCA Inventory
Canada DSL	:	All components of this product are on the Canadian DSL
Australia AICS	:	On the inventory, or in compliance with the inventory
New Zealand NZIoC	:	On the inventory, or in compliance with the inventory
Japan ENCS	:	On the inventory, or in compliance with the inventory
Korea KECI	:	On the inventory, or in compliance with the inventory
Philippines PICCS	:	On the inventory, or in compliance with the inventory
China IECSC	:	On the inventory, or in compliance with the inventory

SECTION 16: Other information

NFPA Classification : Health Hazard: 0
 Fire Hazard: 2
 Reactivity Hazard: 0



Flowzan® Biopolymer

Version 1.11

Revision Date 2016-05-16

Further information

Legacy SDS Number : 463650

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		