

**n-Dodecyl Mercaptan**

Version 3.8

Revision Date 2017-05-31

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product information**

Product Name : n-Dodecyl Mercaptan
Material : 1111421, 1021557, 1086421, 1071323, 1086420, 1086419,
1021569, 1024819, 1024820, 1021558, 1021567, 1021568,
1021571, 1021572, 1021573, 1021574, 1021575, 1033862,
1032614, 1021566, 1021570

Company : Chevron Phillips Chemical Company LP
Specialty Chemicals
10001 Six Pines Drive
The Woodlands, TX 77380

Emergency telephone:**Health:**

866.442.9628 (North America)

1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132)

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Responsible Department : Product Safety and Toxicology Group
E-mail address : SDS@CPChem.com
Website : www.CPChem.com

SECTION 2: Hazards identification**Classification of the substance or mixture**

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

Classification


: Skin corrosion, Category 1C
Serious eye damage, Category 1
Skin sensitization, Category 1

Labeling

n-Dodecyl Mercaptan

Version 3.8

Revision Date 2017-05-31

Symbol(s) : 

Signal Word : Danger

Hazard Statements : H314: Causes severe skin burns and eye damage.
H317: May cause an allergic skin reaction.

Precautionary Statements : **Prevention:**
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P363 Wash contaminated clothing before reuse.
Storage:
P405 Store locked up.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Carcinogenicity:**IARC**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

ACGIH

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

SECTION 3: Composition/information on ingredients

Synonyms : Normal Dodecyl Mercaptan
1-dodecanethiol
NDDM
dodecanethiol

n-Dodecyl Mercaptan

Version 3.8

Revision Date 2017-05-31

Molecular formula : C₁₂H₂₆S

Component	CAS-No.	Weight %
n-Dodecyl Mercaptan	112-55-0	98.5

SECTION 4: First aid measures

- General advice : Move out of dangerous area. Consult a physician. Show this material safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later. Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear. Never give anything by mouth to an unconscious person. Take victim immediately to hospital.

SECTION 5: Firefighting measures

- Flash point : 133 °C (271 °F)
- Autoignition temperature : 230 °C (446 °F)
- Unsuitable extinguishing media : High volume water jet.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Fire and explosion protection : Normal measures for preventive fire protection.

n-Dodecyl Mercaptan

Version 3.8

Revision Date 2017-05-31

Hazardous decomposition : Carbon oxides. Sulfur oxides.
products

SECTION 6: Accidental release measures

Personal precautions : Use personal protective equipment. Ensure adequate ventilation.

Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage**Handling**

Advice on safe handling : To avoid spills during handling keep bottle on a metal tray. Do not breathe vapors/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection : Normal measures for preventive fire protection.
against fire and explosion

Storage

Requirements for storage : Keep container tightly closed in a dry and well-ventilated place.
areas and containers Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

SECTION 8: Exposure controls/personal protection**Ingredients with workplace control parameters****US**

Ingredients	Basis	Value	Control parameters	Note
n-Dodecyl Mercaptan	ACGIH	TWA	0.1 ppm,	DSEN, URT irr,
DSEN Dermal Sensitization URT irr Upper Respiratory Tract irritation				

Engineering measures

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits.

n-Dodecyl Mercaptan

Version 3.8

Revision Date 2017-05-31

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

- | | | |
|--------------------------|---|--|
| Respiratory protection | : | Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as:. Wear a supplied-air NIOSH approved respirator unless ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Air-Purifying Respirator for Organic Vapors. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection. |
| Hand protection | : | The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. |
| Eye protection | : | Eye wash bottle with pure water. Wear face-shield and protective suit for abnormal processing problems. Tightly fitting safety goggles. |
| Skin and body protection | : | Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate:. Complete head face and neck protection. Rubber apron. Footwear protecting against chemicals. |
| Hygiene measures | : | Remove contaminated clothing and protective equipment before entering eating areas. Wash hands before eating, drinking, or smoking. |

SECTION 9: Physical and chemical properties**Information on basic physical and chemical properties****Appearance**

- | | | |
|----------------|---|-----------|
| Physical state | : | Liquid |
| Color | : | Colorless |
| Odor | : | Repulsive |

Safety data

- | | | |
|-----------------------|---|-------------------|
| Flash point | : | 133 °C (271 °F) |
| Lower explosion limit | : | No data available |

n-Dodecyl Mercaptan

Version 3.8

Revision Date 2017-05-31

Upper explosion limit	: No data available
Oxidizing properties	: no
Autoignition temperature	: 230 °C (446 °F)
Molecular formula	: C ₁₂ H ₂₆ S
Molecular weight	: 202.44 g/mol
pH	: Not applicable
Pour point	: No data available
Boiling point/boiling range	: 270 °C (518 °F)
Vapor pressure	: 0.00 mbar at 25 °C (77 °F)
Relative density	: No data available
Water solubility	: 0.0054 mg/l Method: OECD Test Guideline 105
Partition coefficient: n-octanol/water	: No data available
Viscosity, dynamic	: 2.98 cP at 25 °C (77 °F)
Relative vapor density	: 1 (Air = 1.0)
Evaporation rate	: No data available

SECTION 10: Stability and reactivity

Chemical stability	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
--------------------	--

Possibility of hazardous reactions

Conditions to avoid	: Heat, sparks, fire, and oxidizing agents.
Materials to avoid	: May react with oxygen and strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.
Hazardous decomposition products	: Carbon oxides Sulfur oxides
Other data	: No decomposition if stored and applied as directed.

n-Dodecyl Mercaptan

Version 3.8

Revision Date 2017-05-31

SECTION 11: Toxicological information**Acute oral toxicity**

n-Dodecyl Mercaptan : LD50: > 5,000 mg/kg
Species: Rat
Sex: male

**n-Dodecyl Mercaptan
Skin irritation**

: Extremely corrosive and destructive to tissue.

**n-Dodecyl Mercaptan
Eye irritation**

: May cause irreversible eye damage.

Sensitization

n-Dodecyl Mercaptan : May cause sensitization by skin contact.

**n-Dodecyl Mercaptan
Repeated dose toxicity**

: Species: Rat
Application Route: Inhalation
Dose: 0, 0.43, 1.6, 7.3 ppm
Exposure time: 4 wk
NOEL: 0.01 mg/l 1.7 ppm
Lowest observable effect level: 0.06 mg/l 7.3 ppm
Target Organs: Skin

**n-Dodecyl Mercaptan
Aspiration toxicity**

: May be harmful if swallowed and enters airways.

CMR effects

n-Dodecyl Mercaptan : Carcinogenicity: Not available
Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
Teratogenicity: Animal testing did not show any effects on fetal development.
Reproductive toxicity: Animal testing did not show any effects on fertility.

**n-Dodecyl Mercaptan
Further information**

: Solvents may degrease the skin.

SECTION 12: Ecological information**Toxicity to fish**

n-Dodecyl Mercaptan : LC50: > 100 mg/l
Exposure time: 96 h
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates

n-Dodecyl Mercaptan : EC50: 1 - 10 mg/l

n-Dodecyl Mercaptan

Version 3.8

Revision Date 2017-05-31

Exposure time: 48 h
Species: *Daphnia magna* (Water flea)
Method: OECD Test Guideline 202

Toxicity to algae

n-Dodecyl Mercaptan : EC50: 0.0145 mg/l
Exposure time: 72 h
Species: *Pseudokirchneriella subcapitata* (green algae)
Growth inhibition Method: OECD Test Guideline 201

Bioaccumulation

n-Dodecyl Mercaptan : Bioconcentration factor (BCF): 234
Method: Estimated based on individual component values.

Biodegradability

n-Dodecyl Mercaptan : Result: Not readily biodegradable.
Method: OECD Test Guideline 301
Information given is based on data obtained from similar substances.

Ecotoxicology Assessment

Acute aquatic toxicity
n-Dodecyl Mercaptan : Very toxic to aquatic life.

Chronic aquatic toxicity
n-Dodecyl Mercaptan : Very toxic to aquatic life with long lasting effects.

Additional ecological
information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

n-Dodecyl Mercaptan

Version 3.8

Revision Date 2017-05-31

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

UN1760, CORROSIVE LIQUIDS, N.O.S., (N-DODECYL MERCAPTAN), 8, III

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

UN1760, CORROSIVE LIQUID, N.O.S., (N-DODECYL MERCAPTAN), 8, III, (133 °C), MARINE POLLUTANT, (N-DODECYL MERCAPTAN)

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

UN1760, CORROSIVE LIQUID, N.O.S., (N-DODECYL MERCAPTAN), 8, III

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

UN1760, CORROSIVE LIQUID, N.O.S., (N-DODECYL MERCAPTAN), 8, III, (E), ENVIRONMENTALLY HAZARDOUS, (N-DODECYL MERCAPTAN)

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

UN1760, CORROSIVE LIQUID, N.O.S., (N-DODECYL MERCAPTAN), 8, III, ENVIRONMENTALLY HAZARDOUS, (N-DODECYL MERCAPTAN)

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

UN1760, CORROSIVE LIQUID, N.O.S., (N-DODECYL MERCAPTAN), 8, III, ENVIRONMENTALLY HAZARDOUS, (N-DODECYL MERCAPTAN)

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Other information	: n- Dodecyl Mercaptan, S.T. 1, Cat. X
--------------------------	---

SECTION 15: Regulatory information**National legislation****SARA 311/312 Hazards** : Acute Health Hazard

n-Dodecyl Mercaptan

Version 3.8

Revision Date 2017-05-31

CERCLA Reportable Quantity : This material does not contain any components with a CERCLA RQ.

SARA 302 Reportable Quantity :
This material does not contain any components with a SARA 302 RQ.

SARA 302 Threshold Planning Quantity : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 304 Reportable Quantity : This material does not contain any components with a section 304 EHS RQ.

SARA 313 Ingredients : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

Ozone-Depletion Potential : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

US State Regulations

Pennsylvania Right To Know : n-Dodecyl Mercaptan - 112-55-0

New Jersey Right To Know

n-Dodecyl Mercaptan

Version 3.8

Revision Date 2017-05-31

: n-Dodecyl Mercaptan - 112-55-0

New Jersey Right To Know : n-Dodecyl Mercaptan - 112-55-0
sec-Dodecylmercaptan - 14402-50-7

California Prop. 65 Ingredients : This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Notification status

Europe REACH : On the inventory, or in compliance with the inventory

United States of America (USA) TSCA : On TSCA Inventory

Canada DSL : All components of this product are on the Canadian DSL

Australia AICS : On the inventory, or in compliance with the inventory

New Zealand NZIoC : On the inventory, or in compliance with the inventory

Japan ENCS : On the inventory, or in compliance with the inventory


Korea KECI : On the inventory, or in compliance with the inventory

Philippines PICCS : On the inventory, or in compliance with the inventory

China IECSC : On the inventory, or in compliance with the inventory

SECTION 16: Other information

NFPA Classification : Health Hazard: 3
Fire Hazard: 1
Reactivity Hazard: 0

**Further information**

Legacy SDS Number : 460130

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical	LOAEL	Lowest Observed Adverse Effect

n-Dodecyl Mercaptan

Version 3.8

Revision Date 2017-05-31

	Substances		Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		