

# SAFETY DATA SHEET



## Thiophane

Version 2.6

Revision Date 2015-03-27

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### Product information

Product Name : Thiophane  
Material : 1017948, 1103850, 1027462

Company : Chevron Phillips Chemical Company LP  
Specialty Chemicals  
10001 Six Pines Drive  
The Woodlands, TX 77380

#### Emergency telephone:

##### Health:

866.442.9628 (North America)  
1.832.813.4984 (International)

##### Transport:

North America: CHEMTREC 800.424.9300 or 703.527.3887  
Asia: +800 CHEMCALL (+800 2436 2255) China:+86-21-22157316  
EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)  
South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Responsible Department : Product Safety and Toxicology Group  
E-mail address : SDS@CPChem.com  
Website : www.CPChem.com

### SECTION 2: Hazards identification

#### Classification of the substance or mixture

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

#### Emergency Overview

##### Danger

**Form:** Liquid **Physical state:** Liquid **Color:** Colorless **Odor:** Pungent  
**OSHA Hazards** : Flammable Liquid, Toxic by inhalation., Harmful by ingestion.,  
Moderate skin irritant, Moderate eye irritant

#### Classification

: Flammable liquids , Category 2  
Acute toxicity , Category 4 , Inhalation  
Acute toxicity , Category 4 , Oral  
Acute toxicity , Category 4 , Dermal

**Thiophane**

Version 2.6

Revision Date 2015-03-27

Skin irritation , Category 2  
 Eye irritation , Category 2A

**Labeling**

Symbol(s)



Signal Word

: Danger

Hazard Statements

- : H225: Highly flammable liquid and vapor.
- H302: Harmful if swallowed.
- H312: Harmful in contact with skin.
- H315: Causes skin irritation.
- H319: Causes serious eye irritation.
- H332: Harmful if inhaled.

Precautionary Statements

: **Prevention:**

- P210 Keep away from heat/sparks/open flames/hot surfaces.
- No smoking.
- P233 Keep container tightly closed.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P264 Wash skin thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P280 Wear protective gloves/ eye protection/ face protection.

**Response:**

- P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.
- P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P330 Rinse mouth.
- P332 + P313 If skin irritation occurs: Get medical advice/ attention.
- P337 + P313 If eye irritation persists: Get medical advice/ attention.
- P362 Take off contaminated clothing and wash before reuse.
- P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

**Storage:**

- P403 + P235 Store in a well-ventilated place. Keep cool.

**Disposal:**

- P501 Dispose of contents/ container to an approved waste disposal plant.

**Carcinogenicity:****IARC**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed

# Thiophane

Version 2.6

Revision Date 2015-03-27

|       |   |
|-------|---|
| NTP   | human carcinogen by IARC.<br>No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. |
| ACGIH | No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.                         |

## SECTION 3: Composition/information on ingredients

|                   |   |   |
|-------------------|---|---|
| Synonyms          | : | Tetrahydrothiophene<br>Thiophane<br>THT |
| Molecular formula | : | C4H8S                                   |

| Component           | CAS-No.  | Weight % |
|---------------------|----------|----------|
| Tetrahydrothiophene | 110-01-0 | 99 - 100 |

## SECTION 4: First aid measures

|                         |   |   |
|-------------------------|---|---|
| General advice          | : | Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later. Do not leave the victim unattended. |
| If inhaled              | : | Consult a physician after significant exposure. If unconscious place in recovery position and seek medical advice.  |
| In case of skin contact | : | If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.  |
| In case of eye contact  | : | Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.         |
| If swallowed            | : | Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.                        |

## SECTION 5: Firefighting measures

|                              |   |  |
|------------------------------|---|--|
| Flash point                  | : | 13 °C (55 °F)<br>Method: Tagliabue Open Cup                  |
| Autoignition temperature     | : | 215 °C (419 °F)<br>at 1,013.00 hPa<br>Method: EU Method A.15 |
| Suitable extinguishing media | : | Alcohol-resistant foam. Carbon dioxide (CO2). Dry chemical.  |

**Thiophane**

Version 2.6

Revision Date 2015-03-27

|  |  |
|--|--|
| Unsuitable extinguishing media                 | : High volume water jet.   |
| Specific hazards during fire fighting          | : Do not allow run-off from fire fighting to enter drains or water courses.  |
| Special protective equipment for fire-fighters | : Wear self-contained breathing apparatus for firefighting if necessary.   |
| Further information                            | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers. |
| Fire and explosion protection                  | : Do not spray on an open flame or any other incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.  |
| Hazardous decomposition products               | : Carbon oxides. Sulfur oxides.  |

**SECTION 6: Accidental release measures**

|                           |   |
|---------------------------|---|
| Personal precautions      | : Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. |
| Environmental precautions | : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.   |
| Methods for cleaning up   | : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).       |
| Additional advice         | : No conditions to be specially mentioned.  |

**SECTION 7: Handling and storage****Handling**

|                         |  |
|-------------------------|--|
| Advice on safe handling | : Avoid formation of aerosol. Do not breathe vapors/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations. |
|-------------------------|--|

**Thiophane**

Version 2.6

Revision Date 2015-03-27

Advice on protection against fire and explosion : Do not spray on an open flame or any other incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

**Storage**

Requirements for storage areas and containers : No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

**SECTION 8: Exposure controls/personal protection****Personal protective equipment**

Respiratory protection : Wear a supplied-air NIOSH approved respirator unless ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as: Air-Purifying Respirator for Organic Vapors. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.

Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles. Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate: Flame retardant antistatic protective clothing. Workers should wear antistatic footwear.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

**SECTION 9: Physical and chemical properties****Information on basic physical and chemical properties**

**Thiophane**

Version 2.6

Revision Date 2015-03-27

**Appearance**

Form : Liquid  
Physical state : Liquid  
Color : Colorless  
Odor : Pungent

**Safety data**

Flash point : 13 °C (55 °F)  
Method: Tagliabue Open Cup

Lower explosion limit : 1.1 %(V)

Upper explosion limit : 12.3 %(V)

Oxidizing properties : no

Autoignition temperature : 215 °C (419 °F)  
at 1,013.00 hPa  
Method: EU Method A.15

Molecular formula : C4H8S

Molecular weight : 88.1 g/mol

pH : Not applicable

Melting point/range : -96.2 °C (-141.2 °F)  
at 1,013.00 hPa

Pour point : No data available

Boiling point/boiling range : 119 °C (246 °F)

Vapor pressure : 0.80 PSI  
at 38 °C (100 °F)

Density : 1 g/cm3

Water solubility : 5.8 g/l  
at 20 °C (68 °F)  
Method: OECD Test Guideline 105

Partition coefficient: n-octanol/water : POW: 1.8  
at 20 °C (68 °F)

Viscosity, dynamic : 1.6 mPa.s  
at 20 °C (68 °F)

Viscosity, kinematic : No data available

Relative vapor density : No data available

Evaporation rate : No data available

Percent volatile : > 99 %

**Thiophane**

Version 2.6

Revision Date 2015-03-27

**SECTION 10: Stability and reactivity**

**Chemical stability** : This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

**Possibility of hazardous reactions**

**Conditions to avoid** : Heat, flames and sparks.

**Hazardous decomposition products** : Carbon oxides  
Sulfur oxides

**Other data** : No decomposition if stored and applied as directed.

**SECTION 11: Toxicological information****Thiophane****Acute oral toxicity**

: Acute toxicity estimate: 1,869 mg/kg  
Method: Calculation method

**Thiophane****Acute inhalation toxicity**

: Acute toxicity estimate: 22.83 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Method: Calculation method

**Acute dermal toxicity**

Tetrahydrothiophene : LD50: > 2,000 mg/kg  
Species: rat  
Sex: male and female

**Skin irritation**

Tetrahydrothiophene : Skin irritation

**Eye irritation**

Tetrahydrothiophene : Eye irritation

**Sensitization**

Tetrahydrothiophene : Did not cause sensitization on laboratory animals.

**Repeated dose toxicity**

Tetrahydrothiophene : Species: rat, Male and female  
Sex: Male and female  
Application Route: Inhalation

**Thiophane**

Version 2.6

Revision Date 2015-03-27

Dose: 0, 51, 236, 1442 ppm  
Exposure time: 13 wk  
Number of exposures: 6 h/d, 5 d/wk  
NOEL: 51 ppm  
Method: OECD Guideline 413  
Target Organs: Upper respiratory tract

**Reproductive toxicity**

Tetrahydrothiophene : Species: rat  
Sex: male and female  
Application Route: Inhalation  
Dose: 0, 51, 236, 1442 ppm  
Exposure time: 13 wk  
Number of exposures: 6 h/d, 5 d/wk  
Method: OECD Guideline 413  
NOAEL Parent: 1442 ppm  
Fertility and developmental toxicity tests did not reveal any effect on reproduction.

**Developmental Toxicity**

Tetrahydrothiophene : Species: rat  
Application Route: Inhalation  
Dose: 234, 782, 1910 ppm  
Method: OECD Guideline 414  
NOAEL Teratogenicity: 1910 ppm  
NOAEL Maternal: 234 ppm  
No adverse effects expected

**Thiophane****Aspiration toxicity**

: May be harmful if swallowed and enters airways.

**CMR effects**

Tetrahydrothiophene : Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.  
Teratogenicity: Animal testing did not show any effects on fetal development.  
Reproductive toxicity: Animal testing did not show any effects on fertility.

**Thiophane****Further information**

: Solvents may degrease the skin.

**SECTION 12: Ecological information****Toxicity to fish**

Tetrahydrothiophene : LC50: > 24 mg/l  
Exposure time: 96 h  
Species: Danio rerio (Zebra Fish)  
Method: OECD Test Guideline 203

**Toxicity to daphnia and other aquatic invertebrates**

# Thiophane

Version 2.6

Revision Date 2015-03-27

Tetrahydrothiophene : EC50: 24 mg/l  
Exposure time: 48 h  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 202

## Toxicity to algae

Tetrahydrothiophene : EC50: > 153.2 mg/l  
Exposure time: 72 h  
Species: Pseudokirchneriella subcapitata (green algae)  
Method: OECD Test Guideline 201

## Toxicity to bacteria

Tetrahydrothiophene : EC50: 1,530 mg/l  
Exposure time: 3 h  
Respiration inhibition  
Method: OECD Test Guideline 209

## Bioaccumulation

Tetrahydrothiophene : Bioaccumulation is unlikely.

## Biodegradability

Tetrahydrothiophene : < 10 %  
Method: Directive 67/548/EEC Annex V, C.4.E.  
According to the results of tests of biodegradability this product is not readily biodegradable.

## Ecotoxicology Assessment

Chronic aquatic toxicity  
Tetrahydrothiophene : Harmful to aquatic life with long lasting effects.

Results of PBT assessment  
Tetrahydrothiophene : Non-classified PBT substance, Non-classified vPvB substance

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

**Thiophane**

Version 2.6

Revision Date 2015-03-27

|                        |  |
|------------------------|--|
| Product                | : The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. |
| Contaminated packaging | : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.  |

**SECTION 14: Transport information**

**The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).**

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

**US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**  
UN2412, TETRAHYDROTHIOPHENE, 3, II

**IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)**  
UN2412, TETRAHYDROTHIOPHENE, 3, II, (13 °C)

**IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)**  
UN2412, TETRAHYDROTHIOPHENE, 3, II

**ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))**  
UN2412, TETRAHYDROTHIOPHENE, 3, II, (D/E)

**RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))**  
UN2412, TETRAHYDROTHIOPHENE, 3, II

**ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)**  
UN2412, TETRAHYDROTHIOPHENE, 3, II

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

**SECTION 15: Regulatory information****National legislation**

## Thiophane

Version 2.6

Revision Date 2015-03-27

### SARA 311/312 Hazards

: Fire Hazard  
Acute Health Hazard

### SARA 302 Threshold Planning Quantity

: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### SARA 313 Ingredients

: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### Clean Air Act

Ozone-Depletion Potential : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

### US State Regulations

#### Pennsylvania Right To Know

: Tetrahydrothiophene - 110-01-0

#### New Jersey Right To Know

: Tetrahydrothiophene - 110-01-0  
Related Materials -

#### California Prop. 65 Ingredients

: This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

### Notification status

MSDS Number:100000068738

11/13

**Thiophane**


Version 2.6

Revision Date 2015-03-27

|                               |   |   |
|-------------------------------|---|---|
| Europe REACH                  | : | On the inventory, or in compliance with the inventory |
| United States of America TSCA | : | On the inventory, or in compliance with the inventory |
| Canada DSL                    | : | On the inventory, or in compliance with the inventory |
| Australia AICS                | : | On the inventory, or in compliance with the inventory |
| New Zealand NZIoC             | : | On the inventory, or in compliance with the inventory |
| Japan ENCS                    | : | On the inventory, or in compliance with the inventory |
| Japan ISHL                    | : | On the inventory, or in compliance with the inventory |
| Korea KECI                    | : | On the inventory, or in compliance with the inventory |
| Philippines PICCS             | : | On the inventory, or in compliance with the inventory |
| China IECSC                   | : | On the inventory, or in compliance with the inventory |

**SECTION 16: Other information**

**NFPA Classification** : Health Hazard: 2  
 Fire Hazard: 3  
 Reactivity Hazard: 0

**Further information**

Legacy SDS Number : 307930

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

| Key or legend to abbreviations and acronyms used in the safety data sheet |   |       |   |
|---|---|-------|---|
| ACGIH   | American Conference of Government Industrial Hygienists | LD50  | Lethal Dose 50%                                     |
| AICS  | Australia, Inventory of Chemical Substances             | LOAEL | Lowest Observed Adverse Effect Level                |
| DSL   | Canada, Domestic Substances List                        | NFPA  | National Fire Protection Agency                     |
| NDSL  | Canada, Non-Domestic Substances List                    | NIOSH | National Institute for Occupational Safety & Health |
| CNS   | Central Nervous System                                  | NTP   | National Toxicology Program                         |
| CAS   | Chemical Abstract Service                               | NZIoC | New Zealand Inventory of Chemicals                  |
| EC50  | Effective Concentration                                 | NOAEL | No Observable Adverse Effect Level                  |
| EC50  | Effective Concentration 50%                             | NOEC  | No Observed Effect Concentration                    |
| EGEST   | EOSCA Generic Exposure Scenario Tool                    | OSHA  | Occupational Safety & Health Administration         |
| EOSCA   | European Oilfield Specialty Chemicals Association       | PEL   | Permissible Exposure Limit                          |

**Thiophane**

Version 2.6

Revision Date 2015-03-27

|        |  |       |  |
|--------|--|-------|--|
| EINECS | European Inventory of Existing Chemical Substances       | PICCS | Philippines Inventory of Commercial Chemical Substances                              |
| MAK    | Germany Maximum Concentration Values                     | PRNT  | Presumed Not Toxic   |
| GHS    | Globally Harmonized System                               | RCRA  | Resource Conservation Recovery Act   |
| >=     | Greater Than or Equal To                                 | STEL  | Short-term Exposure Limit  |
| IC50   | Inhibition Concentration 50%                             | SARA  | Superfund Amendments and Reauthorization Act.  |
| IARC   | International Agency for Research on Cancer              | TLV   | Threshold Limit Value  |
| IECSC  | Inventory of Existing Chemical Substances in China       | TWA   | Time Weighted Average  |
| ENCS   | Japan, Inventory of Existing and New Chemical Substances | TSCA  | Toxic Substance Control Act  |
| KECI   | Korea, Existing Chemical Inventory                       | UVCB  | Unknown or Variable Composition, Complex Reaction Products, and Biological Materials |
| <=     | Less Than or Equal To                                    | WHMIS | Workplace Hazardous Materials Information System                                     |
| LC50   | Lethal Concentration 50%                                 |       |  |