

Version 1.4 Revision Date 2016-05-19

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product information**

Product Name : EXP-D244-10 XPT

Material : 1113408

## EC-No.Registration number

Chemical name	CAS-No. EC-No. Index No.	Legal Entity Registration number
Hydrocarbons, C11- C14, n-alkanes, isoalkanes, cyclic, <2% aromatics		Chevron Phillips Chemicals International NV 01-2119456620-43-0010
1-Octadecene	112-88-9 204-012-9	Chevron Phillips Chemical Company LP 01-2119474213-44-0001
Fatty acids, C18- unsaturated, dimerization reaction product	61788-89-4 500-148-0	Chevron Phillips Chemicals International NV Pre-registered

Use : Fluid loss additive

Relevant Identified Uses

Supported

: Use in Oil and Gas field drilling and production operations -

Industrial

Company : Chevron Phillips Chemical Company LP

**Drilling Specialties Company LLC** 

10001 Six Pines Drive The Woodlands, TX 77380

Local : Chevron Phillips Chemicals International N.V.

Airport Plaza (Stockholm Building)

Leonardo Da Vincilaan 19

1831 Diegem Belgium

SDS Number:100000101759 1/10

Version 1.4 Revision Date 2016-05-19

SDS Requests: (800) 852-5530 Technical Information: (832) 813-4862 Responsible Party: Product Safety Group

Email:sds@cpchem.com

## **Emergency telephone:**

#### Health:

866.442.9628 (North America) 1.832.813.4984 (International)

#### Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: +800 CHEMCALL (+800 2436 2255) China:+86-21-22157316 EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Responsible Department : Product Safety and Toxicology Group

E-mail address : SDS@CPChem.com Website : www.CPChem.com

This product is for experimental uses only. The product has not been completely analyzed and all of the hazards may not be known. Please use caution while handling this product.

#### **SECTION 2: Hazards identification**

# Classification of the substance or mixture REGULATION (EC) No 1272/2008

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

#### Label elements

## Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

#### **Additional Labeling:**

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 20 % EUH210 Safety data sheet available on request.

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 40 %

#### **SECTION 3: Composition/information on ingredients**

Molecular formula : Mixture

## Contains no hazardous ingredients according to GHS. :

Remarks : Contains no hazardous ingredients according to GHS.

This is an experimental material: The composition of this material may vary.

SDS Number:100000101759 2/10

## **EXP-D244-10 XPT**

Version 1.4 Revision Date 2016-05-19

#### **SECTION 4: First aid measures**

General advice Move out of dangerous area. Show this material safety data

sheet to the doctor in attendance. Symptoms of poisoning may

appear several hours later. Do not leave the victim

unattended.

No hazards which require special first aid measures.

If inhaled If unconscious place in recovery position and seek medical

advice. If symptoms persist, call a physician.

: If on skin, rinse well with water. If on clothes, remove clothes. In case of skin contact

In case of eye contact : Flush eyes with water as a precaution. Remove contact

> lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.

: Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

Take victim immediately to hospital.

## **SECTION 5: Firefighting measures**

If swallowed

Flash point : > 77 °C (> 171 °F)

Method: ASTM D 93

Autoignition temperature 225 °C (437 °F)

Suitable extinguishing

media

: Carbon dioxide (CO2).

Unsuitable extinguishing

media

: High volume water jet.

Special protective

equipment for fire-fighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : For safety reasons in case of fire, cans should be stored

separately in closed containments. Use a water spray to cool

fully closed containers.

Fire and explosion

protection

: Do not spray on an open flame or any other incandescent material. Keep away from open flames, hot surfaces and

sources of ignition.

#### **SECTION 6: Accidental release measures**

Personal precautions : Use personal protective equipment. Ensure adequate

ventilation.

: Prevent product from entering drains. Prevent further leakage Environmental precautions

or spillage if safe to do so. If the product contaminates rivers

and lakes or drains inform respective authorities.

SDS Number: 100000101759 3/10

## **EXP-D244-10 XPT**

Version 1.4 Revision Date 2016-05-19

Methods for cleaning up : Contain spillage, and then collect with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable,

closed containers for disposal.

A quantitative risk assessment is not required for the environment. A quantitative risk assessment is not required for human health.

#### **SECTION 7: Handling and storage**

#### Handling

Advice on safe handling : Avoid formation of aerosol. Do not breathe vapors/dust. For

personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose

of rinse water in accordance with local and national

regulations.

Advice on protection against fire and explosion

: Do not spray on an open flame or any other incandescent material. Keep away from open flames, hot surfaces and

sources of ignition.

## Storage

Requirements for storage areas and containers

No smoking. Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the

technological safety standards.

## SECTION 8: Exposure controls/personal protection

## **Engineering measures**

Adequate ventilation to control airborned concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

#### Personal protective equipment

Respiratory protection : Wear a supplied-air NIOSH approved respirator unless

ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as:. Air-Purifying Respirator for Dusts and Mists / P100. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, exposure levels are not known, or other circumstances where air-purifying respirators

SDS Number:100000101759 4/10

## **EXP-D244-10 XPT**

Version 1.4 Revision Date 2016-05-19

may not provide adequate protection.

Hand protection : The suitability for a specific workplace should be discussed

with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.

Skin and body protection : Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Wear as appropriate:. Protective suit. Safety shoes.

Hygiene measures : When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

A quantitative risk assessment is not required for the environment. A quantitative risk assessment is not required for human health.

## **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

#### **Appearance**

Form : Liquid
Physical state : Liquid
Color : Light brown
Odor : Slight hydrocarbon

Safety data

Flash point :  $> 77 \, ^{\circ}\text{C} \, (> 171 \, ^{\circ}\text{F})$ 

Method: ASTM D 93

Lower explosion limit : 0,6 %(V)

Upper explosion limit : 5,1 %(V)

Autoignition temperature : 225 °C (437 °F)

Molecular formula : Mixture

Molecular weight : Not applicable

pH : 6,8 - 7,0

Freezing point : No data available

Melting point/range No data available

Pour point -30 °C (-22 °F)

SDS Number:100000101759 5/10

## **EXP-D244-10 XPT**

Version 1.4 Revision Date 2016-05-19

Boiling point/boiling range : No data available

Relative density : 0,867

at 21,5 °C (70,7 °F)

Density : No data available

Water solubility : No data available

Solubility in other solvents : Medium: Hydrocarbons

Soluble

Viscosity, kinematic : 1176 cSt

at 40 °C (104 °F)

## **SECTION 10: Stability and reactivity**

Chemical stability : This material is considered stable under normal ambient and

anticipated storage and handling conditions of temperature

and pressure.

## Possibility of hazardous reactions

Conditions to avoid : Heat, flames and sparks.

Other data : No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

## THE TOXICITY OF THIS MATERIAL HAS NOT BEEN FULLY ASSESSED

Since this is an experimental material, limited data are available regarding potential health effects following exposure to it. Therefore, we strongly recommend that this document be read carefully and the precautions outlined in it be followed to minimize exposure.

This product is for experimental uses only. The product has not been completely analyzed and all of the hazards may not be known. Please use caution while handling this product.

EXP-D244-10 XPT

**Further information** : Solvents may degrease the skin.

No data available.

#### **SECTION 12: Ecological information**

#### **Ecotoxicology Assessment**

Additional ecological

: No data available

information

## **SECTION 13: Disposal considerations**

The information in this SDS pertains only to the product as shipped.

SDS Number:100000101759 6/10

Version 1.4 Revision Date 2016-05-19

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : Do not dispose of waste into sewer. Do not contaminate

ponds, waterways or ditches with chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product.

Do not re-use empty containers. Do not burn, or use a cutting

torch on, the empty drum.

A quantitative risk assessment is not required for the environment. A quantitative risk assessment is not required for human health.

#### **SECTION 14: Transport information**

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

## **US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

Testing (ASTM D4206) has shown product does not sustain combustion.

#### IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

#### IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

## ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

## RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

SDS Number:100000101759 7/10

Version 1.4 Revision Date 2016-05-19

# ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

## **SECTION 15: Regulatory information**

**National legislation** 

**Chemical Safety Assessment** 

**Ingredients** : Hydrocarbons,

C11-C14, n-alkanes,

isoalkanes, cyclic, <2% aromatics

**Major Accident Hazard** 

Legislation

: 96/82/EC Update: 2003 Directive 96/82/EC does not apply

: 96/82/EC Update: 2003 Directive 96/82/EC does not apply

Water contaminating class

(Germany)

: WGK 2 water endangering

**Notification status** 

Europe REACH : On the inventory, or in compliance with the inventory

United States of America TSCA : Not On TSCA Inventory

Canada DSL : This product contains one or several components that

are not on the Canadian DSL nor NDSL.

Australia AICS : Not in compliance with the inventory New Zealand NZIoC : Not in compliance with the inventory Japan ENCS : Not in compliance with the inventory Korea KECI : Not in compliance with the inventory Philippines PICCS : Not in compliance with the inventory China IECSC : Not in compliance with the inventory

SDS Number:100000101759 8/10


## **EXP-D244-10 XPT**

Version 1.4 Revision Date 2016-05-19

#### **SECTION 16: Other information**

NFPA Classification : Health Hazard: 1 Fire Hazard: 1

Reactivity Hazard: 0



#### **Further information**

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet				
ACGIH	American Conference of	LD50	Lethal Dose 50%	
	Government Industrial Hygienists			
AICS	Australia, Inventory of Chemical	LOAEL	Lowest Observed Adverse Effect	
	Substances		Level	
DSL	Canada, Domestic Substances	NFPA	National Fire Protection Agency	
	List			
NDSL	Canada, Non-Domestic	NIOSH	National Institute for Occupational	
	Substances List		Safety & Health	
CNS	Central Nervous System	NTP	National Toxicology Program	
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of	
			Chemicals	
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect	
			Level	
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration	
EGEST	EOSCA Generic Exposure	OSHA	Occupational Safety & Health	
	Scenario Tool		Administration	
EOSCA	European Oilfield Specialty	PEL	Permissible Exposure Limit	
	Chemicals Association			
EINECS	European Inventory of Existing	PICCS	Philippines Inventory of	
	Chemical Substances		Commercial Chemical Substances	
MAK	Germany Maximum Concentration	PRNT	Presumed Not Toxic	
	Values			
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery	
			Act	
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit	
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and	
			Reauthorization Act.	
IARC	International Agency for Research	TLV	Threshold Limit Value	
	on Cancer			
IECSC	Inventory of Existing Chemical	TWA	Time Weighted Average	
	Substances in China			
ENCS	Japan, Inventory of Existing and	TSCA	Toxic Substance Control Act	
	New Chemical Substances			
	•	•		

SDS Number:100000101759 9/10

## EXP-D244-10 XPT

Version 1.4 Revision Date 2016-05-19

KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and
	inventory		·
			Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials
			Information System
LC50	Lethal Concentration 50%		·

SDS Number:100000101759 10/10