

PE Fines: Various Colors

Version 1.1 Revision Date 2015-08-04

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product information

Product Name : PE Fines: Various Colors

Material : 1009940

Company : Performance Pipe, A Division of

Chevron Phillips Chemical Company LP

10001 Six Pines Drive The Woodlands, TX 77380

Emergency telephone:

Health:

866.442.9628 (North America) 1.832.813.4984 (International)

Transport:

North America: CHEMTREC 800.424.9300 or 703.527.3887

Asia: +800 CHEMCALL (+800 2436 2255) China:+86-21-22157316 EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Responsible Department : Product Safety and Toxicology Group

E-mail address : SDS@CPChem.com Website : www.CPChem.com

MEDICAL APPLICATION CAUTION: Do not use this material in medical applications involving permanent implantation in the human body or permanent contact with internal body fluids or tissues fluids or tissues.

Do not use this material in medical applications involving brief or temporary implantation in the human body or contact with internal body fluids or tissues unless the material has been provided directly from Chevron Phillips Chemical Company LP or its legal affiliates under an agreement which expressly acknowledges the contemplated use.

Chevron Phillips Chemical Company LP and its legal affiliates makes no representation, promise, express warranty or implied warranty concerning the suitability of this material for use in implantation in the human body or in contact with internal body fluids or tissues.

SECTION 2: Hazards identification

Classification of the substance or mixture

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

Emergency Overview

Warning

MSDS Number:100000102703 1/12

PE Fines: Various Colors

Version 1.1 Revision Date 2015-08-04

Form: Granular Physical state: Solid Color: Opaque Odor: Mild to no odor

OSHA Hazards : Combustible dust

Classification

: Combustible dust

Labeling

Signal Word : Warning

Hazard Statements : May form combustible dust concentrations in air.

Potential Health Effects

Physical Hazards : Pellets may cause a slip hazard on hard surfaces.

Mechanical processing may form combustible dust concentrations in air and thermal processing at elevated

temperatures may generate formaldehyde.

Inhalation : Repeated exposure to dust from this material may cause

respiratory irritation.

Fumes generated during thermal processing may cause

irritation of the upper respiratory tract.

Skin : Contact with the skin is not expected to cause prolonged or

significant irritation.

Contact with the skin is not expected to cause an allergic

response.

If this material is heated, thermal burns may result from contact.

Thermal burns may include pain or feeling of heat,

discolorations, swelling, and blistering.

Eyes : Contact with the eyes may cause irritation due to the abrasive

action.

Not expected to cause prolonged or significant eye irritation. Thermal burns may result if heated material contacts eye.

Ingestion : Ingestion of this product is not a likely route of exposure.

Carcinogenicity:

IARC Group 1: Carcinogenic to humans

Lead Chromate 1344-37-2
Group 2B: Possibly carcinogenic to humans
Carbon Black 1333-86-4
Titanium Dioxide 13463-67-7

NTP Known to be human carcinogen

Lead Chromate 1344-37-2

ACGIH Confirmed human carcinogen

Lead Chromate 1344-37-2

Confirmed animal carcinogen with unknown relevance to humans

Carbon Black 1333-86-4

MSDS Number:100000102703 2/12

PE Fines: Various Colors

Version 1.1 Revision Date 2015-08-04

> Lead Chromate 1344-37-2

Components are encapsulated within the product matrix.

SECTION 3: Composition/information on ingredients

Component	CAS-No.	Weight %	
Polyethylene	9002-88-4	96 - 100	
Polyethylene Butene Copolymer	25087-34-7	96 - 100	
Polyethylene Hexene Copolymer	25213-02-9	96 - 100	
Carbon Black	1333-86-4	0 - 5	
Lead Chromate	1344-37-2	0 - 1	
Titanium Dioxide	13463-67-7	0 - 1	

SECTION 4: First aid measures

If inhaled Move to fresh air in case of accidental inhalation of dust or

fumes from overheating or combustion. If symptoms persist,

call a physician.

In case of skin contact If the molten material gets on skin, quickly cool in water. Seek

> immediate medical attention. Do not try to peel the solidified material from the skin or use solvents or thinners to dissolve it.

: In the case of contact with eyes, rinse immediately with plenty In case of eye contact

of water and seek medical advice.

If swallowed : Do not induce vomiting without medical advice.

SECTION 5: Firefighting measures

: No data available Flash point

Autoignition temperature : No data available

Suitable extinguishing

media

: Water. Water mist. Dry chemical. Carbon dioxide (CO2). Foam. If possible, water should be applied as a spray from a fogging nozzle since this is a surface burning material. The application of high velocity water will spread the burning surface layer. Avoid the use of straight streams that may create a dust cloud and the risk of a dust explosion. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific hazards during fire

fighting

Risks of ignition followed by flame propagation or secondary explosions can be caused by the accumulation of dust, e.g. on

floors and ledges.

Special protective

equipment for fire-fighters

: Use personal protective equipment. Wear self-contained

3/12

breathing apparatus for firefighting if necessary.

MSDS Number:100000102703

PE Fines: Various Colors

Version 1.1 Revision Date 2015-08-04

Further information : This material will burn although it is not easily ignited.

Fire and explosion

protection

: Treat as a solid that can burn. Avoid generating dust; fine dust

dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion

hazard.

Hazardous decomposition

products

Normal combustion forms carbon dioxide, water vapor and may

produce carbon monoxide, other hydrocarbons and

hydrocarbon oxidation products (ketones, aldehydes, organic acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde.

SECTION 6: Accidental release measures

Personal precautions : Sweep up to prevent slipping hazard. Avoid breathing dust.

Avoid dust formation.

Environmental precautions : Do not contaminate surface water. Prevent product from

entering drains.

Methods for cleaning up : Clean up promptly by sweeping or vacuum.

Additional advice : Dust deposits should not be allowed to accumulate on

surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with

compressed air).

SECTION 7: Handling and storage

Handling

Advice on safe handling : Use good housekeeping for safe handling of the product.

Keep out of water sources and sewers.

Spilled pellets and powders may create a slipping hazard.

Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary, but may not by themselves be sufficient. At elevated temperatures (>350°F, >177°C), polyethylene can release vapors and gases, which are irritating to the mucous membranes of the eyes, mouth,

throat, and lungs. These substances may include

acetaldehyde, acetone, acetic acid, formic acid, formaldehyde

and acrolein. Based on animal data and limited

epidemiological evidence, formaldehyde has been listed as a carcinogen. Following all recommendations within this SDS should minimize exposure to thermal processing emissions.

Advice on protection against fire and explosion

Treat as a solid that can burn. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion

hazard.

Storage

MSDS Number:100000102703 4/12

PE Fines: Various Colors

Version 1.1 Revision Date 2015-08-04

Requirements for storage areas and containers

: Keep in a dry place. Keep in a well-ventilated place.

Advice on common storage : Do not store together with oxidizing and self-igniting products.

SECTION 8: Exposure controls/personal protection

Ingredients with workplace control parameters

US

Ingredients	Basis	Value	Control parameters	Note
Nuisance Dust	OSHA Z-3	TWA	15 mg/m3	Total dust
	OSHA Z-3	TWA	5 mg/m3	(respirable dust)

Control as Particulate Not Otherwise Classified (PNOC). The ACGIH Guideline* for respirable dust is 3.0 mg/m3 and 10.0 mg/m3 for total dust. The OSHA PEL for respirable dust is 5.0 mg/m3 and 15.0 mg/m3 for total dust.

Engineering measures

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

Respiratory protection No respiratory protection is normally required. If heated

material generates vapor or fumes that are not adequately controlled by ventilation, wear an appropriate respirator. Use the following elements for air-purifying respirators: Organic Vapor and Formaldehyde. Use a positive pressure, airsupplying respirator if there is potential for uncontrolled release, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection. Dust safety masks are recommended when the

dust concentration is excessive.

Eye protection : Use of safety glasses with side shields for solid handling is

> good industrial practice. If this material is heated, wear chemical goggles or safety glasses with side shields or a face shield. If there is potential for dust, use chemical goggles.

Skin and body protection At ambient temperatures use of clean and protective clothing is

good industrial practice. If the material is heated or molten, wear thermally insulated, heat-resistant gloves that are able to withstand the temperature of the molten product. If this material is heated, wear insulated clothing to prevent skin contact if engineering controls or work practices are not

adequate.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Form : Granular

MSDS Number:100000102703 5/12

This value is for inhalable (total) particulate matter containing no asbestos and < 1.0% crystalline silica.

PE Fines: Various Colors

Version 1.1 Revision Date 2015-08-04

Solid Physical state Color Opaque

Odor Mild to no odor Odor Threshold : No data available

Safety data

Flash point : No data available

Lower explosion limit : Not applicable

Upper explosion limit : Not applicable

Autoignition temperature : No data available

Thermal decomposition : Low molecular weight hydrocarbons, alcohols, aldehydes,

acids and ketones can be formed during thermal processing.

рΗ : Not applicable

: 90 - 140 °C (194 - 284 °F) Melting point/range

Freezing point Not applicable

Initial boiling point and boiling : Not applicable

range

Vapor pressure

: Not applicable

Relative density : Not applicable

: 0.91 - 0.97 g/cm3 Density

Water solubility : Negligible

Partition coefficient: n-

octanol/water

: No data available

Solubility in other solvents : No data available

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Relative vapor density : Not applicable

: Not applicable Evaporation rate

SECTION 10: Stability and reactivity

Reactivity : This material is considered non-reactive under normal

ambient and anticipated storage and handling conditions of

temperature and pressure.

MSDS Number:100000102703

6/12

PE Fines: Various Colors

Version 1.1 Revision Date 2015-08-04

Chemical stability : This material is considered stable under normal ambient and

anticipated storage and handling conditions of temperature

and pressure.

Possibility of hazardous reactions

Conditions to avoid : Avoid prolonged storage at elevated temperature.

Materials to avoid : Avoid contact with strong oxidizing agents.

Thermal decomposition : Low molecular weight hydrocarbons, alcohols, aldehydes,

acids and ketones can be formed during thermal processing.

Hazardous decomposition

products

: Normal combustion forms carbon dioxide, water vapor and may produce carbon monoxide, other hydrocarbons and hydrocarbon oxidation products (ketones, aldehydes, organic acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde.

Other data : No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

PE Fines: Various Colors

Acute oral toxicity : Presumed Not Toxic

PE Fines: Various Colors

Acute inhalation toxicity : Presumed Not Toxic

PE Fines: Various Colors

Acute dermal toxicity : Presumed Not Toxic

PE Fines: Various Colors

Skin irritation : No skin irritation

PE Fines: Various Colors

Eye irritation : No eye irritation

PE Fines: Various Colors

Sensitization : Did not cause sensitization on laboratory animals.

CMR effects

Carbon Black : Carcinogenicity: Limited evidence of carcinogenicity in animal

studies

Lead Chromate Carcinogenicity: Possible human carcinogen

Mutagenicity: In vivo tests did not show mutagenic effects Reproductive toxicity: Positive evidence of adverse effects on

MSDS Number:100000102703 7/12

PE Fines: Various Colors

Version 1.1 Revision Date 2015-08-04

sexual function, fertility and/or development from human epidemiological studies.

PE Fines: Various Colors Further information

: This product contains POLYMERIZED OLEFINS. During thermal processing (>350°F, >177°C) polyolefins can release vapors and gases (aldehydes,ketones and organic acids) which are irritating to the mucous membranes of the eyes, mouth, throat, and lungs. Generally these irritant effects are all transitory. However, prolonged exposure to irritating off-gases can lead to pulmonary edema. Formaldehyde (an aldehyde) has been classified as a carcinogen based on animal data and limited epidemiological evidence.

SECTION 12: Ecological information

Ecotoxicity effects

Elimination information (persistence and degradability)

Bioaccumulation : Does not bioaccumulate.

Mobility : The product is insoluble and floats on water.

Biodegradability : This material is not expected to be readily biodegradable.

Ecotoxicology Assessment

Acute aquatic toxicity

Lead Chromate : Very toxic to aquatic life.

Chronic aquatic toxicity

Lead Chromate : Very toxic to aquatic life with long lasting effects.

Additional ecological

information

: This material is not expected to be harmful to aquatic

organisms., Fish or birds may eat pellets which may obstruct

their digestive tracts.

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to

MSDS Number:100000102703 8/12

PE Fines: Various Colors

Version 1.1 Revision Date 2015-08-04

shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

National legislation

SARA 311/312 Hazards : Fire Hazard

CERCLA Reportable

: This material does not contain any components with a CERCLA RO.

Quantity

9/12

MSDS Number: 100000102703

PE Fines: Various Colors

Version 1.1 Revision Date 2015-08-04

SARA 302 Reportable

Quantity

: This material does not contain any components with a SARA

302 RQ.

SARA 302 Threshold

Planning Quantity

: No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 304 Reportable

Quantity

: This material does not contain any components with a section

304 EHS RQ.

SARA 313 Ingredients : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Carbon Black - 1333-86-4 Titanium Dioxide - 13463-67-7

New Jersey Right To Know

: Carbon Black - 1333-86-4 Lead Chromate - 1344-37-2 Titanium Dioxide - 13463-67-7

California Prop. 65

Ingredients

: WARNING! This product contains a chemical known in the

State of California to cause cancer.

WARNING: This product contains a chemical known in the State of California to cause birth defects or other reproductive

harm.

Notification status

Europe REACH : Not in compliance with the inventory

United States of America TSCA : On TSCA Inventory

Canada DSL : Not in compliance with the inventory
Australia AICS : Not in compliance with the inventory
New Zealand NZIoC : Not in compliance with the inventory
Japan ENCS : Not in compliance with the inventory
Korea KECI : Not in compliance with the inventory
Philippines PICCS : Not in compliance with the inventory

MSDS Number:100000102703 10/12

PE Fines: Various Colors


Version 1.1 Revision Date 2015-08-04

China IECSC : Not in compliance with the inventory

SECTION 16: Other information

NFPA Classification : Health Hazard: 0

Fire Hazard: 1 Reactivity Hazard: 0



Further information

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet				
ACGIH	American Conference of	LD50	Lethal Dose 50%	
	Government Industrial Hygienists			
AICS	Australia, Inventory of Chemical	LOAEL	Lowest Observed Adverse Effect	
	Substances		Level	
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency	
NDSL	Canada, Non-Domestic	NIOSH	National Institute for Occupational	
	Substances List		Safety & Health	
CNS	Central Nervous System	NTP	National Toxicology Program	
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals	
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level	
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration	
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration	
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit	
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances	
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic	
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act	
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit	
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.	
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value	
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average	

MSDS Number:100000102703

11/12

PE Fines: Various Colors

Version 1.1 Revision Date 2015-08-04

ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		

MSDS Number:100000102703 12/12