

Cl2 0,0015 %;N2 99,9985 %

 Issue Date:
 20.12.2012

 Last revised date:
 13.05.2016

Version: 1.0

SDS No.: 000010015311 1/14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name:

CI2 0,0015 %;N2 99,9985 %

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:Industrial and professional. Perform risk assessment prior to use.Uses advised againstConsumer use.

1.3 Details of the supplier of the safety data sheet

Supplier	
BOC	Telephone: 0800 111 333
Priestley Road, Worsley M28 2UT Manchester	

E-mail: ReachSDS@boc.com

1.4 Emergency telephone number: 0800 111 333

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC as amended.

Not classified

Classification according to Regulation (EC) No 1272/2008 as amended.

Physical Hazards

Gases under pressure

Compressed gas H280: Contains gas under pressure; may explode if heated.

2.2 Label Elements



Signal Words:	Warning
Hazard Statement(s):	H280: Contains gas under pressure; may explode if heated.
Precautionary Statement	
Prevention:	None.
Response:	None.



Cl2 0,0015 %;N2 99,9985 %

lssue Date: Last revised date:	20.12.2012 13.05.2016	Version: 1.0	SDS No.: 00001001531 2/14
Storage:		P403: Store in a well-ventilated place.	
Disposal:		None.	
Suppleme	ntal label inform	ation	
		EIGA-As: Asphyxiant in high concentrations.	
2.3 Other hazards:		None.	

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical name	Chemical formula	Concentration	CAS-No.	EC No.	REACH Registration No.	Notes
chlorine	CI2	15PPM	7782-50-5	231-959-5	01-2119486560-35	#
Nitrogen	N2	99.9985%	7727-37-9	231-783-9	Listed in Annex IV/V of Regulation (EC) No 1907/2006 (REACH), exempted from registration.	

The concentrations of the components in the SDS header, product name on page one and in section 3.2 are in mol due to regulatory requirements. All concentrations are nominal.

This substance has workplace exposure limit(s).

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

Classification

Chemical name	Classification		Notes
chlorine	DSD:	O; R8 T; R23 Xi; R36/37/38 N; R50	
	CLP:	Oxid. Gas 1;H270, Press. Gas Liquef. Gas;H280, Acute Tox. 2;H330, Eye Irrit. 2;H319, Skin Irrit. 2;H315, Aquatic Acute 1;H400	
Nitrogen	DSD:	none	
	CLP:	Press. Gas Compr. Gas;H280	

DSD: Directive 67/548/EEC.

CLP: Regulation No. 1272/2008.

The full text for all R-phrases and H-statements is displayed in section 16.



CI2 0 0015 %·N2 00 0085 %

		Cl2 0,0015 %;N2 99,9985 %	
Issue Date: Last revised date:	20.12.2012 13.05.2016	Version: 1.0	SDS No.: 000010015311 3/14
SECTION 4: First Ai	d Measures		
General:		In high concentrations may cause asphyxiation. mobility/consciousness. Victim may not be awa to uncontaminated area wearing self contained warm and rested. Call a doctor. Apply artificial r	are of asphyxiation. Remove victim I breathing apparatus. Keep victim
4.1 Description of	first aid measures		
Inhalation:		In high concentrations may cause asphyxiation. mobility/consciousness. Victim may not be awa to uncontaminated area wearing self contained warm and rested. Call a doctor. Apply artificial r	are of asphyxiation. Remove victim I breathing apparatus. Keep victim
Eye contact:		Adverse effects not expected from this product	
Skin Contact:		Adverse effects not expected from this product	
Ingestion:		Ingestion is not considered a potential route of	exposure.
4.2 Most important effects, both ad delayed:		Respiratory arrest.	
4.3 Indication of a	ny immediate med	lical attention and special treatment needed	
Hazards:	.,	None.	
Treatment:		None.	
SECTION 5: Firefig	nting Measures		
General Fire Ha	azards:	Heat may cause the containers to explode.	
5.1 Extinguishing r Suitable exting	nedia guishing media:	Material will not burn. In case of fire in the surro extinguishing agent.	oundings: use appropriate
Unsuitable ext media:	inguishing	None.	
5.2 Special hazards substance or m		None.	
Hazardous Com	bustion Products:	None.	
5.3 Advice for firef Special fire fig procedures:	-	In case of fire: Stop leak if safe to do so. Continu position until container stays cool. Use extingui the source of the fire or let it burn out.	



Cl2 0,0015 %;N2 99,9985 %

Issue Date: Last revised date:	20.12.2012 13.05.2016	Version: 1.0	SDS No.: 000010015311 4/14
Special protective equipment for firefighters:		Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Guideline: EN 469 Protective clothing for firefighters. Performance requirements for protective clothing for firefighting. EN 15090 Footwear for firefighters. EN 659 Protective gloves for firefighters. EN 443 Helmets for fire fighting in buildings and other structures. EN 137 Respiratory protective devices - Self-contained opencircuit compressed air breathing apparatus with full face mask - Requirements, testing, marking.	
SECTION 6: Accide	ental Release Me	asures	
6.1 Personal preca protective equ emergency pro	ipment and	Evacuate area. Provide adequate ventilation. I basements and workpits, or any place where i Wear self-contained breathing apparatus whe is proved to be safe. Guideline EN 137 Respira contained open-circuit compressed air breathi Requirements, testing, marking.	ts accumulation can be dangerous. n entering area unless atmosphere tory protective devices - Self-
6.2 Environmental	Precautions:	Prevent further leakage or spillage if safe to de	D SO.
6.3 Methods and n containment a	naterial for Ind cleaning up:	Provide adequate ventilation.	
6.4 Reference to other sections:		Refer to sections 8 and 13.	



SAFETY DATA SHEET Cl2 0,0015 %;N2 99,9985 %

20.12.2012 Ve

 Issue Date:
 20.12.2012

 Last revised date:
 13.05.2016

Version: 1.0

SDS No.: 000010015311 5/14

SECTION 7: Handling and Storage:

7.1 Precautions for safe handling:	Only experienced and properly instructed persons should handle gases under pressure. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Refer to supplier's handling instructions. The substance must be handled in accordance with good industrial hygiene and safety procedures. Protect containers from physical damage; do not drag, roll, slide or drop. Do not remove or deface labels provided by the supplier for the identification of the container contents. When moving containers, even for short distances, use appropriate equipment eg. trolley, hand truck, fork truck etc. Secure cylinders in an upright position at all times, close all valves when not in use. Provide adequate ventilation. Suck back of water into the container must be prevented. Do not allow backfeed into the container. Avoid suckback of water, acid and alkalis. Keep container below 50°C in a well ventilated place. Observe all regulations and local requirements regarding storage of containers. When using do not eat, drink or smoke. Store in accordance with local/regional/national/international regulations. Never use direct flame or electrical heating devices to raise the pressure of a container. Leave valve protection caps in place until the container has been secured against either a wall or bench or placed in a container stand and is ready for use. Damaged valves should be reported immediately to the supplier Close container valve after each use and when empty, even if still connected to equipment. Never attempt to repair or modify container valves or safety relief devices. Replace valve outlet caps or plugs and container caps where supplied as soon as container is disconnected from equipment. Keep container valve outlets clean and free from contaminates particularly oil and water. If user experiences any difficulty operating container valve discontinue use and contact supplier. Never attempt to transfer gases from one container to another. Container valve guards or caps should be in place.
7.2 Conditions for safe storage, including any incompatibilities:	Containers should not be stored in conditions likely to encourage corrosion. Stored containers should be periodically checked for general conditions and leakage. Container valve guards or caps should be in place. Store containers in location free from fire risk and away from sources of heat and ignition. Keep away from combustible material.
7.0.0	Nege

7.3 Specific end use(s):

None.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control Parameters

Occupational Exposure Limits

Chemical name	type	Exposure Limit Values	Source
chlorine	STEL	0.5 ppm 1.5 mg/m3	UK. EH40 Workplace Exposure Limits (WELs) (12 2011)
	STEL	0.5 ppm 1.5 mg/m3	EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU (12 2009)



Cl2 0,0015 %;N2 99,9985 %

Issue Date: 20.12.2012 Last revised date: 13.05.2016 Version: 1.0

SDS No.: 000010015311 6/14

Critical component	type	Value	Remarks
chlorine	Worker - inhalative, long-	0.75	-
	term - systemic	mg/m3	
	Worker - inhalative, short-	1.5 mg/m3	-
	term - systemic	_	
	Worker - inhalative, long-	0.75	-
	term - local	mg/m3	
	Worker - inhalative, short-	1.5 mg/m3	-
	term - local	_	
	Worker - dermal, long-term -	0.5 % wt	-
	local		

PNEC-Values

Critical component	type	Value	Remarks
chlorine	Aquatic (freshwater)	0.21 µg/l	-
	Sewage treatment plant	0.03 mg/l	-
	Aquatic (intermit. releases)	0.26 µg/l	-
	Aquatic (marine water)	0.042 µg∕I	-

8.2 Exposure controls

controls:

Appropriate engineering Consider a work permit system e.g. for maintenance activities. Ensure adequate air ventilation. Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded. Oxygen detectors should be used when asphyxiating gases may be released. Systems under pressure should be regularly checked for leakages. Preferably use permanent leak tight connections (eg. welded pipes). Do not eat, drink or smoke when using the product.

Individual protection measures, such as personal protective equipment

General information:	A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select the PPE that matches the relevant risk. The following recommendations should be considered. Keep self contained breathing apparatus readily available for emergency use. Personal protective equipment for the body should be selected based on the task being performed and the risks involved.
Eye/face protection:	Wear eye protection to EN 166 when using gases. Guideline: EN 166 Personal Eye Protection.
Skin protection Hand Protection:	Wear working gloves while handling containers Guideline: EN 388 Protective gloves against mechanical risks.
Body protection:	No special precautions.
Other:	Wear safety shoes while handling containers Guideline: ISO 20345 Personal protective equipment - Safety footwear.
Respiratory Protection:	Not required.



Cl2 0,0015 %;N2 99,9985 %	
---------------------------	--

Issue Date: Last revised date:	20.12.2012 13.05.2016	Version: 1.0	SDS No.: 000010015311 7/14
Thermal haza	rds:	No precautionary measures are necessary.	
Hygiene measures: Specific risk management measures are not required beyond good indust hygiene and safety procedures. Do not eat, drink or smoke when using the product.		1 3 0	
Environmental controls:	exposure	For waste disposal, see section 13.	

SECTION 9: Physical And Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance	
Physical state:	Gas
Form:	Compressed gas
Colour:	Cl2: Greenish yellow N2: Colorless
Odour:	Cl2: Pungent irritating odor N2: Odorless gas
Odour Threshold:	Odour threshold is subjective and is inadequate to warn of over exposure.
pH:	not applicable.
Melting Point:	No data available.
Boiling Point:	No data available.
Sublimation Point:	not applicable.
Critical Temp. (°C):	No data available.
Flash Point:	Not applicable to gases and gas mixtures.
Evaporation Rate:	Not applicable to gases and gas mixtures.
Flammability (solid, gas):	This product is not flammable.
Flammability limit - upper (%):	not applicable.
Flammability limit - lower(%):	not applicable.
Vapour pressure:	No reliable data available.
Vapour density (air=1):	0.99 (calculated) (15 °C)
Relative density:	No data available.
Solubility(ies)	
Solubility in Water:	No data available.
Partition coefficient (n-octanol/water):	Not known.
Autoignition Temperature:	not applicable.
Decomposition Temperature:	Not known.
Viscosity	
Kinematic viscosity:	No data available.
Dynamic viscosity:	No data available.
Explosive properties:	Not applicable.
Oxidising Properties:	not applicable.
	N



Cl2 0,0015 %;N2 99,9985 %

 Issue Date:
 20.12.2012

 Last revised date:
 13.05.2016

Version: 1.0

SDS No.: 000010015311 8/14

0.1 Reactivity:	No reactivity hazard other than the effects described in sub-section below.		
-	Stable under normal conditions.		
0.2 Chemical Stability:			
10.3 Possibility of Hazardous Reactions:	None.		
0.4 Conditions to Avoid:	None.		
10.5 Incompatible Materials:	No reaction with any common materials in dry or wet conditions.		
10.6 Hazardous Decomposition Products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.		
ECTION 11: Toxicological Inform	ation		
General information:	None.		
11.1 Information on toxicological e	effects		
Acute toxicity - Oral Product	Based on available data, the classification criteria are not met.		
Acute toxicity - Dermal Product	Based on available data, the classification criteria are not met.		
Acute toxicity - Inhalation Product	ATEmix (4 h): > 20000 ppm Based on available data, the classification criteria are not met.		
Component information chlorine	LC 50 (Rat, 4 h): 146.5 ppm Remarks: Delayed fatal pulmonary oedema possible.		
Skin Corrosion/Irritation Product	Based on available data, the classification criteria are not met.		
Component information chlorine	in vivo (Guinea pig; Rabbit): Slightly irritating Severely irritating to skin. in vivo (Guinea pig; Rabbit): Slightly irritating		



Cl2 0,0015 %;N2 99,9985 %

		Cl2 0,0015 %;N2 99,9985 %		
Issue Date: Last revised date:	20.12.2012 13.05.2016	Version: 1.0	SDS No.: 000010015311 9/14	
Component chlorine	information	Severely irritating to eyes.		
Respiratory or Product	⁻ Skin Sensitisatio	n Based on available data, the classification criteria are	not met.	
Germ Cell MutagenicityProductBased on available data, the classification criteria are not met.			not met.	
Carcinogenicit Product	ty	Based on available data, the classification criteria are	not met.	
Reproductive Product	toxicity	Based on available data, the classification criteria are	not met.	
Specific Targe Product	t Organ Toxicity -	Single Exposure Based on available data, the classification criteria are	not met.	
Component chlorine	information	Severe corrosion to the respiratory tract at high concentrations.		
Specific Targe Product	t Organ Toxicity -	Repeated Exposure Based on available data, the classification criteria are	not met.	
Aspiration Haz Product	zard	Not applicable to gases and gas mixtures		
SECTION 12: Ecolog	gical Informatio	n		
12.1 Toxicity				
Acute toxicity Product		No ecological damage caused by this product.		
Acute toxicity Component chlorine	- Fish information	LC 50 (Fish, 96 h): 0.032 mg/l		
	- Aquatic Inverte information	brates LC 50 (Water flea (Daphnia magna), 48 h): 0.15 mg/l ((Static) Remarks: Mortality	
Toxicity to mic Component chlorine	croorganisms information	EC 50 (Algae (Scenedesmus subspicatus), 72 h): 0.001	I mg∕I	



Cl2 0,0015 %;N2 99,9985 %

		012 (JUUIS /0/112 99,9905 /0	
Issue Date: Last revised date:	20.12.2012 13.05.2016		Version: 1.0	SDS No.: 000010015311 10/14
12.2 Persistence an	d Degradability			
Product	u Degradability	Not applica	able to gases and gas mixtures	
12.3 Bioaccumulative Potential Product			The product is expected to biodegrade and is not expected to persist for long periods in an aquatic environment.	
12.4 Mobility in Soil Product	l	Because of its high volatility, the product is unlikely to cause ground or water pollution.		
12.5 Results of PBT assessment Product	and vPvB	Not classif	ied as PBT or vPvB.	
12.6 Other Adverse	Effects:	No ecological damage caused by this product.		
SECTION 13: Dispos	al Consideratio	ns		
13.1 Waste treatme	ent methods			
General inforn	nation:		charge into any place where its a nere in a well ventilated place.	ccumulation could be dangerous. Vent
Disposal meth	ods:	Refer to the EIGA code of practice (Doc.30 "Disposal of Gases", downloadable at http://www.eiga.org) for more guidance on suitable disposal methods. Dispose of container via supplier only. Discharge, treatment, or disposal may be subject to national, state, or local laws.		
European Was	te Codes	4 / 05 05		
Container:		16 05 05:	Gases in pressure containers of 04.	ther than those mentioned in 16 05
SECTION 14: Transp	ort Information	1		

ADR

14.1 UN Number:	UN 1956
14.2 UN Proper Shipping Name:	COMPRESSED GAS, N.O.S. (Nitrogen)
14.3 Transport Hazard Class(es)	
Class:	2
Label(s):	2.2
Hazard No. (ADR):	20
Tunnel restriction code:	(E)
Emergency Action Code:	2TE
14.4 Packing Group:	-
14.5 Environmental hazards:	not applicable
14.6 Special precautions for user:	-



CI2 0,0015 %;N2 99,9985 %

Cl2 0,0015 %;N2 99,9985 %				
Issue Date: Last revised date:	20.12.2012 13.05.2016	Version: 1.0	SDS No.: 000010015311 11/14	
RID				
14.1 UN Num	her	UN 1956		
	er Shipping Name	COMPRESSED GAS, N.O.S. (Nitrogen)		
	t Hazard Class(es)			
Class:		2		
Label(s)	:	2.2		
14.4 Packing	Group:	-		
	nental hazards:	not applicable		
	precautions for user:	-		
IMDG				
14.1 UN Num		UN 1956		
	er Shipping Name:	COMPRESSED GAS, N.O.S. (Nitrogen)		
	t Hazard Class(es)			
Class:		2.2		
Label(s)		2.2		
EmS No.		F-C, S-V		
14.3 Packing		-		
	nental hazards:	not applicable		
14.6 Special p	precautions for user:	-		
ΙΑΤΑ				
14.1 UN Num	ber:	UN 1956		
	hipping Name:	Compressed gas, n.o.s. (Nitrogen)		
	t Hazard Class(es):	· · · · · · · · · · · · · · · · · · ·		
Class:		2.2		
Label(s)	:	2.2		
14.4 Packing	Group:	-		
	nental hazards:	not applicable		
14.6 Special p	precautions for user:	-		
Other in	formation			
	nger and cargo aircraft:	Allowed.		
Cargo	aircraft only:	Allowed.		
14.7 Transpo	rt in bulk according to An	nex II of MARPOL73/78 and the IBC Code: not ap	pplicable	
Addition	nal identification:	Avoid transport on vehicles where the load s	pace is not separated from	

Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers ensure that they are firmly secured. Ensure that the container valve is closed and not leaking. Container valve guards or caps should be in place. Ensure adequate air ventilation.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations



Cl2 0,0015 %;N2 99,9985 %

Issue Date:	20.12.2012	Version: 1.0	SDS No.: 000010015311
Last revised date:	13.05.2016		12/14

Directive 96/61/EC: concerning integrated pollution prevention and control (IPPC): Article 15, European Pollution Emission Registry (EPER):

Chemical name	CAS-No.	Concentration
chlorine	7782-50-5	0 - <0.1%

Directive 96/82/EC (Seveso II): on the control of major accident hazards involving dangerous substances:

Chemical name	CAS-No.	Concentration
chlorine	7782-50-5	0 - <0.1%

Directive 98/24/EC on the protection of workers from the risks related to chemical agents at work:

Chemical name	CAS-No.	Concentration
chlorine	7782-50-5	0 - <0.1%

National Regulations

Management of Health and Safety at Work Regulations (1999 No. 3242). The Regulatory Reform (Fire Safety) Order 2005 (2005 No. 1541). Control of Substances Hazardous to Health Regulations (COSHH, 2002 No. 2677). Provision and Use of Work Equipment Regulations (PUWER, 1998 No. 2306). Personal Protective Equipment Regulations (1992 No. 2966). Control of Major Accident Hazards Regulations (COMAH, 2015 No. 483). Pressure Systems Safety Regulations (PSSR, 2000 No. 128). Only products that comply with the food regulations (EC) No. 1333/2008 and (EU) No. 231/2012 and are labelled as such may be used as food additives. This Safety Data Sheet has been produced to comply with Regulation (EU) 453/2010.

15.2 Chemical safety assessment: No Chemical Safety Assessment has been carried out.

SECTION 16: Other Information

Revision Information:

Not relevant.



Cl2 0,0015 %;N2 99,9985 %

ssue Date: .ast revised date:	20.12.2012 13.05.2016		Version: 1.0	SDS No.: 00001001531 13/1	
Key literature references and sources for data:		Various sources of data have been used in the compilation of this SDS, they include			
		but are not exclusive to: Agency for Toxic Substances and Diseases Registry (ATSDR)			
			emical Agency: Guidance on the Con		
			emical Agency: Information on Regis		
			echa.europa.eu/registered/registe		
		•	ustrial Gases Association (EIGA) Doc	. 169 Classification and Labelling	
		guide.	Dragramma an Chamical Cafaty (htt	n. (human incham arg ()	
		International Programme on Chemical Safety (http://www.inchem.org/) ISO 10156:2010 Gases and gas mixtures - Determination of fire potential and			
		oxidizing ability for the selection of cylinder valve outlets.			
				e outlets.	
		Matheson Gas Data Book, 7th Edition. National Institute for Standards and Technology (NIST) Standard Reference Databas			
		Number 69.			
		The ESIS (European chemical Substances 5 Information System) platform of the			
		former European Chemicals Bureau (ECB) ESIS (http://ecb.jrc.ec.europa.eu/esis/).			
		The European Chemical Industry Council (CEFIC) ERICards.			
		United States of America's National Library of Medicine's toxicology data network			
		TOXNET (http://toxnet.nlm.nih.gov/index.html)			
		Threshold Limit Values (TLV) from the American Conference of Governmental			
		Industrial Hygienists (ACGIH).			
		Substance specific information from suppliers.			
		Details given in this document are believed to be correct at the time of publication.			
		EH40 (as amended) Workplace exposure limits.			
Nording of the R-p	hrases and H-st	atements in se	ctions 2 and 3		
no ang of the tephilases and		H270	May cause or intensify fire; oxidis	er.	
		H280	Contains gas under pressure; may		
		H315	Causes skin irritation.	•	
		H319	Causes serious eye irritation.		
		H330	Fatal if inhaled.		
		H400	00 Very toxic to aquatic life.		
		R8	Contact with combustible material may cause fire.		
		R23 Toxic by inhalation.			
		R36/37/38	R36/37/38 Irritating to eyes, respiratory system and skin.		
		R50	Very toxic to aquatic organisms.		
Training informatio	o n :	Users of breathing apparatus must be trained. The hazard of asphyxiation is often			
		overlooked and must be stressed during operator training. Ensure operators			
		understand th	a hazarda		

Press. Gas Compr. Gas, H280



Cl2 0,0015 %;N2 99,9985 %

Issue Date: Last revised date:	20.12.2012 13.05.2016	Version: 1.0	SDS No.: 000010015311 14/14
Other information:		Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out. Ensure adequate air ventilat Ensure all national/local regulations are observed. Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulti from its use can be accepted. Note: When the Product Name appears in the SDS header the decimal sign and its position comply with rules for the structure and drafting of international standards, and is a comma on the line. As an example 2,0 is two (to three decimal places) and not two thousand, whilst 1.000 is one thousand and not one (to three decimal places).	
Last revised date: Disclaimer:		13.05.2016 This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.	