

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION.**W. F. Taylor Co., Inc.**

11545 Pacific Avenue
Fontana, CA 92337-8228
951/360-6677
CHEMICAL EMERGENCY HOTLINE 1-800-535-5053

PRODUCT NAME: **Pedestal Adhesive**
ITEM NUMBER: 105-1
ITEM DESCRIPTION: 105 Envirotec Pedestal Adh 1-gal (010741701000000)
PRODUCT DESCRIPTION: LATEX BASED ADHESIVE
CHEMICAL FAMILY: SYNTHETIC POLYMER BLEND
REVISION DATE: 05/15/07

HMIS HAZARD RATING

LEAST: 0	HEALTH: 1
SLIGHT: 1	FLAMMABLE: 0
MODERATE: 2	REACTIVITY: 0
HIGH: 3	
EXTREME: 4	

PREPARED BY: DARWIN C. REGIS
PREEMPTS PREVIOUS MSDS SHEETS

SECTION II HAZARDOUS INGREDIENTS

COMPONENT/CAS #	ACGIH TLV	OSHA PEL	% WT	NOTES
NO HAZARDOUS INGREDIENTS PER CURRENT OSHA REGULATIONS				

SECTION III PHYSICAL DATA

BOILING POINT: 212 DEGREES F
LBS/GAL: 10.3 - 10.7
PH: 6 - 8
SOLUBILITY IN WATER: DILUTABLE
EVAPORATION RATE(nBuAc=1): SAME AS WATER
VAPOR DENSITY(AIR=1): >1
VAPOR PRESSURE, MM, HG AT 20 DEGREES C: SAME AS WATER
PERCENT VOLATILE: 20 - 30 (BY WEIGHT)
COLOR: OFF WHITE PASTE ODOR: MILD SWEET ODOR
GRAMS V.O.C. PER LITER OF MATERIAL: 6 (CALCULATED)
GRAMS V.O.C. PER LITER OF COATING: 9 (CALCULATED)

SECTION IV FIRE AND EXPLOSION HAZARD DATA

FLASH POINT, PENSKY-MARTIN C.C.: NA
AUTO IGNITION TEMPERATURE, DEGREES F: NA
FLAMMABLE LIMITS IN AIR (% BY VOLUME): LEL: NA UEL: NA
EXTINGUISHING MEDIA:

(X) WATER SPRAY (X) CARBON DIOXIDE () OTHER
(X) FOAM (X) DRY CHEMICAL

SPECIAL FIRE FIGHTING PROCEDURES: USE SELF CONTAINED BREATHING APPARATUS.
UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE KNOWN

PRODUCT NAME: **Pedestal Adhesive**
ITEM NUMBER: 105-1
ITEM DESCRIPTION: 105 Envirotec Pedestal Adh 1-gal (010741701000000)
REVISION DATE: 05/15/07

SECTION V HEALTH HAZARD IDENTIFICATION

SYMPTOMS OF OVER EXPOSURE:

INHALATION: MAY CAUSE SLIGHT IRRITATION TO THE UPPER RESPIRATORY TRACT.

EYES: VAPOR MAY CAUSE IRRITATION.

SKIN: MAY CAUSE SLIGHT SKIN IRRITATION.

INGESTION: NOT A LIKELY ROUTE OF ENTRY UNDER PROPER HANDLING CONDITIONS. MAY CAUSE VOMITING. SYMPTOMS MAY BE SAME AS INHALATION.

HEALTH EFFECTS OR RISK FROM EXPOSURE:

ACUTE: MAY CAUSE MILD SKIN AND RESPIRATORY TRACT IRRITATION

CHRONIC: NOT KNOWN

FIRST AID PROCEDURES:

EYES CONTACT: WASH WITH WATER AT LEAST 15 MINUTES. IF IRRITATIONS PERSISTS, SEEK MEDICAL ATTENTION.

SKIN CONTACT: REMOVE FROM SKIN AND WASH WITH SOAP AND WATER. IF IRRITATIONS PERSISTS, SEEK MEDICAL ATTENTION.

INHALATION: REMOVE TO FRESH AIR, ADMINISTER OXYGEN. IF NECESSARY, SEEK MEDICAL ATTENTION.

INGESTION: IF SWALLOWED, CALL PHYSICIAN.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: NONE KNOWN

SECTION VI REACTIVITY DATA

STABILITY: STABLE

CONDITIONS TO AVOID: PROTECT FROM FREEZING.

INCOMPATIBILITY (MATERIALS TO AVOID): OXIDIZING MATERIALS

HAZARDOUS DECOMPOSITION PRODUCTS (INCLUDING COMBUSTION PRODUCTS): OXIDES OF CARBON, WATER, AND ORGANIC COMPOUNDS OF UNKNOWN STRUCTURE

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

CORROSIVE TO METAL: NO

OXIDIZER: NO

SECTION VII SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED

KEEP OUT OF SEWER SYSTEMS TO PREVENT BLOCKAGE DUE TO POLYMER DEPOSITS. USE ABSORBENT MATERIAL TO COLLECT AND/OR SCRAPE UP EXCESS AND PLACE INTO CLOSED DOT APPROVED CONTAINERS FOR DISPOSAL.

WASTE DISPOSAL: ABIDE BY ALL STATE, FEDERAL AND LOCAL REGULATIONS.

SECTION VIII SPECIAL PROTECTION INFORMATION

VENTILATION AND ENGINEERING CONTROLS: USE LOCAL EXHAUST. DO NOT USE CLOSED AIR-CIRCULATING SYSTEM. OPEN WINDOWS AND DOORS IF NECESSARY.

RESPIRATORY PROTECTION: NIOSH RESPIRATOR IF ABOVE TLV

PROTECTIVE GLOVES: CHEMICAL RESISTANT GLOVES

EYE PROTECTION: CHEMICAL GOGGLES OR FACE SHIELD

OTHER CLOTHING AND EQUIPMENT: IF CLOTHING BECOMES CONTAMINATED, REMOVE AND CLEAN BEFORE REWEARING.

WORK PRACTICES, HYGIENIC PRACTICES: FOLLOW LABEL INSTRUCTIONS.

OTHER HANDLING AND STORAGE REQUIREMENTS: PROTECT AGAINST PHYSICAL DAMAGE. STORE IN A COOL PLACE. KEEP AWAY FROM HEAT AND SPARKS.

PRODUCT NAME: **Pedestal Adhesive**
ITEM NUMBER: 105-1
ITEM DESCRIPTION: 105 Envirotec Pedestal Adh 1-gal (010741701000000)
REVISION DATE: 05/15/07

PROTECTIVE MEASURES DURING MAINTENANCE OF CONTAMINATED EQUIPMENT: USE GOGGLES AND GLOVES WHEN CLEANING ADHESIVE FROM EQUIPMENT.

SECTION IX SPECIAL PRECAUTIONS

OTHER HANDLING AND STORAGE REQUIREMENTS:

KEEP OUT OF REACH OF CHILDREN

PROTECT AGAINST PHYSICAL DAMAGE. STORE IN A COOL, DRY PLACE (50-90 DEGREES F). KEEP AWAY FROM EXCESSIVE HEAT. PROTECT FROM FREEZING.

SECTION X TOXICOLOGICAL PROPERTIES

CHRONIC/SUBCHRONIC DATA:

SMALL AMOUNTS OF VINYL ACETATE MAY BE CONTAINED IN THIS PRODUCT. ACGIH EVALUATED VINYL ACETATE AS AN A3(1993) ANIMAL CARCINOGEN. AVAILABLE EVIDENCE SUGGESTS THE AGENT IS NOT LIKELY TO CAUSE CANCER IN HUMANS EXCEPT UNDER UNCOMMON OR UNLIKELY ROUTES OF EXPOSURE. INTERNATIONAL AGENCY FOR RESEARCH ON CANCER (IARC) PUBLISHED A MONOGRAPH ON VINYL ACETATE (1995) WHICH INDICATES "THERE IS INADEQUATE EVIDENCE IN HUMANS FOR CARCINOGENITY OF VINYL ACETATE". BECAUSE VINYL ACETATE IS METABOLIZED TO ACETALDEHYDE WHICH IS IARC 2B CLASSIFICATION (POSSIBLE CARCINOGEN TO HUMAN), IT ALSO HAS BEEN LISTED UNDER 2B.

SECTION XI REGULATORY INFORMATION

HAZARDOUS WASTE 40CFR261: NO HAZARDOUS WASTE NUMBER:

HAZARDOUS SUBSTANCE SUPERFUND: NO RQ (LBS):

ALL COMPONENTS ARE IN TSCA INVENTORY

THE FOLLOWING CHEMICALS ARE ON THE SARA TITLE III SECTION 313 HAZARDOUS CHEMICAL LIST:

NONE

CALIFORNIA PROPOSITION 65: THIS PRODUCT CONTAIN A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.

SECTION XII SHIPPING DATA

D.O.T. PROPER SHIPPING NAME (49CFR172.101-102): NONE

HAZARDOUS SUBSTANCE(49CFR CERCLA LIST): NO RQ: N/A

D.O.T. HAZARD CLASSIFICATION (49CFR 172.101-102):

PRIMARY: NONE SECONDARY: NONE

D.O.T. LABELS REQUIRED (49CFR 172.101-102): NONE

D.O.T. PLACARDS REQUIRED (CFR 172.504): NONE

POISON CONSTITUENT (49CFR172.203(K)): NONE

BILL OF LADING DESCRIPTION: ADHESIVE CEMENT, NOI

UN/NA CODE: N/A

NOTICE

W.F. TAYLOR BELIEVES THE DATA SET FORTH HEREIN ARE ACCURATE AS OF THE DATE HEREOF. TAYLOR MAKES NO WARRANTY WITH RESPECT THERETO AND EXPRESSLY DISCLAIMS ALL LIABILITY FOR RELIANCE THEREON. SUCH DATA ARE OFFERED SOLELY FOR YOUR CONSIDERATION, INVESTIGATION AND VERIFICATION.
