

Den-Mat_®

Den-Mat Corporation

2727 Skyway Drive • Santa Maria, CA • 93455

P.O. Box 1729 • Santa Maria, CA • 93456

U.S.A.

Tel: (800) 433-6628 Tel: (805) 922-8491 Fax: (805) 922-6933

Int'l Fax: (805) 349-2607

MATERIAL SAFETY DATA SHEET

TRADE NAME:

VISAR SEAL RESIN

CHEMICAL NAME:

Aromatic/Aliphatic Methacrylates

CHEMICAL FAMILY:

Methacrylate

I. PHYSICAL DATA

BOILING POINT, 760mm, Hg:

212°C

FREEZING POINT:

N/A

SPECIFIC GRAVITY (H₂0=1):

1.114

VAPOR PRESSURE (20°C):

NE

VAPOR DENSITY (Air=1):

NE

SOLUBILITY IN WATER:

Insoluble

PERCENT VOLATILES BY VOLUME:

NE

EVAPORATION RATE (Butyl Acetate=1)

NE

APPEARANCE AND ODOR:

Clear, yellow, oily liquid. Mild

sweet odor.

II. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:

80°C

FLAMMABLE LIMITS:

NE

EXTINGUISHING MEDIA:

Chemical foam, CO2, dry chemicals

SPECIAL FIRE EXTINGUISHING PROCEDURES:

Use self-contained breathing apparatus

UNUSUAL FIRE AND EXPLOSION HAZARDS:

Heat can cause rapid energy release

and can rupture container

III. HEALTH HAZARDS

visarsealresin.doc (DRN 3800)

Effective Date: 11 Jan 2006

Supersedes: 12 Mar 1999

~Verified on 2014-02 by Henry Schein Canada Regulatory Affairs to be the most current version of the MSDS. To be Verified again on 2017-02.~

MSDS/Visar Seal Resin Page 2

THRESHOLD LIMIT VALUE:

NE

EFFECTS OF OVEREXPOSURE:

Irritant to eyes and skin

EMERGENCY AND FIRST AID PROCEDURES:

EYES:

Flush with water for at least 15 minutes and consult

physician.

SKIN:

Wash with soap and water.

INGESTION:

Induce vomiting and get fast medical attention.

IV. REACTIVITY DATA

STABILITY:

Stable

CONDITIONS TO AVOID:

Heat and ignition source

INCOMPATIBILITY:

Reducing and oxidizing agents, blue

and UV light

HAZARDOUS DECOMPOSITION:

Can obtain CO if burned

HAZARDOUS POLYMERIZATION:

May occur especially if heated

V. SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS

RELEASED OR SPILLED:

Absorb material with absorbent towel.

WASTE DISPOSAL METHOD:

Dispose according to government

regulations.

EMERGENCY PHONE NUMBER: (805) 922-8491

While Den-Mat Corporation believes that the data contained herein are factual and the opinions expressed are those of qualified experts regarding the results of the tests conducted, the data are not to be taken as a warranty or representation for which Den-Mat assumes legal responsibility. They are offered solely for your consideration, investigation and verification. Any use of these data and information must be determined by the user to be in accordance with applicable Federal, State and local laws and regulations.

DEN-MAT CORPORATION, 2727 SKYWAY DRIVE, SANTA MARIA, CA 93455