



MATERIAL SAFETY DATA SHEET

KEM CANADA MFG.
4 BLAIR DRIVE
BRAMPTON, ONTARIO
L6T 2H5
TEL# (905) 456-9444

EMERGENCY # CANUTEC (613) 996-6666
"USE IN CASE OF CHEMICAL EMERGENCY ONLY"

W.H.M.I.S. CLASSIFICATION: NOT CONTROLLED

MATERIAL REFERENCE NO: 107100

SECTION I - MATERIAL IDENTIFICATION AND USE

MATERIAL NAME/I.D.: PRESS PAK BODY BATH	
CHEMICAL NAME: NOT APPLICABLE	CHEMICAL FAMILY: SURFACTANT MIX
CHEMICAL FORMULA: MIXTURE	MOLECULAR WEIGHT: NOT APPLICABLE
SYNONYMS: NONE	
MATERIAL USE: BODY BATH SOAP	

SECTION II - HAZARDOUS INGREDIENTS OF MATERIAL

HAZARDOUS INGREDIENTS	APPROX. % CONCENT.	TLV PPM	C.A.S. NUMBERS	LD 50 ORAL, RAT
NONE				

SECTION III - PHYSICAL DATA FOR MATERIAL

PHYSICAL STATE: LIQUID		
ODOUR AND APPEARANCE: GOLD COLOURED VISCOUS LIQUID; LOW ODOUR.		
ODOUR THRESHOLD (PPM)	SPECIFIC GRAVITY	VAPOUR PRESSURE (MM)
NOT APPLICABLE	1.02	< 1 AT 20 (C)
VAPOUR DENSITY (AIR=1)	EVAPORATION RATE	SOLUBILITY IN WATER
NOT AVAILABLE	NOT APPLICABLE	(20°C) SOLUBLE
BOILING POINT (C)	FREEZING POINT (C)	% VOLATILE (BY WEIGHT)
NOT AVAILABLE	0 (EST.)	88
pH (100% SOLUTION)	DENSITY (G/ML)	COEF.OF WATER/OIL DISTR
5.5 - 7.0	NOT APPLICABLE	NOT AVAILABLE



MATERIAL SAFETY DATA SHEET

MATERIAL REFERENCE NO: 107100

SECTION IV - FIRE AND EXPLOSION HAZARD OF MATERIAL

FLAMMABILITY: NON-FLAMMABLE			
IF YES, UNDER WHICH CONDITIONS:			
MEANS OF EXTINCTION: CARBON DIOXIDE, DRY CHEMICAL POWDER, WATER FOG,			
CHEMICAL FOAM, SAND OR EARTH.			
SPECIAL PROCEDURES: WEAR FULL PROTECTIVE GEAR INCULDING SELF-			
CONTAINED BREATHING APPARATUS.			
FLASH POINT (C) AND METHOD: > 93.3 (PENSKY-MARTENS)			
HAZARDOUS COMBUSTION PRODUCTS: CARBON DIOXIDE, CARBON MONOXIDE			
UPPER EXPLOSION LIMIT	LOWER EXPLOSION LIMIT	AUTOIGNITION TEMP(C)	
NOT AVAILABLE	NOT APPLICABLE	NOT AVAILABLE	
EXPLOSION DATA SENSITIVITY			
TO CHEMICAL IMPACT			
NOT AVAILABLE	NOT APPLICABLE	NOT AVAILABLE	
RATE OF BURNING			
EXPLOSIVE POWER			
SENSITIVITY TO STATIC DISCHARGE: NOT AVAILABLE			

SECTION V - REACTIVITY DATA

CHEMICAL STABILITY: NORMALLY STABLE			
IF NO, UNDER WHICH CONDITIONS: EXTREME HEAT OR FLAME			
INCOMPATIBILITY TO OTHER SUBSTANCES: YES			
IF SO, WHICH ONES: STRONG OXIDIZERS SUCH AS HYDROGEN PEROXIDE,			
BROMINE AND CHROMIC ACID.			
REACTIVITY AND UNDER WHAT CONDITIONS: NOT KNOWN			
HAZARDOUS POLYMERIZATION WILL NOT OCCUR.			
HAZARDOUS DECOMPOSITION PRODUCTS: CARBON DIOXIDE, CARBON MONOXIDE			

SECTION VI - HEALTH HAZARD DATA

ROUTE OF ENTRY:			
SKIN CONTACT: NO	SKIN ABSORPTION: NO	EYE CONTACT: YES	
INHALATION: NO	INGESTION: YES		



MATERIAL SAFETY DATA SHEET

MATERIAL REFERENCE NO: 107100

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:
EYES-CONTACT MAY CAUSE IRRITATION

EFFECTS OF CHRONIC EXPOSURE TO MATERIAL:
NO DATA AVAILABLE

LD 50 OF MATL.	LC 50 OF MATL.	EXPOSURE LIMIT(S)	IRRITANCY OF MATL
NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE	VERY LOW

SENSITIZATION OF MATERIAL	SYNERGISTIC MATERIALS
NOT AVAILABLE	NOT AVAILABLE

CARCINOGENICITY, REPRODUCTIVE EFFECTS, TERATOGENICITY, MUTAGENICITY:
NONE KNOWN

SECTION VII - PREVENTIVE MEASURES

PERSONAL PROTECTIVE EQUIPMENT:

GLOVES: NOT REQUIRED
RESPIRATORY: NOT REQUIRED
EYE: NOT REQUIRED
FOOTWEAR: NO SPECIAL REQUIREMENTS
CLOTHING: NO SPECIAL REQUIREMENTS
OTHER: EYE WASH
ENGINEERING CONTROLS (EG VENTILATION, ENCLOSED PROCESS): NOT REQUIRED

LEAK AND SPILL PROCEDURE:
SMALL SPILLS-WIPE UP AND PLACE IN NORMAL REFUGE.
LARGE SPILLS-ABSORB ONTO INERT MATERIAL SUCH AS SAND, SOIL OR VERMICULITE, SWEEP UP AND PLACE IN CONTAINER FOR DISPOSAL.

WASTE DISPOSAL:
DISPOSE IN ACCORDANCE WITH FEDERAL, PROVINCIAL AND LOCAL REGULATIONS



MATERIAL SAFETY DATA SHEET

MATERIAL REFERENCE NO: 107100

SECTION VIII - FIRST AID MEASURES

PROCEDURES:
EYES-FLUSH WITH RUNNING WATER FOR 15 MINUTES. GET MEDICAL ASSISTANCE
INGESTION-IF SWALLOWED DRINK MILK AND CALL A PHYSICIAN
SOURCES USED: RAW MATERIAL SUPPLIER'S MATERIAL SAFETY DATA SHEETS
ADDITIONAL INFORMATION: NONE

SECTION IX - TDG SHIPPING INFORMATION

SHIPPING NAME	CLASS	UN NO.	PACKING GROUP
NOT REGULATED			
HANDLING PROCEDURES AND EQUIPMENT: AVOID CONTACT WITH EYES.			
NO SPECIAL REQUIREMENTS			
STORAGE REQUIREMENTS:			
STORE IN A COOL, DRY AREA. STORE BETWEEN 4.5 (C) AND 49.0 (C) TO			
ENSURE SHELF LIFE OF THE PRODUCT. KEEP FROM FREEZING.			
SPECIAL SHIPPING INFORMATION: HEATED			

SECTION X - HMIS HAZARD RATING INFORMATION

FLAMMABILITY	REACTIVITY	HEALTH
0	0	1

SECTION XI - PREPARATION DATE OF MSDS

PREPARED BY: TECHNICAL DEPARTMENT	TELEPHONE # (905) 456-9444
REVIEWED: AUGUST 22, 2003	

DISCLAIMER:

THE INFORMATION CONTAINED HEREIN IS COMPILED FROM SOURCES BELIEVED TO BE RELIABLE. THE MANNER AND CONDITIONS OF USE AND HANDLING MAY INVOLVE OTHER AND ADDITIONAL CONSIDERATIONS. WE ACCEPT NO RESPONSIBILITY FOR THE ACCURACY, SUFFICIENCY, RELIABILITY OR FOR ANY LOSS OR INJURY RESULTING FROM THE USE OF THE INFORMATION.