

Ca

Version 1.4

Revision Date 09-18-2014

Print Date 12-06-2014

SECTION 1. IDENTIFICATION

Product name : Ca
Mat.-No./ Genisys-No. : 11929801216

Manufacturer or supplier's details

Company name of supplier : Roche Diagnostics
-

Address : 9115 Hague Road
46250 Indianapolis IN

Telephone : 1-800-428-5074

Emergency telephone number:

In case of emergencies: : CHEMTREC 1-800-424-9300 (U.S. or
Canada)
1-703-527-3887 (International)

Recommended use of the chemical and restrictions on use

Restrictions on use : For professional users only.

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

The product is a kit consisting of individual ingredients. The classification of the ingredients can be obtained from section 3. Section Label elements contains the resulting labelling for the kit.

GHS Label element

Hazard pictograms :



Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.

Precautionary statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor/ physician.

Ca

Version 1.4

Revision Date 09-18-2014

Print Date 12-06-2014

P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**R1 (A / B)****GHS Classification**

Skin corrosion, Category 1

H314: Causes severe skin burns and eye damage.

Serious eye damage, Category 1

H318: Causes serious eye damage.

Hazardous components

Chemical Name	CAS-No.	Concentration (%)
2-aminoethanol	141-43-5	>= 5 - < 10

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Move to fresh air.
If unconscious place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Keep respiratory tract clear.
Do NOT induce vomiting.

Ca

Version 1.4

Revision Date 09-18-2014

Print Date 12-06-2014

Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
Rinse mouth with water.

Most important symptoms and effects, both acute and delayed : No information available.

Notes to physician : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : High volume water jet

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.

Ca

Version 1.4

Revision Date 09-18-2014

Print Date 12-06-2014

Smoking, eating and drinking should be prohibited in the application area.
 Provide sufficient air exchange and/or exhaust in work rooms.
 Dispose of rinse water in accordance with local and national regulations.
 To prevent leaks or spillages from spreading, provide a suitable liquid retention system.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
 Containers which are opened must be carefully resealed and kept upright to prevent leakage.
 Observe label precautions.
 Electrical installations / working materials must comply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**R1 (A / B)****Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-aminoethanol	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m ³	NIOSH REL
		ST	6 ppm 15 mg/m ³	NIOSH REL
		TWA	3 ppm 6 mg/m ³	OSHA Z-1
		TWA	3 ppm 8 mg/m ³	OSHA P0
		STEL	6 ppm 15 mg/m ³	OSHA P0

Personal protective equipment

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.

Hand protection

Material : Protective gloves

Remarks : The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. This recommendation is only valid for the product mentioned in the safety data sheet and provided by us and for the application specified by us. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Ca

Version 1.4

Revision Date 09-18-2014

Print Date 12-06-2014

Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	: impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**R1 (A / B)**

Appearance	: liquid
pH	: 10.6
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: does not flash
Flammability (solid, gas)	: The product is not flammable.
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Density	: 1.0244 g/cm ³
Solubility(ies) Water solubility	: soluble
Auto-ignition temperature	: No data available
Thermal decomposition	: No data available
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: No data available
Incompatible materials	: No data available

Ca

Version 1.4

Revision Date 09-18-2014

Print Date 12-06-2014

Hazardous decomposition : No data available
products

SECTION 11. TOXICOLOGICAL INFORMATION**R1 (A / B)****Information on likely routes of exposure****Acute toxicity**

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

Components:**2-aminoethanol:**

Acute oral toxicity : LD50 Oral (Rat): 1,720 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): 1,010 mg/kg

Skin corrosion/irritation

Causes severe burns.

Product:

Remarks: Extremely corrosive and destructive to tissue.

Components:**2-aminoethanol:**

Species: Rabbit

Remarks: Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks: May cause irreversible eye damage.

Components:**2-aminoethanol:**

Species: Rabbit

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Ca

Version 1.4

Revision Date 09-18-2014

Print Date 12-06-2014

Germ cell mutagenicity

Not classified based on available information.

Components:**2-aminoethanol:**

Genotoxicity in vitro : Test Type: Ames test
Remarks: In vitro tests did not show mutagenic effects

Germ cell mutagenicity- : In vivo tests did not show mutagenic effects
Assessment

Carcinogenicity

Not classified based on available information.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

Components:**2-aminoethanol:**

Exposure routes: Inhalation
Assessment: May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Components:**2-aminoethanol:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity

Not classified based on available information.

Components:**2-aminoethanol:**

No data available

Ca

Version 1.4

Revision Date 09-18-2014

Print Date 12-06-2014

SECTION 12. ECOLOGICAL INFORMATION**R1 (A / B)****Ecotoxicity****Product:**

Ecotoxicology Assessment

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to the environment : No data available

Components:**2-aminoethanol:**Toxicity to fish : LC50 (Carassius auratus (goldfish)): 170 mg/l
Exposure time: 96 hToxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): 2.5 mg/l
Exposure time: 72 h

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to the environment : No data available

Persistence and degradability**Components:****2-aminoethanol:**Biodegradability : Biodegradation: 90 - 100 %
Exposure time: 28 d
Method: OECD Test Guideline 301
Remarks: Readily biodegradable, according to appropriate OECD test.Biochemical Oxygen Demand (BOD) : 800 mg/g
Incubation time: 5 d

ThOD : 1,310 mg/g

Bioaccumulative potential**Components:****2-aminoethanol:**

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4).

Partition coefficient: n-octanol/water : log Pow: -1.91
Method: OECD Test Guideline 107

Ca

Version 1.4

Revision Date 09-18-2014

Print Date 12-06-2014

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Regulation

40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues

: The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
Can be disposed as waste water, when in compliance with local regulations.

Contaminated packaging

: Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**International Regulation****IATA-DGR**UN/ID No. : UN 2491
Proper shipping name : Ethanolamine solution
Class : 8
Packing group : III
Labels : Corrosives
Packing instruction (cargo aircraft) : 856
Packing instruction (passenger aircraft) : 852**IMDG-Code**UN number : UN 2491
Proper shipping name : Ethanolamine solution
Class : 8

Ca

Version 1.4

Revision Date 09-18-2014

Print Date 12-06-2014

Packing group : III
Labels : 8
EmS Code : F-A, S-B
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**49 CFR**

UN/ID/NA number : UN 2491
Proper shipping name : Ethanolamine solutions
Class : 8
Packing group : III
Labels : Class 8 - Corrosive
ERG Code : 153
Marine pollutant : no

SECTION 15. REGULATORY INFORMATION**R1 (A / B)****EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Hydrochloric acid (theor. 100%)	7647-01-0	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM1

Intermediate or Final VOC's (40 CFR 60.489):

2-aminoethanol	141-43-5	5.96 %
----------------	----------	--------

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

hydrogen chloride	7647-01-0	0.128 %
-------------------	-----------	---------

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

hydrogen chloride	7647-01-0	0.128 %
-------------------	-----------	---------

Ca

Version 1.4

Revision Date 09-18-2014

Print Date 12-06-2014

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

Massachusetts Right To Know

2-aminoethanol	141-43-5	5 - 10 %
hydrogen chloride	7647-01-0	0.1 - 1 %


Pennsylvania Right To Know

water	7732-18-5	90 - 100 %
2-aminoethanol	141-43-5	5 - 10 %
hydrogen chloride	7647-01-0	0.1 - 1 %

New Jersey Right To Know

water	7732-18-5	90 - 100 %
2-aminoethanol	141-43-5	5 - 10 %
sodium sulphite	7757-83-7	1 - 5 %

California Prop 65 : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16. OTHER INFORMATION**Further information****R1 (A / B)****NFPA:****HMIS III:**

HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Revision Date : 09-18-2014

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.