

KEM CANADA MFG.
4 BLAIR DRIVE
BRAMPTON, ONTARIO
L6T 2H5
TEL# (905) 456-9444

EMERGENCY # CANUTEC (613) 996-6666
"USE IN CASE OF CHEMICAL EMERGENCY ONLY"

W.H.M.I.S. CLASSIFICATION: NOT CONTROLLED

MATERIAL REFERENCE NO: 120000 SECTION I - MATERIAL IDENTIFICATION AND USE |MATERIAL NAME/I.D.: DURAKEM LT 55 |CHEMICAL NAME: CALCIUM 12 HYDROXY-| CHEMICAL FAMILY: HYDROCARBONS STEARATE GREASE| |CHEMICAL FORMULA: NOT APPLICABLE | MOLECULAR WEIGHT: NOT APPLICABLE | |SYNONYMS: NONE |MATERIAL USE: FOOD MACHINERY GREASE (CFIA APPROVAL) SECTION II - HAZARDOUS INGREDIENTS OF MATERIAL |NOT APPLICABLE | SECTION III - PHYSICAL DATA FOR MATERIAL |PHYSICAL STATE: PASTE | ODOUR AND APPEARANCE: AMBER SEMI-SOLID; BLAND ODOUR. ______ |ODOUR THRESHOLD (PPM) | SPECIFIC GRAVITY | VAPOUR PRESSURE (MM)| |5 MG/M3 FOR MINERAL OIL| 0.91 AT 16 (C) | NOT AVAILABLE | ______ |VAPOUR DENSITY (AIR=1) | EVAPORATION RATE | SOLUBILITY IN WATER | NOT AVAILABLE | NOT APPLICABLE | (20 Ø C) INSOLUBLE | BOILING POINT (C) | FREEZING POINT (C) |% VOLATILE (BY WEIGHT)| 343 | -56.7 | 0.0 _____ | DENSITY (G/ML) | COEF.OF WATER/OIL DISTR| NOT APPLICABLE | NOT APPLICABLE | NOT AVAILABLE |



MATERIAL REFERENCE NO: 120000 SECTION IV - FIRE AND EXPLOSION HAZARD OF MATERIAL ______ |FLAMMABILITY: NON-FLAMMABLE IF YES, UNDER WHICH CONDITIONS: _____ | MEANS OF EXTINCTION: WATER FOG, CO2, DRY CHEMICAL, FOAM, EARTH OR |SPECIAL PROCEDURES: WEAR FULL PROTECTIVE EQUIPMENT INCLUDING SELF- | | CONTAINED BREATHING APPARATUS. WATER MAY CAUSE FROTHING. |FLASH POINT (C) AND METHOD: 149 D-92 | HAZARDOUS COMBUSTION PRODUCTS: CARBON DIOXIDE, CARBON MONOXIDE, | VARIOUS HYDROCARBONS, FUMES, SMOKE. | UPPER EXPLOSION LIMIT | LOWER EXPLOSION LIMIT | AUTOIGNITION TEMP(C) | NOT AVAILABLE | NOT AVAILABLE | 166 |EXPLOSION DATA SENSITIVITY| RATE OF BURNING | EXPLOSIVE POWER |TO CHEMICAL IMPACT | | NOT AVAILABLE | NOT AVAILABLE |SENSITIVITY TO STATIC DISCHARGE: NOT AVAILABLE

SECTION V - REACTIVITY DATA
CHEMICAL STABILITY: STABLE
INCOMPATIBILITY TO OTHER SUBSTANCES: YES IF SO, WHICH ONES: STRONG OXIDIZERS
REACTIVITY AND UNDER WHAT CONDITIONS: NOT AVAILABLE
HAZARDOUS DECOMPOSITION PRODUCTS: OXIDES OF CARBON
SECTION VI - HEALTH HAZARD DATA

| SKIN CONTACT: YES | SKIN ABSORPTION: NO EYE CONTACT: YES | INHALATION: NO INGESTION: YES |

Page 2 of 4

|ROUTE OF ENTRY:



MATERIAL REFERENCE NO: 120000

EFFECTS OF ACUTE EXPOSURE TO MATERIAL: THIS PRODUCT HAS BEEN USED FOR SEVERAL YEARS WITH NO KNOWN ILL EFFECTS. EYES - MAY CAUSE MILD IRRITATION. SKIN - MAY CAUSE MILD IRRITATION.
EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: NONE KNOWN
LD 50 OF MATL. LC 50 OF MATL. EXPOSURE LIMIT(S) IRRITANCY OF MATL NOT AVAILABLE NOT AVAILABLE MILD
SENSITIZATION OF MATERIAL SYNERGISTIC MATERIALS NONE NOT AVAILABLE
CARCINOGENICITY, REPRODUCTIVE EFFECTS, TERATOGENICITY, MUTAGENICITY: THIS PRODUCT CONTAINS NO KNOWN CARCINOGENS OR MUTAGENS AS DEFINED BY OSHA OR IARC.
SECTION VII - PREVENTIVE MEASURES
PERSONAL PROTECTIVE EQUIPMENT:
GLOVES: NEOPRENE RESPIRATORY: NOT REQUIRED EYE: FACE SHIELD FOOTWEAR: NO SPECIAL REQUIREMENTS CLOTHING: NO SPECIAL REQUIREMENTS OTHER: EYE WASH AND SAFETY SHOWER ENGINEERING CONTROLS (EG VENTILATION, ENCLOSED PROCESS): USE WITH ADEQUATE VENTILATION.
LEAK AND SPILL PROCEDURE: ABSORB WITH SAND OR INERT MATERIAL AND SCOOP UP AND PLACE IN APPROPRIATE CONTAINER FOR REUSE OR DISPOSAL.
WASTE DISPOSAL: DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, PROVINCIAL AND FEDERAL REGULATIONS.



MATERIAL REFERENCE NO: 120000

SECTION VIII - FIRST AID MEASURES	
PROCEDURES: EYES: FLUSH WITH RUNNING WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION. SKIN: WASH THOROUGHLY WITH SOAP AND WATER. REMOVE AND LAUNDER CONTAMINATED CLOTHING. INGESTION: INDUCE VOMITING. GET MEDICAL ATTENTION.	
SOURCES USED: RAW MATERIAL SUPPLIER'S MATERIAL SAFETY DATA SHEETS	
ADDITIONAL INFORMATION: NONE	
SECTION IX - TDG SHIPPING INFORMATION	
SHIPPING NAME CLASS UN NO. PACKING GROUP NOT REGULATED	
HANDLING PROCEDURES AND EQUIPMENT: WASH THOROUGHLY AFTER HANDLING. DO NOT GET IN EYES OR ON CLOTHING. KEEP AWAY FROM SPARKS OR OPEN FLAMES.	
STORAGE REQUIREMENTS: KEEP CONTAINER CLOSED WHEN NOT IN USE.	
SPECIAL SHIPPING INFORMATION: NONE	
SECTION X - HMIS HAZARD RATING INFORMATION	
FLAMMABILITY REACTIVITY HEALTH 1 0 2	
SECTION XI - PREPARATION DATE OF MSDS	
PREPARED BY: TECHNICAL DEPARTMENT TELEPHONE # (905) 456-9444 REVIEWED: OCTOBER 2, 2009	
DISCLAIMER: THE INFORMATION CONTAINED HEREIN IS COMPILED FROM SOURCES BELIEVED TO	

THE INFORMATION CONTAINED HEREIN IS COMPILED FROM SOURCES BELIEVED TO BE RELIABLE. THE MANNER AND CONDITIONS OF USE AND HANDLING MAY INVOLVE OTHER AND ADDITIONAL CONSIDERATIONS. WE ACCEPT NO RESPONSIBILTY FOR THE ACCURACY, SUFFICIENCY, RELIABILITY OR FOR ANY LOSS OR INJURY RESULTING FROM THE USE OF THE INFORMATION.