

# Spartan Chemical Company, Inc. Material Safety Data Sheet

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label): HDQ NEUTRAL Product Number: 1202 Product Division: Janitorial

Spartan Chemical Company , Inc. 1110 Spartan Drive Maumee OH 43537 Product/Technical Information: 1-(800)-537-8990 Medical Emergency: 1-(888)-314-6171 (24 hours) Chemical Leak/Spill Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Disinfectants, liquid corrosive, n.o.s., 8, UN 1903, III, (contains didecyl dimethyl ammonium chloride, n-alkyl dimethyl benzyl ammonium chloride

NFPA Ratings:	HMIS Ratings:
Health: 3 - Serious	Health: 3 - Serious
Fire: 0 - Minimal	Fire: 0 - Minimal
Reactivity: 0 - Minimal	Reactivity: 0 - Minimal
	Pers. Prot. Equip .: See Section VIII

## SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

			Table Z-1-A			
Chemical Name(s)	%Wt	CAS Registry No.	TWA mg/m <sup>³</sup>	STEL mg/m <sup>³</sup>	CEILING mg/m <sup>3</sup>	NTP, IARC or OSHA Carcinogen
Didecyl dimethyl ammonium	1-5	7173-51-5	Not Established	Not Established	Not Established	No
chloride	-	-	-	-	-	-
Alkyl dimethyl benzyl ammonium	1-5	68424-85-1	Not Established	Not Established	Not Established	No
chloride	-	-	-	-	-	-
Alcohol ethoxylate	1-5	68439-46-3	Not Established	Not Established	Not Established	No
Tetrasodium ÉDTA	1-5	64-02-8	Not Established	Not Established	Not Established	No
Ethyl alcohol	1-5	64-17-5	1900	Not Established	Not Established	No

## SECTION III: PHYSICAL DATA

Boiling Point: 212 °F	Vapor Pressure: Unknown		
Vapor Density (AIR = 1): Unknown	Solubility in Water: Complete		
pH: 7.2-8.2	Specific Gravity (H <sub>2</sub> O=1): 1.00		
Evaporation Rate (but.ace.=1): <1	Percent Solid by Weight: 10-15		
Physical State: Liquid			
Appearance & Odor: Non-viscous red liquid, mild citrus fragrance			

## SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point: > 212 °F	Method Used: ASTM-D56		
Flammable Limits: N/A	Flame Extension: N/A		
Extinguishing Media: Product does not support combustion.	. Use extinguishing media appropriate for surrounding fire.		
Special Fire Fighting Procedures: Wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray.			
Unusual Fire & Explosive Hazards: Products of combustion are toxic.			

ECTION V: HEALTH HAZARD DAT	4	
Threshold Limit Value:	Not Established	Primary Routes of Entry: Inhalation, Skin Contact, Eyes & Oral
Effects of Overexposure- Conditions to Avoid:	CAUSES IRREVERSIBLE EYE DA conjunctiva and tissue damage. CAUSES SKIN BURNS: Symptom absorbed through the skin. HARMFUL IF SWALLOWED: Sympt INHALATION OF SPRAY MIST MA cause coughing and respiratory irritat	ng. Do not taste or swallow. Avoid inhalation of spray mist. Wash
Conditions Aggravated by Use:	Use of this product may aggravate pr dermatitis.	reexisting skin; eye and respiratory disorders including asthma and
Emergency & First Aid Procedures :		
Eyes:		gently with water for 15-20 minutes. Remove contact lenses after ng eye. Get immediate medical attention.
Skin:		se skin immediately with plenty of water for 15-20 minutes. Get
Ingestion:		immediately for treatment advice. Have person sip a glass of water niting unless told to do so by the poison control center or doctor. Do onscious person.
	respiration; preferably mouth to mout treatment advice.	s not breathing; call 911 or an ambulance; then give artificial the possible. Call a poison control center or doctor for further

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

### SECTION VI: REACTIVITY DATA

\_

Stability: Stable	Incompatible Materials: Strong oxidizers
Hazardous Decomposition Products: CO, CO <sub>2</sub>	Hazardous Polymerization: Will Not Occur

#### SECTION VII: SPILL OR LEAK PROCEDURES

Steps to be Taken in Case Material is Released or Spilled:	Dike and contain spill with inert material (sand , earth, etc.) and transfer the liquid and solid separately to containers for recovery and disposal. Keep spill out of sewers and open bodies of water.
Waste Disposal Method:	Dispose of in compliance with all Federal, state and local laws and regulations.

### SECTION VIII: SPECIAL PROTECTION INFORMATION

Respiratory Protection:	Not normally required when good general ventilation is provided. However, if exposure limits (see Section II) are exceeded or if respiratory irritation occurs, use of a NIOSH approved respirator suitable for the use-conditions and chemicals in Section II should be considered.
Ventilation:	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	Rubber or other impervious gloves are recommended.
Eye Protection(Specify Type):	Splash goggles and/or face shield
Other Protective Equipment:	Eye wash stations and washing facilities should be readily accessible in areas where undiluted product is
	handled. See 29 CFR 1910.132-138 for further guidance.

### SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling & Storing: Keep from freezing. Store at temperatures below 140 F. Keep containers closed until used.

Do not contaminate drinking water; food or feed by storage or disposal.				
Other Precautions	E Keep out of rea	ich of children.		
© SCC 06/08/2011 HDQ NEUTRAL	Name: Effective Date:	Ronald T. Cook 06/08/2011	Title: Supercedes:	Manager, Regulatory Affairs 07/29/2008
Ref: 29 CFR 1910.1200 (OSHA)	Changes:	General Review		

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to

evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.