### **Safety Data Sheet**



### Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

### 1.1 Product identifier

• Oxygen (50%), Nitrous Oxide (40%), Carbon Dioxide (6%),

**Enflurane (2.7%), Argon (1.3%)** 

Synonyms • 4733
Product Code • 90110

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s) • Calibration Gas

### 1.3 Details of the supplier of the safety data sheet

Manufacturer • Air Liquide

2700 Post Oak Blvd. Houston, TX 77056 United States

www.us.airliquide.com sds@airliquide.com

Telephone (Technical) • 713-896-2896 Telephone (Technical) • 800-819-1704

### 1.4 Emergency telephone number

Manufacturer 800-424-9300 - CHEMTREC

Manufacturer +1 703-527-3887 - Outside United States

### **Section 2: Hazards Identification**

### EU/EEC

According to Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010] According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

### 2.1 Classification of the substance or mixture

CLP Oxidizing Gases 1 - H270 Compressed Gas - H280

Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects - H336

Germ Cell Mutagenicity 2 - H341 Reproductive Toxicity 2 - H361

Specific Target Organ Toxicity Repeated Exposure 2 - H373

**DSD/DPD** • Oxidizing (O)

Harmful (Xn)

Substances Toxic To Reproduction - Category 3

Mutagenic Substances - Category 3

R8, R48/20, R63, R67, R68

### 2.2 Label Elements

### **CLP**

### **DANGER**









### Hazard statements •

H270 - May cause or intensify fire; oxidizer

H280 - Contains gas under pressure; may explode if heated

H336 - May cause drowsiness or dizziness H341 - Suspected of causing genetic defects.

H361 - Suspected of damaging fertility or the unborn child.

H373 - May cause damage to organs - Nervous System/Bone Marrow through prolonged or repeated exposure

### **Precautionary statements**

**Prevention** • P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P220 - Keep/Store away from clothing and other combustible materials.

P244 - Keep reduction valves free from grease and oil.

P260 - Do not breathe gas.

P271 - Use only outdoors or in a well-ventilated area. P281 - Use personal protective equipment as required.

**Response** • P370+P376 - In case of fire: Stop leak if safe to do so.

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P312 - Call a POISON ČENTER or doctor/physician if you feel unwell.

P314 - Get medical advice/attention if you feel unwell.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

Storage/Disposal .

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P501 - Dispose of content and/or container in accordance with local, regional,

national, and/or international regulations.

### DSD/DPD





**Risk phrases** • R8 - Contact with combustible material may cause fire.

R48/20 - Harmful: danger of serious damage to health by prolonged exposure through inhalation.

R63 - Possible risk of harm to the unborn child.

R67 - Vapours may cause drowsiness and dizziness.

R68 - Possible risk of irreversible effects.

Safety phrases . S37 - Wear suitable gloves.

### 2.3 Other Hazards

CLP

According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.

DSD/DPD

According to European Directive 1999/45/EC this preparation is considered dangerous.

### United States (US)

According to OSHA 29 CFR 1910.1200 HCS

### 2.1 Classification of the substance or mixture

**OSHA HCS 2012** 

Oxidizing Gases 1 - H270 Compressed Gas - H280

Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects - H336

Germ Cell Mutagenicity 2 - H341

Reproductive Toxicity 2 - H361 Specific Target Organ Toxicity Repeated Exposure 2 - H373

# 2.2 Label elements OSHA HCS 2012

### **DANGER**









### Hazard statements .

May cause or intensify fire; oxidizer - H270
 Contains gas under pressure; may explode if heated - H280

May cause drowsiness or dizziness - H336 Suspected of causing genetic defects. - H341

Suspected of damaging fertility or the unborn child. - H361

May cause damage to organs (Nervous System, Bone Marrow) through prolonged or repeated exposure - H373

### **Precautionary statements**

Prevention • Obtain special instructions before use. - P201

Do not handle until all safety precautions have been read and understood. - P202

Keep/Store away from clothing and other combustible materials. - P220

Keep reduction valves free from grease and oil. - P244

Do not breathe gas. - P260

Wash thoroughly after handling. - P264

Use only outdoors or in a well-ventilated area. - P271

Wear protective gloves/protective clothing/eye protection/face protection. - P280

Response • In case of fire: Stop leak if safe to do so. - P370+P376

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. - P304+P340

Call a PŎISON CENTER or doctor/physician if you feel unwell. - P312

Get medical advice/attention if you feel unwell. - P314

IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician. -

P309+P311

Storage/Disposal .

Store in a well-ventilated place. Keep container tightly closed. - P403+P233

Store locked up. - P405

Dispose of content and/or container in accordance with local, regional, national, and/or

international regulations. - P501

### 2.3 Other hazards

OSHA HCS 2012

 Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

### Canada

**According to WHMIS** 

### 2.1 Classification of the substance or mixture

**WHMIS** 

 Compressed Gas - A Oxidizing - C

Other Toxic Effects - D2A Other Toxic Effects - D2B

# 2.2 Label elements WHMIS







Compressed Gas - A
 Oxidizing - C
 Other Toxic Effects - D2A
 Other Toxic Effects - D2B

# 2.3 Other hazards WHMIS

 In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

### 2.4 Other information



### Section 3 - Composition/Information on Ingredients

### 3.1 Substances

 Material does not meet the criteria of a substance in accordance with Regulation (EC) No 1272/2008.

### 3.2 Mixtures

			Composition	
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive
Oxygen	CAS:7782-44-7 EC Number:231- 956-9	50%	NDA	EU DSD/DPD: Annex I - O; R8 EU CLP: Annex VI - Ox. Gas 1, H270; Press. Gas - Comp., H280 OSHA HCS 2012: Ox. Gas 1; Press Gas Comp.
Nitrogen oxide	CAS:10024-97- 2 EC Number:	40%	NDA	EU DSD/DPD: Self Classified - Muta. 3, R68; Repr. 3, R63; O, R8, R67; Xn, R48/20 EU CLP: Self Classified - Muta. 2, H341; Repr. 2 H361; Ox. Gas 1, H270; Press. Gas - Comp., H280; STOT SE 3: Narc., H336; STOT RE 2- Nervous system & Bone Marrow, H373 OSHA HCS 2012: Press. Gas - Comp.; Muta. 2; Repr. 2; Ox. Gas 1; STOT SE 3: Narc.; STOT RE 2- Nervous system & Bone Marrow
Carbon dioxide	CAS:124-38-9 EC Number:204- 696-9	6%	Inhalation-Rat LC50 • 470000 ppm 30 Minute (s)	EU DSD/DPD: Not Classified EU CLP: Self Classified - Press. Gas - Comp., H280 OSHA HCS 2012: Press. Gas - Comp.; Simp. Asphyx.
Ether, 2-chloro-1,1,2- trifluoroethyl difluoromethyl	CAS:13838-16- 9 EINECS:237- 553-4	2.7%	Ingestion/Oral-Rat LD50 • 5450 µL/kg Inhalation-Rat LC50 • 14000 ppm 3 Hour(s)	EU DSD/DPD: Self Classified - R67; Xi, R36/37/38 EU CLP: Self Classified - Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3: Resp. Irrit., H335; STOT SE 3: Narc., H336 OSHA HCS 2012: STOT SE 3: Narc.; Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3: Resp. Irrit.
Argon	CAS:7440-37-1 EC Number:231- 147-0	1.3%	NDA	EU DSD/DPD: Not Classified EU CLP: Self Classified - Press. Gas - Comp., H280 OSHA HCS 2012: Press. Gas - Comp.; Simp. Asphyx

### **Section 4 - First Aid Measures**

### 4.1 Description of first aid measures

Inhalation

• IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. If signs/symptoms continue, get medical attention.

Skin

IF ON SKIN: Gently wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical advice/attention.

Eye

 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

• Ingestion is not considered a potential route of exposure.

### 4.2 Most important symptoms and effects, both acute and delayed

• Refer to Section 11 - Toxicological Information.

### 4.3 Indication of any immediate medical attention and special treatment needed

**Notes to Physician** 

 All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

### 4.4 Other information

 RESCUERS SHOULD NOT ATTEMPT TO RETRIEVE VICTIMS OF EXPOSURE TO THIS SUBSTANCE WITHOUT ADEQUATE PERSONAL PROTECTIVE EQUIPMENT. At a minimum, Self-Contained Breathing Apparatus must be worn. Victim(s) who experience any adverse effect after over-exposure to this gas mixture must be taken for medical attention. Rescuers should be taken for medical attention if necessary. Take a copy of the label and the SDS to physician or other health professional with victim(s). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

### **Section 5 - Firefighting Measures**

### 5.1 Extinguishing media

Suitable Extinguishing Media . Use extinguishing agent suitable for type of surrounding fire.

Unsuitable Extinguishing Media

No data available

### 5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards

May ignite combustibles (wood, paper, oil, clothing, etc.)
 Containers may explode when heated.
 Ruptured cylinders may rocket.

Hazardous Combustion Products

No data available

### 5.3 Advice for firefighters

 Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.

Wear positive pressure self-contained breathing apparatus (SCBA).

Move containers from fire area if you can do it without risk.

FIRE: If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions.

FIRE INVOLVING TANKS: Fight fire from maximum distance or use unmanned hose holders or monitor nozzles.

FIRE INVOLVING TANKS: Cool containers with flooding quantities of water until well after fire is out.

FIRE INVOLVING TANKS: Do not direct water at source of leak or safety devices;

icing may occur.

FIRE INVOLVING TANKS: Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.

FIRE INVOLVING TANKS: ALWAYS stay away from tanks engulfed in fire.

### Section 6 - Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

### **Personal Precautions**

 Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material. Ventilate the area before entry.

### **Emergency Procedures**

 Stop leak if you can do it without risk. Keep unauthorized personnel away. Keep out of low areas. Stay upwind. Do not direct water at spill or source of leak. LARGE SPILL: Consider initial downwind evacuation for at least 500 meters (1/3 mile)

### 6.2 Environmental precautions

Avoid release to the environment.

### 6.3 Methods and material for containment and cleaning up

## Containment/Clean-up Measures

Stop leak if you can do it without risk.

Keep combustibles (wood, paper, oil, etc.) away from spilled material.

Do not direct water at spill or source of leak.

Use water spray to reduce vapors; do not put water directly on leak, spill area or inside container.

If possible, turn leaking containers so that gas escapes rather than liquid.

Isolate area until gas has dispersed.

Ventilate the area.

Allow substance to evaporate.

### 6.4 Reference to other sections

 Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

### Section 7 - Handling and Storage

### 7.1 Precautions for safe handling

### Handling

• Use only with adequate ventilation. Ventilate closed spaces before entering. Be aware of any signs of dizziness or fatigue, especially if work is done in a poorly ventilated area; exposures to fatal concentrations of this gas mixture could occur without any significant warning symptoms, due to olfactory fatigue or oxygen deficiency. Cylinders should be firmly secured to prevent falling or being knocked-over. Do not attempt to repair, adjust, or in any other way modify cylinders. If there is a malfunction or another type of operational problem, contact nearest distributor immediately. Empty containers retain product residue and can be hazardous. Do not cut, weld, puncture or incinerate container.

### 7.2 Conditions for safe storage, including any incompatibilities

### **Storage**

Store in a cool, dry, well-ventilated place. Do not store near combustible materials.
 Protect cylinders against physical damage. Cylinders should be firmly secured to prevent falling or being knocked-over.

### 7.3 Specific end use(s)

Refer to Section 1.2 - Relevant identified uses.

### **Section 8 - Exposure Controls/Personal Protection**

### 8.1 Control parameters

			<b>Exposure Limits</b>	/Guidelines		
	Result	ACGIH	Canada Ontario	Canada Quebec	China	Europe
Ether, 2-chloro- 1,1,2-trifluoroethyl difluoromethyl (13838-16-9)	TWAs	75 ppm TWA	2 ppm TWA; 16 mg/m3 TWA	75 ppm TWAEV; 566 mg/m3 TWAEV	Not established	Not established
Carbon dioxide	TWAs	5000 ppm TWA	5000 ppm TWA	5000 ppm TWAEV; 9000 mg/m3 TWAEV	9000 mg/m3 TWA	5000 ppm TWA; 9000 mg/m3 TWA
(124-38-9)	STELs	30000 ppm STEL	30000 ppm STEL	30000 ppm STEV; 54000 mg/m3 STEV	18000 mg/m3 STEL	Not established
Nitrogen oxide (10024-97-2)	TWAs	50 ppm TWA	25 ppm TWA; 45 mg/m3 TWA	50 ppm TWAEV; 90 mg/m3 TWAEV	Not established	Not established
		Ex	posure Limits/Gu	idelines (Con't.)		
	Result	France	Germany DFG	Germany TRGS	Ireland	Israel
Ether, 2-chloro- 1,1,2-trifluoroethyl difluoromethyl (13838-16-9)	TWAs	Not established	Not established	20 ppm TWA AGW (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed, exposure factor 8); 150 mg/m3 TWA AGW (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed, exposure factor 8)	50 ppm TWA; 380 mg/m3 TWA	2 ppm TWA
	STELs	Not established	Not established	Not established	Not established	6 ppm STEL
	Ceilings	Not established	160 ppm Peak; 1200 mg/m3 Peak	Not established	Not established	Not established
	MAKs	Not established	20 ppm TWA MAK; 150 mg/m3 TWA MAK	Not established	Not established	Not established
	TWAs	5000 ppm TWA [VME] (indicative limit); 9000 mg/m3 TWA [VME] (indicative limit)	Not established	5000 ppm TWA AGW (exposure factor 2); 9100 mg/m3 TWA AGW (exposure factor 2)	5000 ppm TWA; 9000 mg/m3 TWA	5000 ppm TWA
Carbon dioxide	STELs	Not established	Not established	Not established	Not established	30000 ppm STEL
(124-38-9)	Ceilings	Not established	10000 ppm Peak; 18200 mg/m3 Peak	Not established	Not established	Not established
	MAKs	Not established	5000 ppm TWA MAK; 9100 mg/m3 TWA MAK	Not established	Not established	Not established
				100 ppm TWA AGW (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are		

Nitrogen oxide (10024-97-2)	TWAs	Not established	Not established	observed, exposure factor 2); 180 mg/m3 TWA AGW (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed exposure factor 2)	mg/m3 TWA	50 ppm TWA
	Ceilings	Not established	200 ppm Peak; 360 mg/m3 Peak	Not established	Not established	Not established
	MAKs	Not established	100 ppm TWA MAK; 180 mg/m3 TWA MAK	Not established	Not established	Not established
		Ex	posure Limits/Gui	delines (Con't.)		
	Result	Italy	NIOSH	OSHA	Portugal	Spain
Ethan O ablana	TWAs	Not established	Not established	Not established	75 ppm TWA [VLE- MP]	75 ppm TWA [VLA- ED]; 575 mg/m3 TWA [VLA-ED]
Ether, 2-chloro- 1,1,2-trifluoroethyl difluoromethyl (13838-16-9)	Ceilings	Not established	2 ppm Ceiling (60 min exposure to waste anesthetic gas); 15.1 mg/m3 Ceiling (60 min exposure to waste anesthetic gas)	Not established	Not established	Not established
	STELs	Not established	30000 ppm STEL; 54000 mg/m3 STEL	Not established	30000 ppm STEL [VLE-CD	Not established
Carbon dioxide (124-38-9)	TWAs	5000 ppm TWA; 9000 mg/m3 TWA	5000 ppm TWA; 9000 mg/m3 TWA	5000 ppm TWA; 900 mg/m3 TWA	0 5000 ppm TWA [VLE- MP]	5000 ppm TWA [VLA-ED] (indicative limit value); 9150 mg/m3 TWA [VLA- ED] (indicative limit value)
Nitrogen oxide (10024-97-2)	TWAs	Not established	25 ppm TWA (over the time exposed to waste anesthetic gas); 46 mg/m3 TWA (over the time exposed to waste anesthetic gas)	Not established	50 ppm TWA [VLE- MP]	50 ppm TWA [VLA- ED]; 92 mg/m3 TWA [VLA-ED]
		Ex	posure Limits/Gui			
Ether, 2-chloro- 1,1,2-trifluoroethyl			Result STELs	20 ppm STV; 150 mg/m3 STV	)	
difluoromethyl (13838-16-9)			TWAs	10 ppm LLV; 80 LLV	mg/m3	
Carbon dioxide			STELs	10000 ppm STV mg/m3 STV	18000	
(124-38-9)			TWAs	5000 ppm LLV; 9 mg/m3 LLV	9000	
Nitrogen oxide			STELs	500 ppm STV; 9 mg/m3 STV	00	
(10024-97-2)			TWAs	100 ppm LLV; 18 mg/m3 LLV	30	

### **Exposure Control Notations**

### **Portugal**

•Nitrogen oxide (10024-97-2): Carcinogens: (A4 - Not Classifiable as a Human Carcinogen) | Carcinogens: (A4 - Not Classifiable as a Human Carcinogen) | Simple Asphyxiants: (Simple Asphyxiant)

Argon (7440-37-1): Simple Asphyxiants: (Asphyxiant)

### Spain

Argon (7440-37-1): Simple Asphyxiants: (simple asphyxiant)

### **Germany DFG**

 Nitrogen oxide (10024-97-2): Pregnancy: (no risk to embryo/fetus if exposure limits adhered to) | Pregnancy: (no risk to embryo/fetus if exposure limits adhered to)

### 8.2 Exposure controls

### Engineering Measures/Controls

Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values. Use explosion-proof - electrical, ventilating and/or lighting equipment.

### **Personal Protective Equipment**

Respiratory

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face Skin/Body Wear safety glasses.

Wear leather gloves when handling cylinders.

**Environmental Exposure Controls** 

Follow best practice for site management and disposal of waste. Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways.

### Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

= Limit Level Value is the exposure limit for 8-hour work day

Maximale Arbeitsplatz Konzentration is the maximum permissible

concentration

NIOSH = National Institute of Occupational Safety and Health

OSHA = Occupational Safety and Health Administration

Short Term Exposure Limits are based on 15-minute STEL exposures

STEV = Short Term Exposure Value

TWAEV = Time-Weighted Average Exposure Value

Time-Weighted Averages are based on 8h/day, 40h/week **TWA** exposures

### **Section 9 - Physical and Chemical Properties**

### 9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Gas	Appearance/Description	Colorless gas with a slight ethereal odor.
Color	Colorless	Odor	Slight ethereal odor.
Odor Threshold	Data lacking		
General Properties			
Boiling Point	-183 C(-297.4 F) Oxygen	Melting Point	-219 C(-362.2 F) Oxygen
Decomposition Temperature	Data lacking	рН	Data lacking
Specific Gravity/Relative Density	1.14 Water=1 @ -183 C(-297.4 F) Oxygen	Water Solubility	Soluble Oxygen
Viscosity	Data lacking	Explosive Properties	Not explosive.
Oxidizing Properties:	Oxidizing gas.		
Volatility	-	-	

Vapor Pressure	50800 hPa @ -118.4 C(-181.12 F) Oxygen	Vapor Density	1.11 Air=1 Oxygen
Evaporation Rate	Data lacking		
Flammability			
Flash Point	Not relevant	UEL	Not relevant
LEL	Not relevant	Autoignition	Not relevant
Flammability (solid, gas)	Not flammable.		
Environmental	-		
Octanol/Water Partition coefficient	Data lacking		

### 9.2 Other Information

No additional physical and chemical parameters noted.

### **Section 10: Stability and Reactivity**

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

Stable under normal temperatures and pressures.

### 10.3 Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4 Conditions to avoid

Excess heat, sparks, open flame.

### 10.5 Incompatible materials

Combustible materials, reducing agents.

### 10.6 Hazardous decomposition products

No data available

### **Section 11 - Toxicological Information**

### 11.1 Information on toxicological effects

Component Name	CAS	Data	
Nitrogen oxide (40%)	10024-97-2	Mutagen: dni-hmn-ihl 50 pph/24H; mnt-hmn-ihl 1000 ug/L/18Y-l; Reproductive: ihl-rat TCLo:0.1 pph (1-19D preg)	
Carbon dioxide (6%)	124-38-9	Acute Toxicity: ihl-rat LC50:470000 ppm/30M; Reproductive: ihl-rat TCLo:6 pph/24H (10D preg)	
Oxygen (50%)	7782-44-7	Reproductive: ihl-rat TCLo:10 pph/9H (22D preg)	
Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl (2.7%)	13838-16-9	Acute Toxicity: orl-rat LD50:5450 uL/kg; ihl-rat LC50:14000 ppm/3H; Irritation: eye-rbt 100 mg MOD	
GHS Properties	Classificat	ion	
Acute toxicity	EU/CLP   Classification criteria not met		

Carcinogenicity	EU/CLP   Classification criteria not met  OSHA HCS 2012   Classification criteria not met
Germ Cell Mutagenicity	EU/CLP • Germ Cell Mutagenicity 2 OSHA HCS 2012 • Germ Cell Mutagenicity 2
Skin corrosion/Irritation	EU/CLP ◆ Classification criteria not met OSHA HCS 2012 ◆ Classification criteria not met
Skin sensitization	EU/CLP   Classification criteria not met  OSHA HCS 2012   Classification criteria not met
STOT-RE	EU/CLP • Specific Target Organ Toxicity Repeated Exposure 2 OSHA HCS 2012 • Specific Target Organ Toxicity Repeated Exposure 2
STOT-SE	EU/CLP • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects OSHA HCS 2012 • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects
Toxicity for Reproduction	EU/CLP • Toxic to Reproduction 2 OSHA HCS 2012 • Toxic to Reproduction 2
Respiratory sensitization	EU/CLP   Classification criteria not met OSHA HCS 2012   Classification criteria not met
Serious eye damage/Irritation	EU/CLP ◆ Classification criteria not met OSHA HCS 2012 ◆ Classification criteria not met

### **Target Organs**

### Route(s) of entry/exposure Potential Health Effects Inhalation

Acute (Immediate)

**Chronic (Delayed)** 

Skin

Acute (Immediate)

**Chronic (Delayed)** 

Eye

Acute (Immediate)

Chronic (Delayed)

Ingestion

Acute (Immediate)

**Chronic (Delayed)** 

**Mutagenic Effects** 

**Reproductive Effects** 

Key to abbreviations

TC = Toxic Concentration LC = Lethal Concentration

LD = Lethal Dose

- Nervous System, Bone Marrow
- Inhalation, Skin, Eye
- May affect the central nervous system. Symptoms may include dizziness, drowsiness, lethargy, coma and death.
- Repeated and prolonged exposure may affect the Nervous System and/or Bone Marrow.
- Under normal conditions of use, no health effects are expected.
- No data available
- Under normal conditions of use, no health effects are expected.
- No data available
- Ingestion is not anticipated to be a likely route of exposure to this product.
- Ingestion is not anticipated to be a likely route of exposure to this product.
- Repeated and prolonged exposure may cause mutagenic effects.
- Nitrous oxide has been shown to cause birth defects in rats.

### **Section 12 - Ecological Information**

### **12.1 Toxicity**

Material data lacking.

### 12.2 Persistence and degradability

Material data lacking.

### 12.3 Bioaccumulative potential

Material data lacking.

### 12.4 Mobility in Soil

Material data lacking.

### 12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment has not been conducted for this material.

### 12.6 Other adverse effects

No adverse ecological effects are expected.

### **Section 13 - Disposal Considerations**

### 13.1 Waste treatment methods

**Product waste** 

 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

### **Section 14 - Transport Information**

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	UN3156	Compressed gas, oxidizing, n.o.s. (Oxygen, Nitrous Oxide)	2.2,5.1	NDA	NDA
TDG	UN3156	COMPRESSED GAS, OXIDIZING, N.O.S. (Oxygen, Nitrous Oxide)	2.2,5.1	NDA	NDA
IMO/IMDG	UN3156	COMPRESSED GAS, OXIDIZING, N.O.S. (Oxygen, Nitrous Oxide)	2.2,5.1	NDA	NDA
IATA/ICAO	UN3156	Compressed gas, oxidizing, n.o.s. (Oxygen, Nitrous Oxide)	2.2,5.1	NDA	NDA

# 14.6 Special precautions for user

Cylinders should be transported in a secure position, in a well-ventilated vehicle. The
transportation of compressed gas cylinders in automobiles or in closed-body vehicles
can present serious safety hazards. If transporting these cylinders in vehicles, ensure
these cylinders are not exposed to extremely high temperatures (as may occur in an
enclosed vehicle on a hot day). Additionally, the vehicle should be well-ventilated
during transportation.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant.

### Section 15 - Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or

### mixture

### SARA Hazard Classifications • Fire, Pressure(Sudden Release of), Acute, Chronic

		State Righ	t To Know	
Component	CAS	MA	NJ	PA
Argon	7440-37-1	Yes	Yes	Yes
Carbon dioxide	124-38-9	Yes	Yes	Yes
Ether, 2-chloro- 1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Yes	No	No
Nitrogen oxide	10024-97-2	Yes	Yes	Yes
Oxygen	7782-44-7	Yes	Yes	Yes

			Inventory			
Component	CAS	Canada DSL	Canada NDSL	China	EU EINECS	EU ELNICS
Argon	7440-37-1	Yes	No	Yes	Yes	No
Carbon dioxide	124-38-9	Yes	No	Yes	Yes	No
Ether, 2-chloro- 1,1,2-trifluoroethyl difluoromethyl	13838-16-9	No	No	No	Yes	No
Nitrogen oxide	10024-97-2	Yes	No	Yes	Yes	No
Oxygen	7782-44-7	Yes	No	Yes	Yes	No
			Inventory (Cor	n't.)		
Component			CAS	T	SCA	
Argon		74	140-37-1	,	Yes	
Carbon dioxide		12	24-38-9	,	Yes	
Ether, 2-chloro- 1,1,2-trifluoroethyl difluoromethyl		13	3838-16-9		No	

10024-97-2

7782-44-7

### Canada

Oxygen

Nitrogen oxide

Nitrogen oxide	10024-97-2	A, C, D2A
Oxygen	7782-44-7	A, C
Carbon dioxide	124-38-9	A; Uncontrolled product according to WHMIS classification criteria (solid
• Argon	7440-37-1	A
Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed
Canada - WHMIS - Ingredient Disclosure List		
Nitrogen oxide	10024-97-2	0.1 %
Oxygen	7782-44-7	Not Listed
Carbon dioxide	124-38-9	1 %
Argon	7440-37-1	Not Listed
• Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed

Yes

Yes

Environment Canada - CEPA - Priority Substances List		
Nitrogen oxide	10024-97-2	Not Listed
Oxygen	7782-44-7	Not Listed
Carbon dioxide	124-38-9	Not Listed
• Argon	7440-37-1	Not Listed
• Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed

### China

litrogen oxide	10024-97-2	Not Listed
•		
• Oxygen	7782-44-7	Not Listed
Carbon dioxide	124-38-9	Not Listed
Argon	7440-37-1	Not Listed
• Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed
China - Ozone Depleting Substances - Second Schedule		
Nitrogen oxide	10024-97-2	Not Listed
• Oxygen	7782-44-7	Not Listed
Carbon dioxide	124-38-9	Not Listed
• Argon	7440-37-1	Not Listed
Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed
China - Ozone Depleting Substances - Third Schedule		
Nitrogen oxide	10024-97-2	Not Listed
Oxygen	7782-44-7	Not Listed
• Carbon dioxide	124-38-9	Not Listed
• Argon	7440-37-1	Not Listed
Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed

Other China - Annex I & II - Controlled Chemicals Lists		
Nitrogen oxide	10024-97-2	Not Listed
• Oxygen	7782-44-7	Not Listed
Carbon dioxide	124-38-9	Not Listed
• Argon	7440-37-1	Not Listed
• Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed
China - Dangerous Goods List		
Nitrogen oxide	10024-97-2	UN1070; UN2201
• Oxygen	7782-44-7	UN1072; UN1073
Carbon dioxide	124-38-9	UN1013; UN1845 PG = III; UN2187
• Argon	7440-37-1	UN1006; UN1951
• Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed
China - Export Control List - Part I Chemicals		
Nitrogen oxide	10024-97-2	Not Listed
• Oxygen	7782-44-7	Not Listed
Carbon dioxide	124-38-9	Not Listed
• Argon	7440-37-1	Not Listed
Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed

### **Europe**

Other -		
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification		
Nitrogen oxide	10024-97-2	Not Listed
Oxygen	7782-44-7	O; R8
Carbon dioxide	124-38-9	Not Listed
• Argon	7440-37-1	Not Listed
Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits		
Nitrogen oxide	10024-97-2	Not Listed
• Oxygen	7782-44-7	Not Listed
Carbon dioxide	124-38-9	Not Listed
• Argon	7440-37-1	Not Listed
Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling		
Nitrogen oxide	10024-97-2	Not Listed
• Oxygen	7782-44-7	O R:8 S:(2)-17
Carbon dioxide	124-38-9	Not Listed
• Argon	7440-37-1	Not Listed
Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and Preparations		
Nitrogen oxide	10024-97-2	Not Listed
• Oxygen	7782-44-7	Not Listed
Carbon dioxide	124-38-9	Not Listed
• Argon	7440-37-1	Not Listed
Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases		
Nitrogen oxide	10024-97-2	Not Listed
• Oxygen	7782-44-7	S:(2)-17
Carbon dioxide	124-38-9	Not Listed
• Argon	7440-37-1	Not Listed
• Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed

### Germany

Environment Germany - TA Luft - Types and Classes		
Nitrogen oxide	10024-97-2	Not Listed
Oxygen	7782-44-7	Not Listed
Carbon dioxide	124-38-9	Not Listed
Argon	7440-37-1	Not Listed
<ul> <li>Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl</li> </ul>	13838-16-9	Not Listed
Germany - Water Classification (VwVwS) - Annex 1		
Nitrogen oxide	10024-97-2	Not Listed
• Oxygen	7782-44-7	ID Number 743, not considered hazardous to water
Carbon dioxide	124-38-9	ID Number 256, not considered hazardous to water

		ID Number 1348, not
• Argon	7440-37-1	considered hazardous to
		water
Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed
Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes		
Nitrogen oxide	10024-97-2	ID Number 767, hazard class
THU OGOTI ONICO	10021012	<ul> <li>low hazard to waters</li> </ul>
• Oxygen	7782-44-7	Not Listed
Carbon dioxide	124-38-9	Not Listed
• Argon	7440-37-1	Not Listed
Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed
Germany - Water Classification (VwVwS) - Annex 3		
Nitrogen oxide	10024-97-2	Not Listed
• Oxygen	7782-44-7	Not Listed
Carbon dioxide	124-38-9	Not Listed
• Argon	7440-37-1	Not Listed
• Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed

tner Germany - Specifically Regulated Chemicals in TRGS		
Nitrogen oxide	10024-97-2	Not Listed
• Oxygen	7782-44-7	Not Listed
Carbon dioxide	124-38-9	Not Listed
• Argon	7440-37-1	Not Listed
• Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed

### **Portugal**

Other Portugal - Prohibited Substances		
Nitrogen oxide	10024-97-2	Not Listed
Oxygen	7782-44-7	Not Listed
Carbon dioxide	124-38-9	Not Listed
• Argon	7440-37-1	Not Listed
• Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed

### **United Kingdom**

Environment United Kingdom - Pollution Inventory - Schedule 1 - Thresholds for Re	eleases to Air	
Nitrogen oxide	10024-97-2	10000 kg
Oxygen	7782-44-7	Not Listed
Carbon dioxide	124-38-9	10000000 kg (qualifying renewable fuel sources are reportable when the total amount of CO2 released is above 10 million kg); 10000000 kg
Argon	7440-37-1	Not Listed
Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed
United Kingdom - Substances Contained in Dangerous Substances o	r Preparations	
Nitrogen oxide	10024-97-2	Not Listed
Oxygen	7782-44-7	Not Listed

Carbon dioxide	124-38-9	Not Listed
• Argon	7440-37-1	Not Listed
Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed

Nitrogon ovido	10024 07 2	Not Listed
Nitrogen oxide	10024-97-2	Not Listed
Oxygen	7782-44-7	Not Listed
Carbon dioxide	124-38-9	Not Listed
• Argon	7440-37-1	Not Listed
Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed
nited Kingdom - The Red List - Dangerous Substances in Wa	ater	
- · · · · · · · · · · · · · · · · · · ·		
	10024-97-2	Not Listed
<ul><li>Nitrogen oxide</li><li>Oxygen</li></ul>	10024-97-2 7782-44-7	Not Listed Not Listed
Nitrogen oxide		
Nitrogen oxide Oxygen	7782-44-7	Not Listed

### **United States**

Nitrogen oxide	10024-97-2	Not Listed
• Oxygen	7782-44-7	Not Listed
Carbon dioxide	124-38-9	Not Listed
• Argon	7440-37-1	Not Listed
• Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed
U.S OSHA - Specifically Regulated Chemicals		
Nitrogen oxide	10024-97-2	Not Listed
Oxygen	7782-44-7	Not Listed
Carbon dioxide	124-38-9	Not Listed
• Argon	7440-37-1	Not Listed
Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed

itrogen oxide	10024-97-2	Not Listed
• Oxygen	7782-44-7	Not Listed
• Carbon dioxide	124-38-9	Not Listed
Argon	7440-37-1	Not Listed
Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed
.S CERCLA/SARA - Hazardous Substances and their Re	ortable Quantities	
Nitrogen oxide	10024-97-2	Not Listed
Oxygen	7782-44-7	Not Listed
Carbon dioxide	124-38-9	Not Listed
Argon	7440-37-1	Not Listed
Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed
J.S CERCLA/SARA - Radionuclides and Their Reportable	Quantities	
Nitrogen oxide	10024-97-2	Not Listed
Oxygen	7782-44-7	Not Listed

<ul> <li>Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl</li> <li>U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs</li> <li>Nitrogen oxide</li> <li>Oxygen</li> <li>Carbon dioxide</li> <li>Argon</li> <li>Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl</li> <li>U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs</li> <li>Nitrogen oxide</li> <li>Nitrogen oxide</li> <li>Oxygen</li> <li>Carbon dioxide</li> <li>10024-97-2</li> <li>Oxygen</li> <li>Carbon dioxide</li> <li>124-38-9</li> </ul>	Not Listed  Not Listed  Not Listed  Not Listed  Not Listed  Not Listed  Not Listed
<ul> <li>Nitrogen oxide 10024-97-2</li> <li>Oxygen 7782-44-7</li> <li>Carbon dioxide 124-38-9</li> <li>Argon 7440-37-1</li> <li>Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl 13838-16-9</li> <li>U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs</li> <li>Nitrogen oxide 10024-97-2</li> <li>Oxygen 7782-44-7</li> </ul>	Not Listed Not Listed Not Listed
<ul> <li>Oxygen</li> <li>Carbon dioxide</li> <li>Argon</li> <li>Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl</li> <li>U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs</li> <li>Nitrogen oxide</li> <li>Oxygen</li> <li>7782-44-7</li> </ul>	Not Listed Not Listed Not Listed
<ul> <li>Carbon dioxide</li> <li>Argon</li> <li>Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl</li> <li>U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs</li> <li>Nitrogen oxide</li> <li>Oxygen</li> <li>10024-97-2</li> <li>7782-44-7</li> </ul>	Not Listed Not Listed
<ul> <li>Argon</li> <li>Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl</li> <li>U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs</li> <li>Nitrogen oxide</li> <li>Oxygen</li> <li>7440-37-1</li> <li>13838-16-9</li> <li>10024-97-2</li> <li>7782-44-7</li> </ul>	Not Listed
<ul> <li>Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl</li> <li>U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs</li> <li>Nitrogen oxide</li> <li>Oxygen</li> <li>10024-97-2</li> <li>7782-44-7</li> </ul>	
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs  • Nitrogen oxide 10024-97-2  • Oxygen 7782-44-7	Not Listad
<ul> <li>Nitrogen oxide</li> <li>Oxygen</li> <li>10024-97-2</li> <li>7782-44-7</li> </ul>	NOI LISTED
<ul> <li>Nitrogen oxide</li> <li>Oxygen</li> <li>10024-97-2</li> <li>7782-44-7</li> </ul>	
• Oxygen 7782-44-7	Not Listed
• •	Not Listed
	Not Listed
• Argon 7440-37-1	Not Listed
• Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl 13838-16-9	Not Listed
U.S CERCLA/SARA - Section 313 - Emission Reporting	
• Nitrogen oxide 10024-97-2	Not Listed
• Oxygen 7782-44-7	Not Listed
• Carbon dioxide 124-38-9	Not Listed
• Argon 7440-37-1	Not Listed
• Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl 13838-16-9	Not Listed
U.S CERCLA/SARA - Section 313 - PBT Chemical Listing	
• Nitrogen oxide 10024-97-2	Not Listed
• Oxygen 7782-44-7	Not Listed
• Carbon dioxide 124-38-9	
• Argon 7440-37-1	Not Listed
• Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl 13838-16-9	Not Listed Not Listed

### **United States - California**

nvironment U.S California - Proposition 65 - Carcinogens List		
Nitrogen oxide	10024-97-2	Not Listed
Oxygen	7782-44-7	Not Listed
Carbon dioxide	124-38-9	Not Listed
• Argon	7440-37-1	Not Listed
• Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed
U.S California - Proposition 65 - Developmental Toxicity		
Nitrogen oxide	10024-97-2	developmental toxicity, initial date 8/1/08
• Oxygen	7782-44-7	Not Listed
Carbon dioxide	124-38-9	Not Listed
• Argon	7440-37-1	Not Listed
• Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed
U.S California - Proposition 65 - Maximum Allowable Dose Levels (MADL)		
Nitrogen oxide	10024-97-2	Not Listed
• Oxygen	7782-44-7	Not Listed
Carbon dioxide	124-38-9	Not Listed
• Argon	7440-37-1	Not Listed

• Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed	
U.S California - Proposition 65 - No Significant Risk Levels (NSRL)			
Nitrogen oxide	10024-97-2	Not Listed	
Oxygen	7782-44-7	Not Listed	
Carbon dioxide	124-38-9	Not Listed	
• Argon	7440-37-1	Not Listed	
• Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed	
U.S California - Proposition 65 - Reproductive Toxicity - Female			
Nitrogen oxide	10024-97-2	Not Listed	
• Oxygen	7782-44-7	Not Listed	
Carbon dioxide	124-38-9	Not Listed	
• Argon	7440-37-1	Not Listed	
• Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed	
U.S California - Proposition 65 - Reproductive Toxicity - Male			
Nitrogen oxide	10024-97-2	Not Listed	
Oxygen	7782-44-7	Not Listed	
Carbon dioxide	124-38-9	Not Listed	
• Argon	7440-37-1	Not Listed	
• Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed	

### **United States - Pennsylvania**

Nitrogen oxide	10024-97-2	Not Listed
Oxygen	7782-44-7	Not Listed
Carbon dioxide	124-38-9	Not Listed
Argon	7440-37-1	Not Listed
Ether, 2-chloro-1,1,2-trifluoroethyl difluoromethyl	13838-16-9	Not Listed
O. Danier de DTK (Birkt (* Korea) Orașiel Harradous Orl	hata	
.S Pennsylvania - RTK (Right to Know) - Special Hazardous Sul		Not Listed
Nitrogen oxide	10024-97-2	Not Listed
Nitrogen oxide Oxygen	10024-97-2 7782-44-7	Not Listed
Nitrogen oxide	10024-97-2	
Nitrogen oxide Oxygen	10024-97-2 7782-44-7	Not Listed

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out.

### 15.3 Other Information

 WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

### **Section 16 - Other Information**

### Relevant Phrases (code & full text)

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

R36/37/38 - Irritating to eyes, respiratory system and skin.

# Last Revision Date Preparation Date Disclaimer/Statement of Liability

10/December/2013

- 04/June/2013
- To the best of Air Liquide's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this gas mixture is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

R67 - Vapours may cause drowsiness and dizziness.

**Key to abbreviations** NDA = No Data Available