

Safety Data Sheet



Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name

- Methane (25 - 500 ppm), Ethane (25 - 500 ppm), Nitrogen (25 - 500 ppm), Carbon Monoxide (25 ppb - 50 ppm), Propane (3 - 50 ppm), Cyclopropane (3 - 50 ppm), Propylene (3 - 50 ppm), Isobutane (3 - 50 ppm), N-Butane (3 - 50 ppm), Propadiene (3 - 50 ppm), Trans-2-Butene (3 - 50 ppm), 1-Butene (3 - 50 ppm), Isobutylene (3 - 50 ppm), cis-2-Butene (3 - 50 ppm), 1,3-Butadiene (3 - 50 ppm), Methyl Acetylene (3 - 50 ppm), Hydrogen (2 - 10 ppm), Acetylene (1 - 5 ppm), Carbon Dioxide (0.5 - 5 ppm), Oxygen (0.1 - 50 ppm), Ethylene (Balance)

Synonyms

- CAL1A; CAL1B; CAL1C

Product Code

- 90079

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s)

- Calibration standard

1.3 Details of the supplier of the safety data sheet

Manufacturer

- Air Liquide
2700 Post Oak Blvd.
Houston, TX 77056
United States
www.us.airliquide.com
sds@airliquide.com

Telephone (Technical)

- 713-896-2896

Telephone (Technical)

- 800-819-1704

1.4 Emergency telephone number

Manufacturer

- 800-424-9300 - CHEMTREC

Manufacturer

- +1 703-527-3887 - Outside United States

Section 2: Hazards Identification

EU/EEC

According to EU Directive 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]

According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

CLP

- Flammable Gases 1 - H220
Compressed Gas - H280

DSD/DPD

Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects - H336

- Extremely Flammable (F+)
- R12, R67

2.2 Label Elements

CLP

DANGER



Hazard statements

- H220 - Extremely flammable gas
- H280 - Contains gas under pressure; may explode if heated
- H336 - May cause drowsiness or dizziness

Precautionary statements

Prevention

- P210 - Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking.
- P261 - Avoid breathing dust, fume, gas, mist, vapours and/or spray.
- P271 - Use only outdoors or in a well-ventilated area.

Response

- P377 - Leaking gas fire: Do not extinguish, unless leak can be stopped safely.
- P381 - Eliminate all ignition sources if safe to do so.
- P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

Storage/Disposal

- P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
- P405 - Store locked up.
- P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

DSD/DPD



Risk phrases

- R12 - Extremely flammable.

Safety phrases

- S9 - Keep container in a well ventilated place
- S16 - Keep away from sources of ignition - No Smoking.
- S33 - Take precautionary measures against static discharges.
- S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

2.3 Other Hazards

CLP

- This material is a simple asphyxiant. May displace or reduce oxygen available for breathing especially in confined spaces.
According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.

DSD/DPD

- This material is a simple asphyxiant. May displace or reduce oxygen available for breathing especially in confined spaces.
According to European Directive 1999/45/EC this preparation is considered dangerous.

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

OSHA HCS 2012

- Flammable Gases 1 - H220
- Compressed Gas - H280
- Eye Irritation 2A - H319
- Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects - H336
- Simple Asphyxiant

2.2 Label elements

OSHA HCS 2012

DANGER



Hazard statements	<ul style="list-style-type: none">Extremely flammable gas - H220Contains gas under pressure; may explode if heated - H280Causes serious eye irritation - H319May cause drowsiness or dizziness - H336May displace oxygen and cause rapid suffocation.
Precautionary statements	
Prevention	<ul style="list-style-type: none">Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking. - P210Avoid breathing dust, fume, gas, mist, vapours and/or spray. - P261Use only outdoors or in a well-ventilated area. - P271Wash thoroughly after handling. - P264Wear protective gloves and eye/face protection , . - P280
Response	<ul style="list-style-type: none">Leaking gas fire: Do not extinguish, unless leak can be stopped safely. - P377Eliminate all ignition sources if safe to do so. - P381IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. - P304+P340Call a POISON CENTER or doctor/physician if you feel unwell. - P312IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. - P305+P351+P338If eye irritation persists: Get medical advice/attention. - P337+P313
Storage/Disposal	<ul style="list-style-type: none">Store in a well-ventilated place. Keep container tightly closed. - P403+P233Store locked up. - P405Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. - P501

2.3 Other hazards

OSHA HCS 2012

- Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Canada

According to WHMIS

2.1 Classification of the substance or mixture

WHMIS

- Compressed Gas - A
- Flammable Gases - B1
- Other Toxic Effects - D2B

2.2 Label elements

WHMIS



- Compressed Gas - A
- Flammable Gases - B1
- Other Toxic Effects - D2B

2.3 Other hazards

WHMIS

- This material is a simple asphyxiant. May displace or reduce oxygen available for breathing especially in confined spaces.
In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

2.4 Other information

NFPA



Section 3 - Composition/Information on Ingredients

3.1 Substances

- Material does not meet the criteria of a substance in accordance with Regulation (EC) No 1272/2008.

3.2 Mixtures

Hazardous Components					
Chemical Name	Identifiers	%(weight)	LD50/LC50	Classifications According to Regulation/Directive	Comments
Ethylene	CAS:74-85-1 EC Number:200-815-3	99.8379% TO 99.9905%	NDA	EU DSD/DPD: Annex I: F+; R12 R67 EU CLP: Annex VI - Flam. Gas 1, H220; Press. Gas - Comp, 280; STOT SE 3:Narc., H336 OSHA HCS 2012: Flam. Gas 1; Press. Gas - Comp.; Simp. Asphyx.; Eye Irrit. 2A; STOT SE 3: Narc.;	Balance
Ethane	CAS:74-84-0 EC Number:200-814-8	0.0025% TO 0.05%	NDA	EU DSD/DPD: Annex I - F+; R12 EU CLP: Annex VI - Flam. Gas 1, H220; Press. Gas 280 OSHA HCS 2012: Flam. Gas 1; Press gas, Simp. Asphyx.	25-500 ppm
Methane	CAS:74-82-8 EC Number:200-812-7	0.0025% TO 0.05%	NDA	EU DSD/DPD: Annex I - F+; R12 EU CLP: Annex VI - Flam. Gas 1, H220; Press. Gas 280 OSHA HCS 2012: Flam. Gas 1, Press. Gas - Comp.	25-500 ppm
Nitrogen	CAS:7727-37-9 EINECS:231-783-9	0.0025% TO 0.05%	NDA	EU DSD/DPD: None EU CLP: Self Classified - Press. Gas - Comp H280 OSHA HCS 2012: Press. Gas - Comp.; Simp. Asphyx.	25-500 ppm
Trans-2-Butene	CAS:624-64-6 EC Number:210-855-3	0.0003% TO 0.005%	NDA	EU DSD/DPD: Annex I: F+; R12 EU CLP: Annex VI: Flam. Gas 1, H220; Press. Gas, H280; OSHA HCS 2012: Flam. Gas 1; Press Gas - Comp.;	3-50 ppm
1,2-Propadiene	CAS:463-49-0 EINECS:207-335-3	0.0003% TO 0.005%	NDA	EU DSD/DPD: Self Classified - F+, R12 EU CLP: Self Classified - Flam. Gas 1, H220; Press. Gas, 280 OSHA HCS 2012: Press. Gas; Flam. Gas 1	3-50 ppm

1,3-Butadiene	CAS: 106-99-0 EC Number: 203-450-8	0.0003% TO 0.005%	Inhalation-Rat LC50 • 128000 ppm 4 Hour (s) Ingestion/Oral-Rat LD50 • 5480 mg/kg	EU DSD/DPD: Annex I: F+; R12 Carc.Cat.1; R45 Muta.Cat.2; R46 EU CLP: Annex VI: Flam. Gas 1, H220; Press. Gas, H280; Carc. 1A, H350; Muta. 1B, H340; OSHA HCS 2012: Flam. Gas 1; Press. Gas; Carc. 1A; Muta. 1B;	3-50 ppm
1-Butene	CAS: 106-98-9 EC Number: 203-449-2	0.0003% TO 0.005%	NDA	EU DSD/DPD: Annex I: F+; R12 EU CLP: Annex VI: Flam. Gas 1, H220; Press. Gas - Comp., H280; OSHA HCS 2012: Flam. Gas 1; Press. Gas - Comp.	3-50 ppm
Isobutylene	CAS: 115-11-7 EC Number: 204-066-3	0.0003% TO 0.005%	Inhalation-Rat LC50 • 550000 mg/m ³ 4 Hour (s)	EU DSD/DPD: Annex I: F+; R12 EU CLP: Annex VI: Flam. Gas 1, H220; Press. Gas - Comp., H280; OSHA HCS 2012: Flam. Gas 1; Press. Gas;	3-50 ppm
Cis-2-Butene	CAS: 590-18-1 EC Number: 209-673-7	0.0003% TO 0.005%	NDA	EU DSD/DPD: Annex I: F+; R12 EU CLP: Annex VI: Flam. Gas 1, H220; Press. Gas, H280; OSHA HCS 2012: Flam. Gas 1; Press. Gas - Comp.	3-50 ppm
Butane	CAS: 106-97-8 EC Number: 203-448-7	0.0003% TO 0.005%	Inhalation-Rat LC50 • 658 g/m ³ 4 Hour(s)	EU DSD/DPD: Annex I - F+; R12 EU CLP: Annex VI - Flam. Gas 1, H220; Press. Gas 280 OSHA HCS 2012: Flam. Gas 1; Press. Gas	3-50 ppm
Cyclopropane	CAS: 75-19-4 EC Number: 200-847-8	0.0003% TO 0.005%	NDA	EU DSD/DPD: Annex I - F+; R12 EU CLP: Annex VI - Flam. Gas 1, H220; Press. Gas 280 OSHA HCS 2012: Flam. Gas 1; Press. Gas	3-50 ppm
Isobutane	CAS: 75-28-5 EC Number: 200-857-2	0.0003% TO 0.005%	Inhalation-Rat LC50 • 57 pph 15 Minute(s)	EU DSD/DPD: Annex I - F+; R12 EU CLP: Annex VI - Flam. Gas 1, H220; Press. Gas, 280 OSHA HCS 2012: Flam. Gas 1, Press. Gas - Comp.	3-50 ppm
Propane	CAS: 74-98-6 EC Number: 200-827-9	0.0003% TO 0.005%	NDA	EU DSD/DPD: Annex I - F+; R12 EU CLP: Annex VI - Flam. Gas 1, H220; Press. Gas 280 OSHA HCS 2012: Flam. Gas 1; Press. Gas - Comp.; Simp. Asphyx.	3-50 ppm
Propylene	CAS: 115-07-1 EC Number: 204-062-1	0.0003% TO 0.005%	NDA	EU DSD/DPD: Annex I - F+; R12 EU CLP: Annex VI - Flam. Gas 1, H220; Press. Gas 280 OSHA HCS 2012: Flam. Gas 1; Press Gas	3-50 ppm
Methyl Acetylene	CAS: 74-99-7 EINECS: 200-828-4	0.0003% TO 0.005%	Inhalation-Rat LC50 • 135000 mg/m ³	EU DSD/DPD: Self Classified: F+, R12, R67 EU CLP: Self Classified - Press. Gas-Comp., H280; Flam. Gas 1, H220; STOT SE 3: Narc., H336; OSHA HCS 2012: Press. Gas - Comp.; Flam. Gas 1; STOT SE 3: Narc.	3-50 ppm
Carbon monoxide	CAS: 630-08-0 EC Number: 211-128-3	0.0000025% TO 0.005%	Inhalation-Rat LC50 • 1807 ppm 4 Hour(s)	EU DSD/DPD: Annex I - F+; R12; Repr. Cat. 1; R61; T; R23-48/23 EU CLP: Annex VI - Flam. Gas 1, H220; Press. Gas, H280; Repr. 1A, H360d; Acute Tox. 3 *, H331; STOT RE 1, H372 OSHA HCS 2012: Flam Gas 1; Press Gas; Repr 1A; Acute Tox 3 (inh)	25 ppb - 50 ppm

Oxygen	CAS: 7782-44-7 EC Number: 231-956-9	0% TO 0.005%	NDA	EU DSD/DPD: Annex I - O; R8 EU CLP: Annex VI - Ox. Gas 1, H270; Press. Gas - Comp., H280 OSHA HCS 2012: Ox. Gas 1; Press Gas. - Comp.	0.1-50 ppm
Hydrogen	CAS: 1333-74-0 EC Number: 215-605-7	0.0002% TO 0.001%	NDA	EU DSD/DPD: Annex I - F+; R12 EU CLP: Annex VI - Flam. Gas 1, H220; Press. Gas, 280 OSHA HCS 2012: Flam. Gas 1, Press. Gas - Comp.	2-10 ppm
Acetylene	CAS: 74-86-2 EC Number: 200-816-9	0.0001% TO 0.0005%	NDA	EU DSD/DPD: Annex I - F+; R12, R5, R6 EU CLP: Annex VI - Flam. Gas 1, H220; Press. Gas 280; EUH006 OSHA HCS 2012: Flam Gas; Press Gas	1-5 ppm
Carbon dioxide	CAS: 124-38-9 EC Number: 204-696-9	0.0001% TO 0.0005%	Inhalation-Rat LC50 • 470000 ppm 30 Minute (s)	EU DSD/DPD: Not Classified EU CLP: Self Classified - Press. Gas - Comp., H280 OSHA HCS 2012: Press. Gas - Comp.; Simp. Asphyx.	0.5-5 ppm

See Section 16 for full text of H-statements and R-phrases.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. If signs/symptoms continue, get medical attention.

Skin

- Although exposure is unlikely, in case of contact immediately flush skin with running water. If skin irritation develops get medical advice/attention.

Eye

- First aid is not expected to be necessary if material is used under ordinary conditions and as recommended. Get medical attention if symptoms occur. Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye.

Ingestion

- Never give anything by mouth to an unconscious person. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

4.4 Other information

- Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. RESCUERS SHOULD NOT ATTEMPT TO RETRIEVE VICTIMS OF EXPOSURE TO GASES WITHOUT ADEQUATE PERSONAL PROTECTIVE EQUIPMENT. At a minimum, Self-Contained Breathing Apparatus must be worn. Victim(s) who experience any adverse effect after over-exposure to this gas mixture must be taken for medical attention. Rescuers should be taken for medical attention if necessary. Take a copy of the label and the MSDS to physician or other health professional with victim(s).

Section 5 - Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media

- SMALL FIRES: Dry chemical or CO2.
- LARGE FIRES: Water spray or fog.

Unsuitable Extinguishing Media

- No data available

5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards

- EXTREMELY FLAMMABLE
Will form explosive mixtures with air.
Vapors may travel to source of ignition and flash back.
Cylinders exposed to fire may vent and release flammable gas through pressure relief devices.
Containers may explode when heated.
Ruptured cylinders may rocket.

Hazardous Combustion Products

- No data available

5.3 Advice for firefighters

- Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.
Wear positive pressure self-contained breathing apparatus (SCBA).
DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED
Move containers from fire area if you can do it without risk.
FIRE: If tank, rail car or tank truck is involved in a fire, ISOLATE for 1600 meters (1 mile) in all directions; also, consider initial evacuation for 1600 meters (1 mile) in all directions.
FIRE INVOLVING TANKS: ALWAYS stay away from tanks engulfed in fire.
FIRE INVOLVING TANKS: Fight fire from maximum distance or use unmanned hose holders or monitor nozzles.
FIRE INVOLVING TANKS: Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.
FIRE INVOLVING TANKS: Cool containers with flooding quantities of water until well after fire is out.
FIRE INVOLVING TANKS: Do not direct water at source of leak or safety devices; icing may occur.
FIRE INVOLVING TANKS: For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions

- Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material. Ventilate the area before entry.

Emergency Procedures

- ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area) As an immediate precautionary measure, isolate spill or leak area for at least 100 meters (330 feet) in all directions. Stop leak if you can do it without risk. Keep unauthorized personnel away. Keep out of low areas. Stay upwind. LARGE SPILL: Consider initial downwind evacuation for at least 800 meters (1/2 mile)

6.2 Environmental precautions

- No data available

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures

- All equipment used when handling the product must be grounded.
Stop leak if you can do it without risk.
If possible, turn leaking containers so that gas escapes rather than liquid.
Use water spray to reduce vapors; do not put water directly on leak, spill area or inside container.

Do not direct water at spill or source of leak.
Isolate area until gas has dispersed.

6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling

- Keep away from heat and ignition sources – No Smoking. Take precautionary measures against static charges. All equipment used when handling the product must be grounded. Use only non-sparking tools. Use only with adequate ventilation. Ventilate closed spaces before entering. Be aware of any signs of dizziness or fatigue, especially if work is done in a poorly ventilated area; exposures to fatal concentrations of this gas mixture could occur without any significant warning symptoms, due to olfactory fatigue or oxygen deficiency. Cylinders should be firmly secured to prevent falling or being knocked-over. Use explosion-proof - electrical, ventilating and/or lighting equipment. Do not attempt to repair, adjust, or in any other way modify cylinders. If there is a malfunction or another type of operational problem, contact nearest distributor immediately. Empty containers retain product residue and can be hazardous. Do not cut, weld, puncture or incinerate container.

7.2 Conditions for safe storage, including any incompatibilities

Storage

- Cylinders should be stored in dry, well-ventilated areas away from sources of heat, ignition and direct sunlight. Do not allow area where cylinders are stored to exceed 52C (125F). Cylinders must be protected from the environment, and preferably kept at room temperature approximately 21C (70F). Protect cylinders against physical damage. Cylinders should be firmly secured to prevent falling or being knocked-over. Store locked up.

7.3 Specific end use(s)

- Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits/Guidelines						
	Result	ACGIH	Canada Ontario	Canada Quebec	China	China Highly Toxic Goods
Carbon monoxide (630-08-0)	Ceilings	Not established	Not established	Not established	20 mg/m3 Ceiling [MAC] (high altitude area, 2000-3000m); 15 mg/m3 Ceiling [MAC] (high altitude area, >3000m)	Not established
	STELs	Not established	100 ppm STEL	200 ppm STEV; 230 mg/m3 STEV	30 mg/m3 STEL (not in high altitude area)	30 mg/m3 STEL (not in high altitude area)
	TWAs	25 ppm TWA	25 ppm TWA	35 ppm TWAEEV; 40 mg/m3 TWAEEV	20 mg/m3 TWA (not in high altitude area)	20 mg/m3 TWA (not in high altitude area)
Carbon dioxide (124-38-9)	STELs	30000 ppm STEL	30000 ppm STEL	30000 ppm STEV; 54000 mg/m3 STEV	18000 mg/m3 STEL	Not established
	TWAs	5000 ppm TWA	5000 ppm TWA	5000 ppm TWAEEV; 9000 mg/m3 TWAEEV	9000 mg/m3 TWA	Not established
1,3-Butadiene	STELs	Not established	Not established	Not established	12.5 mg/m3 STEL	Not established

(106-99-0)	TWAs	2 ppm TWA	2 ppm TWA	2 ppm TWAEV; 4.4 mg/m3 TWAEV	5 mg/m3 TWA	Not established
Methyl Acetylene (74-99-7)	STELs	Not established	1250 ppm STEL	Not established	Not established	Not established
	TWAs	1000 ppm TWA	1000 ppm TWA	1000 ppm TWAEV; 1640 mg/m3 TWAEV	Not established	Not established
Propane (74-98-6)	TWAs	1000 ppm TWA (listed under Aliphatic hydrocarbon gases: Alkane C1-4)	1000 ppm TWA	1000 ppm TWAEV; 1800 mg/m3 TWAEV	Not established	Not established
Propylene (115-07-1)	TWAs	500 ppm TWA	500 ppm TWA	Not established	Not established	Not established
Isobutylene (115-11-7)	TWAs	250 ppm TWA (listed under Butenes, all isomers)	250 ppm TWA (listed under Butenes, all isomers)	Not established	Not established	Not established
Cis-2-Butene (590-18-1)	TWAs	250 ppm TWA (listed under Butenes, all isomers)	250 ppm TWA (listed under Butenes, all isomers)	Not established	Not established	Not established
Isobutane (75-28-5)	TWAs	1000 ppm TWA (listed under Aliphatic hydrocarbon gases: Alkane C1-4)	800 ppm TWA (listed under Aliphatic hydrocarbon gases)	Not established	Not established	Not established
Butane (106-97-8)	TWAs	1000 ppm TWA (listed under Aliphatic hydrocarbon gases: Alkane C1-4)	800 ppm TWA (listed under Aliphatic hydrocarbon gases)	800 ppm TWAEV; 1900 mg/m3 TWAEV	Not established	Not established
1-Butene (106-98-9)	TWAs	250 ppm TWA (listed under Butenes, all isomers)	250 ppm TWA (listed under Butenes, all isomers)	Not established	Not established	Not established
Trans-2-Butene (624-64-6)	TWAs	250 ppm TWA (listed under Butenes, all isomers)	250 ppm TWA (listed under Butenes, all isomers)	Not established	Not established	Not established
Ethane (74-84-0)	TWAs	1000 ppm TWA (listed under Aliphatic hydrocarbon gases: Alkane C1-4)	1000 ppm TWA	Not established	Not established	Not established
Methane (74-82-8)	TWAs	1000 ppm TWA (listed under Aliphatic hydrocarbon gases: Alkane C1-4)	1000 ppm TWA	Not established	Not established	Not established
Ethylene (74-85-1)	TWAs	200 ppm TWA	200 ppm TWA	Not established	Not established	Not established
Exposure Limits/Guidelines (Con't.)						
	Result	Europe	France	Germany DFG	Germany TRGS	Ireland
	TWAs	Not established	50 ppm TWA [VME]; 55 mg/m3 TWA [VME]	Not established	30 ppm TWA AGW (The risk of damage to the embryo or fetus cannot be excluded even when AGW and BGW values are observed, exposure factor 1); 35 mg/m3 TWA AGW (The risk of damage to the embryo or	20 ppm TWA; 23 mg/m3 TWA

Carbon monoxide (630-08-0)					fetus cannot be excluded even when AGW and BGW values are observed, exposure factor 1)	
	STELs	Not established	Not established	Not established	Not established	100 ppm STEL; 115 mg/m3 STEL
	Ceilings	Not established	Not established	60 ppm Peak; 70 mg/m3 Peak	Not established	Not established
	MAKs	Not established	Not established	30 ppm TWA MAK; 35 mg/m3 TWA MAK	Not established	Not established
Carbon dioxide (124-38-9)	TWAs	5000 ppm TWA; 9000 mg/m3 TWA	5000 ppm TWA [VME] (indicative limit); 9000 mg/m3 TWA [VME] (indicative limit)	Not established	5000 ppm TWA AGW (exposure factor 2); 9100 mg/m3 TWA AGW (exposure factor 2)	5000 ppm TWA; 9000 mg/m3 TWA
	Ceilings	Not established	Not established	10000 ppm Peak; 18200 mg/m3 Peak	Not established	Not established
	MAKs	Not established	Not established	5000 ppm TWA MAK; 9100 mg/m3 TWA MAK	Not established	Not established
1,3-Butadiene (106-99-0)	TWAs	Not established	Not established	Not established	Not established	1 ppm TWA; 2.2 mg/m3 TWA
Methyl Acetylene (74-99-7)	TWAs	Not established	1000 ppm TWA [VME]; 1650 mg/m3 TWA [VME]	Not established	Not established	1000 ppm TWA; 1610 mg/m3 TWA
Propane (74-98-6)	TWAs	Not established	Not established	Not established	1000 ppm TWA AGW (exposure factor 4); 1800 mg/m3 TWA AGW (exposure factor 4)	1000 ppm TWA
	Ceilings	Not established	Not established	4000 ppm Peak; 7200 mg/m3 Peak	Not established	Not established
	MAKs	Not established	Not established	1000 ppm TWA MAK; 1800 mg/m3 TWA MAK	Not established	Not established
Propylene (115-07-1)	TWAs	Not established	Not established	Not established	Not established	500 ppm TWA (gaseous)
Isobutane (75-28-5)	TWAs	Not established	Not established	Not established	1000 ppm TWA AGW (exposure factor 4); 2400 mg/m3 TWA AGW (exposure factor 4)	Not established
	Ceilings	Not established	Not established	4000 ppm Peak (listed under Butane); 9600 mg/m3 Peak (listed under Butane)	Not established	Not established
	MAKs	Not established	Not established	1000 ppm TWA MAK; 2400 mg/m3 TWA MAK	Not established	Not established
	TWAs	Not established	800 ppm TWA [VME]; 1900 mg/m3 TWA [VME]	Not established	1000 ppm TWA AGW (exposure factor 4); 2400 mg/m3 TWA AGW (exposure	1000 ppm TWA

Butane (106-97-8)	Ceilings	Not established	Not established	4000 ppm Peak (listed under Butane); 9600 mg/m3 Peak (listed under Butane)	Not established	Not established
	MAKs	Not established	Not established	1000 ppm TWA MAK; 2400 mg/m3 TWA MAK	Not established	Not established
Ethane (74-84-0)	TWAs	Not established	Not established	Not established	Not established	1000 ppm TWA
Methane (74-82-8)	TWAs	Not established	Not established	Not established	Not established	1000 ppm TWA
Ethylene (74-85-1)	TWAs	Not established	Not established	Not established	Not established	200 ppm TWA

Exposure Limits/Guidelines (Con't.)

	Result	Israel	Italy	NIOSH	OSHA	Portugal
Carbon monoxide (630-08-0)	TWAs	25 ppm TWA	Not established	35 ppm TWA; 40 mg/m3 TWA	50 ppm TWA; 55 mg/m3 TWA	25 ppm TWA [VLE- MP]
	Ceilings	Not established	Not established	200 ppm Ceiling; 229 mg/m3 Ceiling	Not established	Not established
Carbon dioxide (124-38-9)	STELs	30000 ppm STEL	Not established	30000 ppm STEL; 54000 mg/m3 STEL	Not established	30000 ppm STEL [VLE-CD
	TWAs	5000 ppm TWA	5000 ppm TWA; 9000 mg/m3 TWA	5000 ppm TWA; 9000 mg/m3 TWA	5000 ppm TWA; 9000 mg/m3 TWA	5000 ppm TWA [VLE- MP]
Acetylene (74-86-2)	Ceilings	Not established	Not established	2500 ppm Ceiling; 2662 mg/m3 Ceiling	Not established	Not established
1,3-Butadiene (106-99-0)	TWAs	2 ppm TWA	Not established	Not established	1 ppm TWA	2 ppm TWA [VLE-MP]
	STELs	Not established	Not established	Not established	5 ppm STEL (see 29 CFR 1910.1051)	Not established
Methyl Acetylene (74-99-7)	TWAs	1000 ppm TWA	Not established	1000 ppm TWA; 1650 mg/m3 TWA	1000 ppm TWA; 1650 mg/m3 TWA	1000 ppm TWA [VLE- MP]
Propane (74-98-6)	TWAs	1000 ppm TWA (gas)	Not established	1000 ppm TWA; 1800 mg/m3 TWA	1000 ppm TWA; 1800 mg/m3 TWA	1000 ppm TWA [VLE- MP]
Propylene (115-07-1)	TWAs	500 ppm TWA	Not established	Not established	Not established	500 ppm TWA [VLE- MP]
Isobutylene (115-11-7)	TWAs	250 ppm TWA (listed under Butenes, all isomers)	Not established	Not established	Not established	Not established
Cis-2-Butene (590-18-1)	TWAs	250 ppm TWA (listed under Butenes, all isomers)	Not established	Not established	Not established	Not established
Isobutane (75-28-5)	TWAs	1000 ppm TWA (gas)	Not established	800 ppm TWA; 1900 mg/m3 TWA	Not established	Not established
Butane (106-97-8)	TWAs	1000 ppm TWA (gas)	Not established	800 ppm TWA; 1900 mg/m3 TWA	Not established	Not established
1-Butene (106-98-9)	TWAs	250 ppm TWA (listed under Butenes, all isomers)	Not established	Not established	Not established	Not established
Trans-2-Butene (624-64-6)	TWAs	250 ppm TWA (listed under Butenes, all isomers)	Not established	Not established	Not established	Not established

Ethane (74-84-0)	TWAs	1000 ppm TWA (gas)	Not established	Not established	Not established	1000 ppm TWA [VLE-MP]
Methane (74-82-8)	TWAs	1000 ppm TWA (gas)	Not established	Not established	Not established	1000 ppm TWA [VLE-MP]
Ethylene (74-85-1)	TWAs	200 ppm TWA	Not established	Not established	Not established	200 ppm TWA [VLE-MP]

Exposure Limits/Guidelines (Con't.)

	Result	Spain	Sweden
Carbon monoxide (630-08-0)	TWAs	25 ppm TWA [VLA-ED]; 29 mg/m3 TWA [VLA-ED]	20 ppm LLV (regulated under exhaust fumes); 25 mg/m3 LLV (regulated under exhaust fumes); 35 ppm LLV; 40 mg/m3 LLV
	Biological Limit Values (BLV)	3.5 % of Carboxyhemoglobin in total hemoglobin blood end of shift Carboxyhemoglobin (2,F,I); 20 ppm alveolar air end of shift CO end-cut of exhaled air (2,F,I)	Not established
	STELs	Not established	100 ppm STV; 120 mg/m3 STV
Carbon dioxide (124-38-9)	TWAs	5000 ppm TWA [VLA-ED] (indicative limit value); 9150 mg/m3 TWA [VLA-ED] (indicative limit value)	5000 ppm LLV; 9000 mg/m3 LLV
	STELs	Not established	10000 ppm STV; 18000 mg/m3 STV
1,3-Butadiene (106-99-0)	TWAs	2 ppm TWA [VLA-ED] (manufacturing, commercialization, and use restrictions under REACH); 4.5 mg/m3 TWA [VLA-ED] (manufacturing, commercialization, and use restrictions under REACH)	0.5 ppm LLV; 1 mg/m3 LLV
	Biological Limit Values (BLV)	2.5 mg/L urine end of shift 1,2-Dihydroxy-4-(N-acetylcysteinyl)-butane (2,S,F); 2.5 pmol/g hemoglobin blood not critical Mixture of N-1 and N-2-(hydroxybutenyl)valine	Not established
	STELs	Not established	5 ppm STV; 10 mg/m3 STV

Methyl Acetylene (74-99-7)	TWAs	1000 ppm TWA [VLA-ED]; 1665 mg/m3 TWA [VLA-ED]	Not established
Propane (74-98-6)	TWAs	1000 ppm TWA [VLA-ED]	Not established
Propylene (115-07-1)	TWAs	500 ppm TWA [VLA-ED]	500 ppm LLV; 900 mg/m3 LLV
Butane (106-97-8)	TWAs	1000 ppm TWA [VLA-ED]	Not established
Ethane (74-84-0)	TWAs	1000 ppm TWA [VLA-ED]	Not established
Methane (74-82-8)	TWAs	1000 ppm TWA [VLA-ED]	Not established
Ethylene (74-85-1)	TWAs	200 ppm TWA [VLA-ED]	250 ppm LLV; 330 mg/m3 LLV
	STELs	Not established	1000 ppm STV; 1200 mg/m3 STV

Exposure Control Notations

Portugal

- 1,3-Butadiene (106-99-0): **Carcinogens:** (A2 - Suspected Human Carcinogen)
- Ethylene (74-85-1): **Carcinogens:** (A4 - Not Classifiable as a Human Carcinogen)
- Hydrogen (1333-74-0): **Simple Asphyxiants:** (Simple Asphyxiant)
- Acetylene (74-86-2): **Simple Asphyxiants:** (Simple Asphyxiant)
- Nitrogen (7727-37-9): **Simple Asphyxiants:** (Simple Asphyxiant)
- Propylene (115-07-1): **Carcinogens:** (A4 - Not Classifiable as a Human Carcinogen)

Italy

- 1,3-Butadiene (106-99-0): **Carcinogens:** (Category 1 Carcinogen) | **Mutagens:** (Category 2 Mutagen)
- Isobutane (75-28-5): **Carcinogens:** (Category 1 Carcinogen (containing >= 0.1% Butadiene)) | **Mutagens:** (Category 2 Mutagen (containing >= 0.1% Butadiene))
- Butane (106-97-8): **Carcinogens:** (Category 1 Carcinogen (containing >= 0.1% Butadiene)) | **Mutagens:** (Category 2 Mutagen (containing >= 0.1% Butadiene))

France

- Carbon monoxide (630-08-0): **Reproductive Toxins:** (Reproductive Toxin category 1)

Ireland

- Carbon monoxide (630-08-0): **Substances with Potential Chronic Health Effects:** (Category 1 Reproductive Toxin)
- 1,3-Butadiene (106-99-0): **Carcinogens:** (Category 1 Carcinogen) | **Mutagens:** (Category 2 Mutagen)
- Ethylene (74-85-1): **Simple Asphyxiants:** (Asphyxiant)
- Hydrogen (1333-74-0): **Simple Asphyxiants:** (Asphyxiant)
- Ethane (74-84-0): **Simple Asphyxiants:** (Asphyxiant)
- Propane (74-98-6): **Simple Asphyxiants:** (Asphyxiant)
- Acetylene (74-86-2): **Simple Asphyxiants:** (Asphyxiant)
- Nitrogen (7727-37-9): **Simple Asphyxiants:** (Asphyxiant)
- Methane (74-82-8): **Simple Asphyxiants:** (Asphyxiant)
- Propylene (115-07-1): **Simple Asphyxiants:** (Asphyxiant)

Spain

- Carbon monoxide (630-08-0): **Reproductive Toxins:** (known reproductive toxins with classification from human data)
- 1,3-Butadiene (106-99-0): **Carcinogens:** (Known human carcinogen) | **Mutagens:** (Suspected human mutagen)
- Hydrogen (1333-74-0): **Simple Asphyxiants:** (simple asphyxiant)
- Acetylene (74-86-2): **Simple Asphyxiants:** (simple asphyxiant)
- Nitrogen (7727-37-9): **Simple Asphyxiants:** (simple asphyxiant)

Sweden

- Carbon monoxide (630-08-0): **Reproductive Toxins:** (Causes reproductive disturbances)

•1,3-Butadiene (106-99-0): **Carcinogens:** (Carcinogen)

Germany TRGS

•Ethylene (74-85-1): **Carcinogens:** (Based on current data, this substance can not be classified in categories 1-3) | **Developmental Toxins:** (Based on current data, this substance can not be classified in categories 1-3) | **Reproductive Toxins:** (Based on current data, this substance can not be classified in categories 1-3) | **Germ Cell Mutagens:** (Category 3)

Germany DFG

- Carbon monoxide (630-08-0): **Pregnancy:** (risk to embryo/fetus probable)
- 1,3-Butadiene (106-99-0): **Carcinogens:** (Category 1 (causes cancer in man))
- Ethylene (74-85-1): **Carcinogens:** (Category 3B (could be carcinogenic for man))
- Isobutane (75-28-5): **Pregnancy:** (classification not yet possible)
- Propane (74-98-6): **Pregnancy:** (classification not yet possible)
- Butane (106-97-8): **Pregnancy:** (classification not yet possible)

Exposure Limits Supplemental

Israel

- Carbon monoxide (630-08-0): **Biological Markers of Occupational Exposure:** (3.5 % of hemoglobin Medium: blood Time: end of shift Parameter: Carboxyhemoglobin (background, nonspecific); 20 ppm Medium: end-exhaled air Time: end of shift Parameter: Carbon monoxide (background, nonspecific))
- 1,3-Butadiene (106-99-0): **Biological Markers of Occupational Exposure:** (2.5 mg/L Medium: urine Time: end of shift Parameter: 1,2-Dihydroxy-4-(N-acetylcysteinyl)-butane (background, semi-quantitative); 2.5 pmol/g hemoglobin Medium: blood Time: not critical Parameter: Mixture of N-1 and N-2-(hydroxybutenyl)valine hemoglobin adducts (semi-quantitative))

8.2 Exposure controls

Engineering Measures/Controls

- Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Use explosion-proof - electrical, ventilating and/or lighting equipment.

Personal Protective Equipment

Respiratory

- In case of insufficient ventilation, wear suitable respiratory equipment. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face

- Wear safety glasses.

Skin/Body

- Wear leather gloves when handling cylinders.

Environmental Exposure Controls

- Follow best practice for site management and disposal of waste. Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways.

Key to abbreviations

MAK = Maximale Arbeitsplatz Konzentration is the maximum permissible concentration

STEL = Short Term Exposure Limits are based on 15-minute exposures

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

ACGIH = American Conference of Governmental Industrial Hygiene

NIOSH = National Institute of Occupational Safety and Health

OSHA = Occupational Safety and Health Administration

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Gas	Appearance/Description	Colorless gas with a faint sweet odor.
Color	Colorless	Odor	Faint sweet odor.
Odor Threshold	Data lacking		

General Properties

Boiling Point	-103.8 C(-154.84 F) Ethylene	Melting Point	-169.2 C(-272.56 F) Ethylene
Decomposition Temperature	Data lacking	pH	Data lacking
Specific Gravity/Relative Density	Data lacking	Water Solubility	0.226 % @ 0 C(32 F) Ethylene
Viscosity	Data lacking	Explosive Properties	Not explosive.
Oxidizing Properties:	Not an oxidizer.		

Volatility

Vapor Pressure	Data lacking	Vapor Density	0.974 Air=1 Ethylene
Evaporation Rate	Data lacking		

Flammability

Flash Point	Data lacking	UEL	Data lacking
LEL	Data lacking	Autoignition	425 C(797 F) Ethylene
Flammability (solid, gas)	Flammable gas.		

Environmental

Octanol/Water Partition coefficient	Data lacking		
-------------------------------------	--------------	--	--

9.2 Other Information

- No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity

10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

- Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

- No data available

10.4 Conditions to avoid

- No data available

10.5 Incompatible materials

- No data available

10.6 Hazardous decomposition products

- No data available

Section 11 - Toxicological Information

11.1 Information on toxicological effects

Component Name	CAS	Data
Isobutane (0.0003% TO 0.005%)	75-28-5	Acute Toxicity: ihl-rat LC50:658000 mg/m3/4H
Propylene (0.0003% TO 0.005%)	115-07-1	Mutagen: slt-rat-ihl 200 ppm/4W/6H; Tumorigen/Carcinogen: ihl-rat TCLo:128750 mg/kg/103W-C

Carbon monoxide (0% TO 0.005%)	630-08-0	Acute Toxicity: ihl-rat LC50:6600 ppm/30M; Reproductive: ihl-rat TCLo:150 ppm (0-20D preg)
Oxygen (0% TO 0.005%)	7782-44-7	Reproductive: ihl-rat TCLo:10 pph/9H (22D preg)
Carbon dioxide (0.0001% TO 0.0005%)	124-38-9	Acute Toxicity: ihl-rat LC50:470000 ppm/30M; Reproductive: ihl-rat TCLo:6 pph/24H (10D preg)

GHS Properties	Classification
Acute toxicity	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Aspiration Hazard	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Carcinogenicity	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Germ Cell Mutagenicity	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Skin corrosion/Irritation	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Skin sensitization	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
STOT-RE	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
STOT-SE	EU/CLP • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects OSHA HCS 2012 • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects
Toxicity for Reproduction	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Respiratory sensitization	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Serious eye damage/Irritation	EU/CLP • Classification criteria not met OSHA HCS 2012 • Eye Irritation 2A

Target Organs

- Central Nervous System (CNS)

Route(s) of entry/exposure

- Inhalation, Skin, Eye, Ingestion

Potential Health Effects

Inhalation

Acute (Immediate)

- May affect the central nervous system. Symptoms may include dizziness, drowsiness, lethargy, coma and death. If this material is released in a small, poorly ventilated area (i.e. an enclosed or confined space), an oxygen-deficient environment may occur. Individuals breathing such an atmosphere may experience symptoms which include headaches, ringing in ears, dizziness, drowsiness, unconsciousness, nausea, vomiting, and depression of all the senses. Under some circumstances of over-exposure, death may occur. The following effects associated with decreased levels of oxygen: increase in breathing and pulse rate, emotional upset, abnormal fatigue, nausea, vomiting, collapse, loss of consciousness, convulsive movements, respiratory collapse and death.

Chronic (Delayed)

- No data available

Skin

Acute (Immediate)

- Under normal conditions of use, no health effects are expected.

Chronic (Delayed)

- No data available

Eye

- Acute (Immediate)**
 - Causes eye irritation.
- Chronic (Delayed)**
 - No data available

Ingestion

- Acute (Immediate)**
 - Ingestion is not anticipated to be a likely route of exposure to this product.
- Chronic (Delayed)**
 - No data available

Carcinogenic Effects

- Material level data is not available however this gas mixture contains ingredients which may cause carcinogenic effects upon prolonged and repeated exposure. The carcinogenic components are below thresholds that result in classification of the material as a carcinogen.

Carcinogenic Effects				
	CAS	OSHA	IARC	NTP
1,3-Butadiene	106-99-0	Specifically Regulated Carcinogen	Group 1-Carcinogenic	Known Human Carcinogen

Key to abbreviations

TC = Toxic Concentration

LC = Lethal Concentration

Section 12 - Ecological Information

12.1 Toxicity

- Data lacking.

12.2 Persistence and degradability

- Material data lacking.

12.3 Bioaccumulative potential

- Material data lacking.

12.4 Mobility in Soil

- Material data lacking.

12.5 Results of PBT and vPvB assessment

- PBT and vPvB assessment has not been conducted for this material.

12.6 Other adverse effects

- No studies have been found.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	UN1954	Compressed gas, flammable, n.o.s. (Ethylene)	2.1	NDA	NDA
TDG	UN1954	COMPRESSED GAS, FLAMMABLE, N.O.S. (Ethylene)	2.1	NDA	NDA
IMO/IMDG	UN1954	COMPRESSED GAS, FLAMMABLE, N.O.S. (Ethylene)	2.1	NDA	NDA
IATA/ICAO	UN1954	Compressed gas, flammable, n.o.s. (Ethylene)	2.1	NDA	NDA

14.6 Special precautions for user

- Cylinders should be transported in a secure position, in a well-ventilated vehicle. The transportation of compressed gas cylinders in automobiles or in closed-body vehicles can present serious safety hazards. If transporting these cylinders in vehicles, ensure these cylinders are not exposed to extremely high temperatures (as may occur in an enclosed vehicle on a hot day). Additionally, the vehicle should be well-ventilated during transportation.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

- Not relevant.

14.8 Other information

DOT

- 1,3-butadiene is a reportable quantity (RQ) when shipped in quantities (per package) exceeding 4.54 Kg (10 lbs.) or more.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications ● Acute, Fire

State Right To Know				
Component	CAS	MA	NJ	PA
Ethylene	74-85-1	Yes	Yes	Yes
Ethane	74-84-0	Yes	Yes	Yes
Methane	74-82-8	Yes	Yes	Yes
Nitrogen	7727-37-9	Yes	Yes	Yes
Trans-2-Butene	624-64-6	Yes	Yes	Yes
1,2-Propadiene	463-49-0	No	Yes	No
1,3-Butadiene	106-99-0	Yes	Yes	Yes
1-Butene	106-98-9	Yes	Yes	Yes
Isobutylene	115-11-7	Yes	Yes	Yes
Cis-2-Butene	590-18-1	Yes	Yes	Yes
Butane	106-97-8	Yes	Yes	Yes
Cyclopropane	75-19-4	Yes	Yes	Yes
Isobutane	75-28-5	Yes	Yes	Yes
Propane	74-98-6	Yes	Yes	Yes
Propylene	115-07-1	Yes	Yes	Yes

Methyl Acetylene	74-99-7	Yes	Yes	Yes
Carbon monoxide	630-08-0	Yes	Yes	Yes
Oxygen	7782-44-7	Yes	Yes	Yes
Hydrogen	1333-74-0	Yes	Yes	Yes
Acetylene	74-86-2	Yes	Yes	Yes
Carbon dioxide	124-38-9	Yes	Yes	Yes

Inventory						
Component	CAS	Canada DSL	Canada NDSL	China	EU EINECS	EU ELNICS
Ethylene	74-85-1	Yes	No	Yes	Yes	No
Ethane	74-84-0	Yes	No	Yes	Yes	No
Methane	74-82-8	Yes	No	Yes	Yes	No
Nitrogen	7727-37-9	Yes	No	Yes	Yes	No
Trans-2-Butene	624-64-6	Yes	No	Yes	Yes	No
1,2-Propadiene	463-49-0	Yes	No	No	Yes	No
1,3-Butadiene	106-99-0	Yes	No	Yes	Yes	No
1-Butene	106-98-9	Yes	No	Yes	Yes	No
Isobutylene	115-11-7	Yes	No	Yes	Yes	No
Cis-2-Butene	590-18-1	Yes	No	Yes	Yes	No
Butane	106-97-8	Yes	No	Yes	Yes	No
Cyclopropane	75-19-4	Yes	No	No	Yes	No
Isobutane	75-28-5	Yes	No	Yes	Yes	No
Propane	74-98-6	Yes	No	Yes	Yes	No
Propylene	115-07-1	Yes	No	Yes	Yes	No
Methyl Acetylene	74-99-7	Yes	No	No	Yes	No
Carbon monoxide	630-08-0	Yes	No	Yes	Yes	No
Oxygen	7782-44-7	Yes	No	Yes	Yes	No
Hydrogen	1333-74-0	Yes	No	Yes	Yes	No
Acetylene	74-86-2	Yes	No	Yes	Yes	No
Carbon dioxide	124-38-9	Yes	No	Yes	Yes	No

Inventory (Con't.)				
Component	CAS	Japan ENCS	Korea KECL	TSCA
Ethylene	74-85-1	Yes	Yes	Yes
Ethane	74-84-0	Yes	Yes	Yes
Methane	74-82-8	Yes	Yes	Yes
Nitrogen	7727-37-9	No	Yes	Yes
Trans-2-Butene	624-64-6	Yes	Yes	Yes
1,2-Propadiene	463-49-0	No	Yes	Yes
1,3-Butadiene	106-99-0	Yes	Yes	Yes
1-Butene	106-98-9	Yes	Yes	Yes
Isobutylene	115-11-7	Yes	Yes	Yes
Cis-2-Butene	590-18-1	Yes	Yes	Yes
Butane	106-97-8	Yes	Yes	Yes

Cyclopropane	75-19-4	Yes	Yes	Yes
Isobutane	75-28-5	Yes	Yes	Yes
Propane	74-98-6	Yes	Yes	Yes
Propylene	115-07-1	Yes	Yes	Yes
Methyl Acetylene	74-99-7	Yes	Yes	Yes
Carbon monoxide	630-08-0	Yes	Yes	Yes
Oxygen	7782-44-7	No	Yes	Yes
Hydrogen	1333-74-0	No	Yes	Yes
Acetylene	74-86-2	Yes	Yes	Yes
Carbon dioxide	124-38-9	Yes	Yes	Yes

Canada

Labor

Canada - WHMIS - Classifications of Substances

- Carbon monoxide 630-08-0 0% TO 0.005% A, B1, D1A, D2A
- 1,3-Butadiene 106-99-0 0.0003% TO 0.005% A, B1, D2A, F
- Isobutylene 115-11-7 0.0003% TO 0.005% Not Listed
- Cis-2-Butene 590-18-1 0.0003% TO 0.005% Not Listed
- Methyl Acetylene 74-99-7 0.0003% TO 0.005% A, B1
- 1,2-Propadiene 463-49-0 0.0003% TO 0.005% Not Listed
- Ethylene 74-85-1 99.8379% TO 99.9905% A, B1, D2B
- Hydrogen 1333-74-0 0.0002% TO 0.001% A, B1
- Ethane 74-84-0 0.0025% TO 0.05% A, B1
- Oxygen 7782-44-7 0% TO 0.005% A, C
- Isobutane 75-28-5 0.0003% TO 0.005% A, B1 (listed under Methyl-2 propane)
- Carbon dioxide 124-38-9 0.0001% TO 0.0005% A; Uncontrolled product according to WHMIS classification criteria (solid)
- Propane 74-98-6 0.0003% TO 0.005% A, B1
- Butane 106-97-8 0.0003% TO 0.005% A, B1
- Acetylene 74-86-2 0.0001% TO 0.0005% A, B1, F; A, B1 (dissolved)
- Nitrogen 7727-37-9 0.0025% TO 0.05% A
- Methane 74-82-8 0.0025% TO 0.05% A, B1
- Cyclopropane 75-19-4 0.0003% TO 0.005% Not Listed
- 1-Butene 106-98-9 0.0003% TO 0.005% Not Listed
- Trans-2-Butene 624-64-6 0.0003% TO 0.005% Not Listed
- Propylene 115-07-1 0.0003% TO 0.005% A, B1, D2B

Canada - WHMIS - Ingredient Disclosure List

- Carbon monoxide 630-08-0 0% TO 0.005% 0.1 %
- 1,3-Butadiene 106-99-0 0.0003% TO 0.005% 0.1 %
- Isobutylene 115-11-7 0.0003% TO 0.005% Not Listed
- Cis-2-Butene 590-18-1 0.0003% TO 0.005% Not Listed
- Methyl Acetylene 74-99-7 0.0003% TO 0.005% 1 %
- 1,2-Propadiene 463-49-0 0.0003% TO 0.005% Not Listed
- Ethylene 74-85-1 99.8379% TO 99.9905% Not Listed
- Hydrogen 1333-74-0 0.0002% TO 0.001% Not Listed
- Ethane 74-84-0 0.0025% TO 0.05% Not Listed

• Oxygen	7782-44-7	0% TO 0.005%	Not Listed
• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	1 %
• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	1 %
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	Not Listed
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	Not Listed

Environment

Canada - CEPA - Priority Substances List

• Carbon monoxide	630-08-0	0% TO 0.005%	Not Listed
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	Priority Substance List 2 (substance considered toxic)
• Isobutylene	115-11-7	0.0003% TO 0.005%	Not Listed
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	Not Listed
• Hydrogen	1333-74-0	0.0002% TO 0.001%	Not Listed
• Ethane	74-84-0	0.0025% TO 0.05%	Not Listed
• Oxygen	7782-44-7	0% TO 0.005%	Not Listed
• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed
• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	Not Listed
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	Not Listed
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	Not Listed

China

Environment

China - Ozone Depleting Substances - First Schedule

• Carbon monoxide	630-08-0	0% TO 0.005%	Not Listed
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	Not Listed
• Isobutylene	115-11-7	0.0003% TO 0.005%	Not Listed
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	Not Listed

• Hydrogen	1333-74-0	0.0002% TO 0.001%	Not Listed
• Ethane	74-84-0	0.0025% TO 0.05%	Not Listed
• Oxygen	7782-44-7	0% TO 0.005%	Not Listed
• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed
• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	Not Listed
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	Not Listed
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	Not Listed

China - Ozone Depleting Substances - Second Schedule

• Carbon monoxide	630-08-0	0% TO 0.005%	Not Listed
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	Not Listed
• Isobutylene	115-11-7	0.0003% TO 0.005%	Not Listed
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	Not Listed
• Hydrogen	1333-74-0	0.0002% TO 0.001%	Not Listed
• Ethane	74-84-0	0.0025% TO 0.05%	Not Listed
• Oxygen	7782-44-7	0% TO 0.005%	Not Listed
• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed
• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	Not Listed
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	Not Listed
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	Not Listed

China - Ozone Depleting Substances - Third Schedule

• Carbon monoxide	630-08-0	0% TO 0.005%	Not Listed
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	Not Listed
• Isobutylene	115-11-7	0.0003% TO 0.005%	Not Listed
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	Not Listed
• Hydrogen	1333-74-0	0.0002% TO 0.001%	Not Listed
• Ethane	74-84-0	0.0025% TO 0.05%	Not Listed
• Oxygen	7782-44-7	0% TO 0.005%	Not Listed

• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed
• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	Not Listed
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	Not Listed
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	Not Listed

Other

China - Annex I & II - Controlled Chemicals Lists

• Carbon monoxide	630-08-0	0% TO 0.005%	Not Listed
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	Not Listed
• Isobutylene	115-11-7	0.0003% TO 0.005%	Not Listed
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	Not Listed
• Hydrogen	1333-74-0	0.0002% TO 0.001%	Not Listed
• Ethane	74-84-0	0.0025% TO 0.05%	Not Listed
• Oxygen	7782-44-7	0% TO 0.005%	Not Listed
• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed
• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	Not Listed
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	Not Listed
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	Not Listed

China - Dangerous Goods List

• Carbon monoxide	630-08-0	0% TO 0.005%	UN1016
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	Not Listed
• Isobutylene	115-11-7	0.0003% TO 0.005%	UN1055
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	UN2200
• Ethylene	74-85-1	99.8379% TO 99.9905%	UN1038; UN1962
• Hydrogen	1333-74-0	0.0002% TO 0.001%	UN1049; UN1966
• Ethane	74-84-0	0.0025% TO 0.05%	UN1035; UN1961
• Oxygen	7782-44-7	0% TO 0.005%	UN1072; UN1073
• Isobutane	75-28-5	0.0003% TO 0.005%	UN1969
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	UN1013; UN1845 PG = III; UN2187

• Propane	74-98-6	0.0003% TO 0.005%	UN1978
• Butane	106-97-8	0.0003% TO 0.005%	UN1011
• Acetylene	74-86-2	0.0001% TO 0.0005%	UN1001
• Nitrogen	7727-37-9	0.0025% TO 0.05%	UN1066; UN1977
• Methane	74-82-8	0.0025% TO 0.05%	UN1971; UN1972
• Cyclopropane	75-19-4	0.0003% TO 0.005%	UN1027
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	UN1077

China - Export Control List - Part I Chemicals

• Carbon monoxide	630-08-0	0% TO 0.005%	Not Listed
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	Not Listed
• Isobutylene	115-11-7	0.0003% TO 0.005%	Not Listed
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	Not Listed
• Hydrogen	1333-74-0	0.0002% TO 0.001%	Not Listed
• Ethane	74-84-0	0.0025% TO 0.05%	Not Listed
• Oxygen	7782-44-7	0% TO 0.005%	Not Listed
• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed
• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	Not Listed
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	Not Listed
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	Not Listed

Europe

Other

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification

• Carbon monoxide	630-08-0	0% TO 0.005%	F+; R12 T; R23-48/23 Repr.Cat.1; R61
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	F+; R12 Carc.Cat.1; R45 Muta.Cat.2; R46
• Isobutylene	115-11-7	0.0003% TO 0.005%	F+; R12
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	F+; R12
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	F+; R12 R67
• Hydrogen	1333-74-0	0.0002% TO 0.001%	F+; R12
• Ethane	74-84-0	0.0025% TO 0.05%	F+; R12
• Oxygen	7782-44-7	0% TO 0.005%	O; R8
• Isobutane	75-28-5	0.0003% TO 0.005%	F+; R12

• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed
• Propane	74-98-6	0.0003% TO 0.005%	F+; R12
• Butane	106-97-8	0.0003% TO 0.005%	F+; R12
• Acetylene	74-86-2	0.0001% TO 0.0005%	F+; R12 R5 R6
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	F+; R12
• Cyclopropane	75-19-4	0.0003% TO 0.005%	F+; R12
• 1-Butene	106-98-9	0.0003% TO 0.005%	F+; R12
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	F+; R12
• Propylene	115-07-1	0.0003% TO 0.005%	F+; R12

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits

• Carbon monoxide	630-08-0	0% TO 0.005%	Not Listed
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	Not Listed
• Isobutylene	115-11-7	0.0003% TO 0.005%	Not Listed
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	Not Listed
• Hydrogen	1333-74-0	0.0002% TO 0.001%	Not Listed
• Ethane	74-84-0	0.0025% TO 0.05%	Not Listed
• Oxygen	7782-44-7	0% TO 0.005%	Not Listed
• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed
• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	Not Listed
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	Not Listed
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	Not Listed

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling

• Carbon monoxide	630-08-0	0% TO 0.005%	F+ T R:61-12-23-48/23 S:53-45
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	F+ T R:45-46-12 S:53-45
• Isobutylene	115-11-7	0.0003% TO 0.005%	F+ R:12 S:(2)-9-16-33
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	F+ R:12 S:(2)-9-16-33
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	F+ R:12-67 S:(2)-9-16-33-45
• Hydrogen	1333-74-0	0.0002% TO 0.001%	F+ R:12 S:(2)-9-16-33
• Ethane	74-84-0	0.0025% TO 0.05%	F+ R:12 S:(2)-9-16-33
• Oxygen	7782-44-7	0% TO 0.005%	O R:8 S:(2)-17
• Isobutane	75-28-5	0.0003% TO 0.005%	F+ R:12 S:(2)-9-16
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed
• Propane	74-98-6	0.0003% TO 0.005%	F+ R:12 S:(2)-9-16
• Butane	106-97-8	0.0003% TO 0.005%	F+ R:12 S:(2)-9-16

• Acetylene	74-86-2	0.0001% TO 0.0005%	F+ R:5-6-12 S:(2)-9-16-33
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	F+ R:12 S:(2)-9-16-33
• Cyclopropane	75-19-4	0.0003% TO 0.005%	F+ R:12 S:(2)-9-16-33
• 1-Butene	106-98-9	0.0003% TO 0.005%	F+ R:12 S:(2)-9-16-33
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	F+ R:12 S:(2)-9-16-33
• Propylene	115-07-1	0.0003% TO 0.005%	F+ R:12 S:(2)-9-16-33

Germany

Environment

Germany - TA Luft - Types and Classes

• Carbon monoxide	630-08-0	0% TO 0.005%	Not Listed
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	carcinogenic substance: 5.2.7.1.1, Class III
• Isobutylene	115-11-7	0.0003% TO 0.005%	Not Listed
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	organic substance: 5.2.5, Class I
• Hydrogen	1333-74-0	0.0002% TO 0.001%	Not Listed
• Ethane	74-84-0	0.0025% TO 0.05%	Not Listed
• Oxygen	7782-44-7	0% TO 0.005%	Not Listed
• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed
• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	Not Listed
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	Not Listed
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	Not Listed

Germany - Water Classification (VwVwS) - Annex 1

• Carbon monoxide	630-08-0	0% TO 0.005%	Not Listed
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	Not Listed
• Isobutylene	115-11-7	0.0003% TO 0.005%	ID Number 1193, not considered hazardous to water
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	ID Number 4632, not considered hazardous to water
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	ID Number 742, not considered hazardous to water
• Hydrogen	1333-74-0	0.0002% TO 0.001%	ID Number 741, not considered hazardous to water
• Ethane	74-84-0	0.0025% TO 0.05%	ID Number 91, not considered hazardous to water
• Oxygen	7782-44-7	0% TO 0.005%	ID Number 743, not considered hazardous to water
• Isobutane	75-28-5	0.0003% TO 0.005%	ID Number 562, not considered hazardous to water (ratio 1,3-butadiene <0.1%)
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	ID Number 256, not considered hazardous to water
• Propane	74-98-6	0.0003% TO 0.005%	ID Number 560, not considered hazardous to water

• Butane	106-97-8	0.0003% TO 0.005%	ID Number 561, not considered hazardous to water (1,3-Butadiene <0.1%)
• Acetylene	74-86-2	0.0001% TO 0.0005%	ID Number 1182, not considered hazardous to water
• Nitrogen	7727-37-9	0.0025% TO 0.05%	ID Number 1351, not considered hazardous to water
• Methane	74-82-8	0.0025% TO 0.05%	ID Number 1343, not considered hazardous to water
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	ID Number 792, not considered hazardous to water
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	ID Number 816, not considered hazardous to water

Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes

• Carbon monoxide	630-08-0	0% TO 0.005%	ID Number 257, hazard class 1 - low hazard to waters
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	ID Number 218, hazard class 2 - hazard to waters
• Isobutylene	115-11-7	0.0003% TO 0.005%	Not Listed
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	Not Listed
• Hydrogen	1333-74-0	0.0002% TO 0.001%	Not Listed
• Ethane	74-84-0	0.0025% TO 0.05%	Not Listed
• Oxygen	7782-44-7	0% TO 0.005%	Not Listed
• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed
• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	Not Listed
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	Not Listed
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	Not Listed

Germany - Water Classification (VwVwS) - Annex 3

• Carbon monoxide	630-08-0	0% TO 0.005%	Not Listed
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	Not Listed
• Isobutylene	115-11-7	0.0003% TO 0.005%	Not Listed
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	Not Listed
• Hydrogen	1333-74-0	0.0002% TO 0.001%	Not Listed
• Ethane	74-84-0	0.0025% TO 0.05%	Not Listed
• Oxygen	7782-44-7	0% TO 0.005%	Not Listed
• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed
• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	Not Listed
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed

• Methane	74-82-8	0.0025% TO 0.05%	Not Listed
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	Not Listed

Other

Germany - Specifically Regulated Chemicals in TRGS

• Carbon monoxide	630-08-0	0% TO 0.005%	Not Listed
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	Not Listed
• Isobutylene	115-11-7	0.0003% TO 0.005%	Not Listed
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	Not Listed
• Hydrogen	1333-74-0	0.0002% TO 0.001%	Not Listed
• Ethane	74-84-0	0.0025% TO 0.05%	Not Listed
• Oxygen	7782-44-7	0% TO 0.005%	Not Listed
• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed
• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	Not Listed
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	Not Listed
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	Not Listed

Mexico

Other

Mexico - Hazard Classifications

• Carbon monoxide	630-08-0	0% TO 0.005%	Hazard Class = 2.3 (2.1) UN1016
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	Not Listed
• Isobutylene	115-11-7	0.0003% TO 0.005%	Hazard Class = 2.1 UN1055
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Hazard Class = 2.1 UN2200
• Ethylene	74-85-1	99.8379% TO 99.9905%	Hazard Class = 2.1 UN1038; Hazard Class = 2.1 UN1962
• Hydrogen	1333-74-0	0.0002% TO 0.001%	Hazard Class = 2.1 UN1049; Hazard Class = 2.1 UN1966
• Ethane	74-84-0	0.0025% TO 0.05%	Hazard Class = 2.1 UN1035; Hazard Class = 2.1 UN1961
• Oxygen	7782-44-7	0% TO 0.005%	Hazard Class = 2.2 (5.1) UN1072; Hazard Class = 2.2 (5.1) UN1073
• Isobutane	75-28-5	0.0003% TO 0.005%	Hazard Class = 2.1 UN1969

• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Hazard Class = 2.2 UN1013; Hazard Class = 9 PG = III UN1845; Hazard Class = 2.3 UN2187
• Propane	74-98-6	0.0003% TO 0.005%	Hazard Class = 2.1 UN1978
• Butane	106-97-8	0.0003% TO 0.005%	Hazard Class = 2.1 UN1011
• Acetylene	74-86-2	0.0001% TO 0.0005%	Hazard Class = 2.1 UN1001
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Hazard Class = 2.2 UN1066; Hazard Class = 2.2 UN1977
• Methane	74-82-8	0.0025% TO 0.05%	Hazard Class = 2.1 (with high Methane content) UN1971; Hazard Class = 2.1 (with high Methane content) UN1972
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Hazard Class = 2.1 UN1027
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	Hazard Class = 2.1 UN1077

Mexico - Regulated Substances

• Carbon monoxide	630-08-0	0% TO 0.005%	UN1016
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	Not Listed
• Isobutylene	115-11-7	0.0003% TO 0.005%	UN1055
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	UN2200
• Ethylene	74-85-1	99.8379% TO 99.9905%	UN1038; UN1962
• Hydrogen	1333-74-0	0.0002% TO 0.001%	UN1049; UN1966
• Ethane	74-84-0	0.0025% TO 0.05%	UN1035; UN1961
• Oxygen	7782-44-7	0% TO 0.005%	UN1072; UN1073
• Isobutane	75-28-5	0.0003% TO 0.005%	UN1969
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	UN1013; UN1845; UN2187
• Propane	74-98-6	0.0003% TO 0.005%	UN1978
• Butane	106-97-8	0.0003% TO 0.005%	UN1011
• Acetylene	74-86-2	0.0001% TO 0.0005%	UN1001
• Nitrogen	7727-37-9	0.0025% TO 0.05%	UN1066; UN1977
• Methane	74-82-8	0.0025% TO 0.05%	UN1971 (with high Methane content); UN1972 (with high Methane content)
• Cyclopropane	75-19-4	0.0003% TO 0.005%	UN1027
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	UN1077

Portugal

Other

Portugal - Prohibited Substances

• Carbon monoxide	630-08-0	0% TO 0.005%	Not Listed
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	Not Listed
• Isobutylene	115-11-7	0.0003% TO 0.005%	Not Listed
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	Not Listed
• Hydrogen	1333-74-0	0.0002% TO 0.001%	Not Listed
• Ethane	74-84-0	0.0025% TO 0.05%	Not Listed

• Oxygen	7782-44-7	0% TO 0.005%	Not Listed
• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed
• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	Not Listed
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	Not Listed
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	Not Listed

United Kingdom

Environment

United Kingdom - Pollution Inventory - Schedule 1 - Thresholds for Releases to Air

• Carbon monoxide	630-08-0	0% TO 0.005%	100000 kg
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	100 kg
• Isobutylene	115-11-7	0.0003% TO 0.005%	Not Listed
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	1000 kg
• Hydrogen	1333-74-0	0.0002% TO 0.001%	Not Listed
• Ethane	74-84-0	0.0025% TO 0.05%	Not Listed
• Oxygen	7782-44-7	0% TO 0.005%	Not Listed
• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	10000000 kg (qualifying renewable fuel sources are reportable when the total amount of CO2 released is above 10 million kg); 10000000 kg
• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	Not Listed
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	10000 kg
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	10000 kg

United Kingdom - Substances Contained in Dangerous Substances or Preparations

• Carbon monoxide	630-08-0	0% TO 0.005%	Not Listed
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	Not Listed
• Isobutylene	115-11-7	0.0003% TO 0.005%	Not Listed
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed

• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	Not Listed
• Hydrogen	1333-74-0	0.0002% TO 0.001%	Not Listed
• Ethane	74-84-0	0.0025% TO 0.05%	Not Listed
• Oxygen	7782-44-7	0% TO 0.005%	Not Listed
• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed
• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	Not Listed
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	Not Listed
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	Not Listed

Other

United Kingdom - Workplace Exposure Limits (WELs) - Substances in Review

• Carbon monoxide	630-08-0	0% TO 0.005%	Not Listed
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	HSC/E plans to review the limit values for this substance
• Isobutylene	115-11-7	0.0003% TO 0.005%	Not Listed
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	Not Listed
• Hydrogen	1333-74-0	0.0002% TO 0.001%	Not Listed
• Ethane	74-84-0	0.0025% TO 0.05%	Not Listed
• Oxygen	7782-44-7	0% TO 0.005%	Not Listed
• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed
• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	Not Listed
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	Not Listed
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	Not Listed

United Kingdom - The Red List - Dangerous Substances in Water

• Carbon monoxide	630-08-0	0% TO 0.005%	Not Listed
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	Not Listed
• Isobutylene	115-11-7	0.0003% TO 0.005%	Not Listed
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed

• Ethylene	74-85-1	99.8379% TO 99.9905%	Not Listed
• Hydrogen	1333-74-0	0.0002% TO 0.001%	Not Listed
• Ethane	74-84-0	0.0025% TO 0.05%	Not Listed
• Oxygen	7782-44-7	0% TO 0.005%	Not Listed
• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed
• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	Not Listed
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	Not Listed
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	Not Listed

United States

Labor

U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals

• Carbon monoxide	630-08-0	0% TO 0.005%	Not Listed
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	Not Listed
• Isobutylene	115-11-7	0.0003% TO 0.005%	Not Listed
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	Not Listed
• Hydrogen	1333-74-0	0.0002% TO 0.001%	Not Listed
• Ethane	74-84-0	0.0025% TO 0.05%	Not Listed
• Oxygen	7782-44-7	0% TO 0.005%	Not Listed
• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed
• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	Not Listed
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	Not Listed
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	Not Listed

U.S. - OSHA - Specifically Regulated Chemicals

• Carbon monoxide	630-08-0	0% TO 0.005%	Not Listed
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	5 ppm STEL (See 29 CFR 1910.1051, 15 min); 0.5 ppm Action Level; 1 ppm TWA
• Isobutylene	115-11-7	0.0003% TO 0.005%	Not Listed
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed

• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	Not Listed
• Hydrogen	1333-74-0	0.0002% TO 0.001%	Not Listed
• Ethane	74-84-0	0.0025% TO 0.05%	Not Listed
• Oxygen	7782-44-7	0% TO 0.005%	Not Listed
• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed
• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	Not Listed
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	Not Listed
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	Not Listed

Environment

U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

• Carbon monoxide	630-08-0	0% TO 0.005%	Not Listed
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	
• Isobutylene	115-11-7	0.0003% TO 0.005%	Not Listed
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	Not Listed
• Hydrogen	1333-74-0	0.0002% TO 0.001%	Not Listed
• Ethane	74-84-0	0.0025% TO 0.05%	Not Listed
• Oxygen	7782-44-7	0% TO 0.005%	Not Listed
• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed
• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	Not Listed
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	Not Listed
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	Not Listed

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

• Carbon monoxide	630-08-0	0% TO 0.005%	Not Listed
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	10 lb final RQ; 4.54 kg final RQ
• Isobutylene	115-11-7	0.0003% TO 0.005%	Not Listed
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	Not Listed

• Hydrogen	1333-74-0	0.0002% TO 0.001%	Not Listed
• Ethane	74-84-0	0.0025% TO 0.05%	Not Listed
• Oxygen	7782-44-7	0% TO 0.005%	Not Listed
• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed
• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	Not Listed
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	Not Listed
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

• Carbon monoxide	630-08-0	0% TO 0.005%	Not Listed
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	Not Listed
• Isobutylene	115-11-7	0.0003% TO 0.005%	Not Listed
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	Not Listed
• Hydrogen	1333-74-0	0.0002% TO 0.001%	Not Listed
• Ethane	74-84-0	0.0025% TO 0.05%	Not Listed
• Oxygen	7782-44-7	0% TO 0.005%	Not Listed
• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed
• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	Not Listed
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	Not Listed
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs

• Carbon monoxide	630-08-0	0% TO 0.005%	Not Listed
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	Not Listed
• Isobutylene	115-11-7	0.0003% TO 0.005%	Not Listed
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	Not Listed
• Hydrogen	1333-74-0	0.0002% TO 0.001%	Not Listed
• Ethane	74-84-0	0.0025% TO 0.05%	Not Listed
• Oxygen	7782-44-7	0% TO 0.005%	Not Listed

• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed
• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	Not Listed
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	Not Listed
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	Not Listed

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

• Carbon monoxide	630-08-0	0% TO 0.005%	Not Listed
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	0.1 % de minimis concentration
• Isobutylene	115-11-7	0.0003% TO 0.005%	Not Listed
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	1.0 % de minimis concentration
• Hydrogen	1333-74-0	0.0002% TO 0.001%	Not Listed
• Ethane	74-84-0	0.0025% TO 0.05%	Not Listed
• Oxygen	7782-44-7	0% TO 0.005%	Not Listed
• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed
• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	Not Listed
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	Not Listed
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	1.0 % de minimis concentration

United States - California

Environment

U.S. - California - Proposition 65 - Carcinogens List

• Carbon monoxide	630-08-0	0% TO 0.005%	Not Listed
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	carcinogen, initial date 4/1/88
• Isobutylene	115-11-7	0.0003% TO 0.005%	Not Listed
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	Not Listed
• Hydrogen	1333-74-0	0.0002% TO 0.001%	Not Listed
• Ethane	74-84-0	0.0025% TO 0.05%	Not Listed

• Oxygen	7782-44-7	0% TO 0.005%	Not Listed
• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed
• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	Not Listed
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	Not Listed
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	Not Listed

U.S. - California - Proposition 65 - Developmental Toxicity

• Carbon monoxide	630-08-0	0% TO 0.005%	developmental toxicity, initial date 7/1/89
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	developmental toxicity, initial date 4/16/04
• Isobutylene	115-11-7	0.0003% TO 0.005%	Not Listed
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	Not Listed
• Hydrogen	1333-74-0	0.0002% TO 0.001%	Not Listed
• Ethane	74-84-0	0.0025% TO 0.05%	Not Listed
• Oxygen	7782-44-7	0% TO 0.005%	Not Listed
• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed
• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	Not Listed
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	Not Listed
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Female

• Carbon monoxide	630-08-0	0% TO 0.005%	Not Listed
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	female reproductive toxicity, initial date 4/16/04
• Isobutylene	115-11-7	0.0003% TO 0.005%	Not Listed
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	Not Listed
• Hydrogen	1333-74-0	0.0002% TO 0.001%	Not Listed
• Ethane	74-84-0	0.0025% TO 0.05%	Not Listed
• Oxygen	7782-44-7	0% TO 0.005%	Not Listed
• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed

• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	Not Listed
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	Not Listed
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Male

• Carbon monoxide	630-08-0	0% TO 0.005%	Not Listed
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	Not Listed
• Isobutylene	115-11-7	0.0003% TO 0.005%	Not Listed
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	Not Listed
• Hydrogen	1333-74-0	0.0002% TO 0.001%	Not Listed
• Ethane	74-84-0	0.0025% TO 0.05%	Not Listed
• Oxygen	7782-44-7	0% TO 0.005%	Not Listed
• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed
• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	Not Listed
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	Not Listed
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	Not Listed

United States - Pennsylvania

Labor

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

• Carbon monoxide	630-08-0	0% TO 0.005%	
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	
• Isobutylene	115-11-7	0.0003% TO 0.005%	Not Listed
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	
• Hydrogen	1333-74-0	0.0002% TO 0.001%	Not Listed
• Ethane	74-84-0	0.0025% TO 0.05%	Not Listed
• Oxygen	7782-44-7	0% TO 0.005%	Not Listed
• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed

• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed
• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	Not Listed
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	Not Listed
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	

U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances

• Carbon monoxide	630-08-0	0% TO 0.005%	Not Listed
• 1,3-Butadiene	106-99-0	0.0003% TO 0.005%	
• Isobutylene	115-11-7	0.0003% TO 0.005%	Not Listed
• Cis-2-Butene	590-18-1	0.0003% TO 0.005%	Not Listed
• Methyl Acetylene	74-99-7	0.0003% TO 0.005%	Not Listed
• 1,2-Propadiene	463-49-0	0.0003% TO 0.005%	Not Listed
• Ethylene	74-85-1	99.8379% TO 99.9905%	Not Listed
• Hydrogen	1333-74-0	0.0002% TO 0.001%	Not Listed
• Ethane	74-84-0	0.0025% TO 0.05%	Not Listed
• Oxygen	7782-44-7	0% TO 0.005%	Not Listed
• Isobutane	75-28-5	0.0003% TO 0.005%	Not Listed
• Carbon dioxide	124-38-9	0.0001% TO 0.0005%	Not Listed
• Propane	74-98-6	0.0003% TO 0.005%	Not Listed
• Butane	106-97-8	0.0003% TO 0.005%	Not Listed
• Acetylene	74-86-2	0.0001% TO 0.0005%	Not Listed
• Nitrogen	7727-37-9	0.0025% TO 0.05%	Not Listed
• Methane	74-82-8	0.0025% TO 0.05%	Not Listed
• Cyclopropane	75-19-4	0.0003% TO 0.005%	Not Listed
• 1-Butene	106-98-9	0.0003% TO 0.005%	Not Listed
• Trans-2-Butene	624-64-6	0.0003% TO 0.005%	Not Listed
• Propylene	115-07-1	0.0003% TO 0.005%	Not Listed

15.2 Chemical Safety Assessment

- No Chemical Safety Assessment has been carried out.

Section 16 - Other Information

Relevant Phrases (code & full text)

- H270 - May cause or intensify fire; oxidizer
- H331 - Toxic if inhaled
- H350 - May cause cancer.
- H340 - May cause genetic defects.
- H360D - May damage the unborn child.
- H372 - Causes damage to organs through prolonged or repeated exposure.
- EUH006 - Explosive with or without contact with air.
- R5 - Heating may cause an explosion.
- R6 - Explosive with or without contact with air.

R8 - Contact with combustible material may cause fire.

R23 - Toxic by inhalation.

R45 - May cause cancer.

R46 - May cause heritable genetic damage.

R48/23 - Toxic: danger of serious damage to health by prolonged exposure through inhalation.

R61 - May cause harm to the unborn child.

Last Revision Date

- 08/March/2013

Preparation Date

- 08/March/2013

Disclaimer/Statement of Liability

- To the best of Air Liquide's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this gas mixture is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

Key to abbreviations

NDA = No Data Available
