

## Safety Data Sheet



### Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

#### 1.1 Product identifier

**Product Name** | Oxygen (0.1-15%), Carbon Tetrafluoride (1.0-25%), Helium (Balance)

**Product Code** | 60074

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified use(s)** | Semiconductor Uses

#### 1.3 Details of the supplier of the safety data sheet

**Manufacturer** | Air Liquide  
2700 Post Oak Blvd.  
Houston, TX 77056  
United States  
www.us.airliquide.com  
sds@airliquide.com

**Telephone (Technical)** | 713-896-2896

**Telephone (Technical)** | 800-819-1704

#### 1.4 Emergency telephone number

**Manufacturer** | 800-424-9300 - CHEMTREC

**Manufacturer** | +1 703-527-3887 - Outside United States

### Section 2: Hazards Identification

#### EU/EEC

According to Regulation (EC) No 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]

According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

#### 2.1 Classification of the substance or mixture

**CLP** | Compressed Gas - H280  
Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects - H336

**DSD/DPD** | R67

#### 2.2 Label Elements

CLP

#### WARNING



**Hazard statements** | H280 - Contains gas under pressure; may explode if heated  
H336 - May cause drowsiness or dizziness

## Precautionary statements

- Prevention** | P261 - Avoid breathing gas.  
P271 - Use only outdoors or in a well-ventilated area.
- Response** | P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

- Storage/Disposal** | P403+P233 - Store in a well-ventilated place. Keep container tightly closed.  
P405 - Store locked up.  
P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

## DSD/DPD

- Risk phrases** | R67 - Vapours may cause drowsiness and dizziness.

## 2.3 Other Hazards

- CLP** | According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.

- DSD/DPD** | This preparation is not considered dangerous according to European Directive 1999/45/EC.
- 

## United States (US)

According to OSHA 29 CFR 1910.1200 HCS

### 2.1 Classification of the substance or mixture

- OSHA HCS 2012** | Compressed Gas - H280  
Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects - H336

### 2.2 Label elements

OSHA HCS 2012

#### WARNING



- Hazard statements** | Contains gas under pressure; may explode if heated - H280  
May cause drowsiness or dizziness - H336

### Precautionary statements

- Prevention** | Avoid breathing gas. - P261  
Use only outdoors or in a well-ventilated area. - P271
- Response** | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. - P304+P340  
Call a POISON CENTER or doctor/physician if you feel unwell. - P312
- Storage/Disposal** | Store in a well-ventilated place. Keep container tightly closed. - P403+P233  
Store locked up. - P405  
Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. - P501

### 2.3 Other hazards

- OSHA HCS 2012** | Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.
- 

## Canada

According to WHMIS

### 2.1 Classification of the substance or mixture

- WHMIS** | Compressed Gas - A
-

## 2.2 Label elements

### WHMIS




| Compressed Gas - A

## 2.3 Other hazards

### WHMIS

| In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

## 2.4 Other information



## Section 3 - Composition/Information on Ingredients

### 3.1 Substances

| Material does not meet the criteria of a substance in accordance with Regulation (EC) No 1272/2008.

### 3.2 Mixtures

Composition			
Chemical Name	Identifiers	%	Classifications According to Regulation/Directive
Carbon tetrafluoride	CAS:75-73-0 EINECS:200-896-5	1% TO 25%	EU DSD/DPD: Self Classified - R67 EU CLP: Self Classified - Press Gas - Comp; H280; STOT SE 3: Narc., H336 OSHA HCS 2012: Press Gas. - Comp; STOT SE 3: Narc.; Simp. Asphyx.
Oxygen	CAS:7782-44-7 EC Number:231-956-9 EU Index:008-001-00-8	0.1% TO 15%	EU DSD/DPD: Annex I - O; R8 EU CLP: Annex VI - Ox. Gas 1, H270; Press. Gas - Comp., H280 OSHA HCS 2012: Ox. Gas 1; Press Gas. - Comp.
Helium	CAS:7440-59-7 EINECS:231-168-5	Balance	EU DSD/DPD: Not Classified EU CLP: Self Classified - Press. Gas - Comp., H280 OSHA HCS 2012: Press. Gas - Comp; Simp. Asphyx.

See Section 16 for full text of H-statements and R-phrases.

## Section 4 - First Aid Measures

### 4.1 Description of first aid measures

#### Inhalation

| IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. If signs/symptoms continue, get medical attention.

- Skin** | Although exposure is unlikely, in case of contact immediately flush skin with running water. If skin irritation develops get medical advice/attention.
- Eye** | First aid is not expected to be necessary if material is used under ordinary conditions and as recommended. If irritation develops and persists, get medical attention.
- Ingestion** | Ingestion is not considered a potential route of exposure.

#### 4.2 Most important symptoms and effects, both acute and delayed

- | Refer to Section 11 - Toxicological Information.

#### 4.3 Indication of any immediate medical attention and special treatment needed

##### Notes to Physician

- | All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred. A potential health hazard associated with this gas is anoxia.

#### 4.4 Other information

- | Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. RESCUERS SHOULD NOT ATTEMPT TO RETRIEVE VICTIMS OF EXPOSURE TO GASES WITHOUT ADEQUATE PERSONAL PROTECTIVE EQUIPMENT. At a minimum, Self-Contained Breathing Apparatus must be worn. Victim(s) who experience any adverse effect after over-exposure to this gas mixture must be taken for medical attention. Rescuers should be taken for medical attention if necessary. Take a copy of the label and the MSDS to physician or other health professional with victim(s).

## Section 5 - Firefighting Measures

### 5.1 Extinguishing media

**Suitable Extinguishing Media** | Use extinguishing agent suitable for type of surrounding fire.

**Unsuitable Extinguishing Media** | No data available

### 5.2 Special hazards arising from the substance or mixture

**Unusual Fire and Explosion Hazards** | Containers may explode when heated. Ruptured cylinders may rocket.

**Hazardous Combustion Products** | No data available

### 5.3 Advice for firefighters

- | Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.  
Always wear thermal protective clothing when handling refrigerated/cryogenic liquids. Wear positive pressure self-contained breathing apparatus (SCBA).  
Move containers from fire area if you can do it without risk.  
FIRE: If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions.  
FIRE INVOLVING TANKS: Fight fire from maximum distance or use unmanned hose holders or monitor nozzles.  
FIRE INVOLVING TANKS: Cool containers with flooding quantities of water until well after fire is out.  
FIRE INVOLVING TANKS: Do not direct water at source of leak or safety devices; icing may occur.  
FIRE INVOLVING TANKS: Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.  
FIRE INVOLVING TANKS: ALWAYS stay away from tanks engulfed in fire.

## Section 6 - Accidental Release Measures

## 6.1 Personal precautions, protective equipment and emergency procedures

### Personal Precautions

- | Ventilate the area before entry. Do not walk through spilled material. Wear appropriate personal protective equipment, avoid direct contact. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

### Emergency Procedures

- | Keep unauthorized personnel away. Keep out of low areas. Stay upwind. Do not direct water at spill or source of leak. **LARGE SPILL:** Consider initial downwind evacuation for at least 500 meters (1/3 mile)

## 6.2 Environmental precautions

- | Prevent spreading of vapors through sewers, ventilation systems and confined areas.

## 6.3 Methods and material for containment and cleaning up

### Containment/Clean-up Measures

- | Stop leak if you can do it without risk.  
Ventilate the area.  
If possible, turn leaking containers so that gas escapes rather than liquid.  
Use water spray to reduce vapors; do not put water directly on leak, spill area or inside container.  
Isolate area until gas has dispersed.

## 6.4 Reference to other sections

- | Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

## Section 7 - Handling and Storage

### 7.1 Precautions for safe handling

#### Handling

- | Use only with adequate ventilation. Ventilate closed spaces before entering. Wear appropriate personal protective equipment, avoid direct contact. Avoid breathing gas. Be aware of any signs of dizziness or fatigue, especially if work is done in a poorly ventilated area; exposures to fatal concentrations of this gas mixture could occur without any significant warning symptoms, due to olfactory fatigue or oxygen deficiency. Cylinders should be firmly secured to prevent falling or being knocked-over. Do not attempt to repair, adjust, or in any other way modify cylinders. If there is a malfunction or another type of operational problem, contact nearest distributor immediately. Empty containers retain product residue and can be hazardous. Do not cut, weld, puncture or incinerate container.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage

- | Store in a cool, dry, well-ventilated place. Protect cylinders against physical damage. Cylinders should be firmly secured to prevent falling or being knocked-over.

### 7.3 Specific end use(s)

- | Refer to Section 1.2 - Relevant identified uses.

## Section 8 - Exposure Controls/Personal Protection

### 8.1 Control parameters

#### Exposure Limits/Guidelines

- | Currently there are no applicable exposure limits established for this material.

#### Exposure Control Notations

##### Portugal

- Helium (7440-59-7): **Simple Asphyxiants:** (Simple Asphyxiant)

##### Ireland

- Helium (7440-59-7): **Simple Asphyxiants:** (Asphyxiant)

##### Spain

- Helium (7440-59-7): **Simple Asphyxiants:** (simple asphyxiant)

### 8.2 Exposure controls

<b>Engineering Measures/Controls</b>	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
<b>Personal Protective Equipment</b>	
<b>Respiratory</b>	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.
<b>Eye/Face</b>	Wear safety glasses.
<b>Skin/Body</b>	Wear leather gloves when handling cylinders.
<b>Environmental Exposure Controls</b>	Follow best practice for site management and disposal of waste. Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways.

## Section 9 - Physical and Chemical Properties

### 9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Gas	Appearance/Description	Colorless gas with no odor.
Color	Colorless	Odor	Odorless
Odor Threshold	Not relevant	Physical and Chemical Properties	Data lacking
General Properties			
Boiling Point	-268.94 C(-452.092 F) Helium	Melting Point	-272 C(-457.6 F) Helium
Decomposition Temperature	Data lacking	pH	Data lacking
Specific Gravity/Relative Density	Data lacking	Water Solubility	Slightly Soluble 39 mg/L Helium
Viscosity	Data lacking	Explosive Properties	Not explosive.
Oxidizing Properties:	Not an oxidizing gas.		
Volatility			
Vapor Pressure	Data lacking	Vapor Density	0.138 Air=1 Helium
Evaporation Rate	Data lacking		
Flammability			
Flash Point	Not relevant	UEL	Not relevant
LEL	Not relevant	Autoignition	Not relevant
Flammability (solid, gas)	Not flammable.		
Environmental			
Octanol/Water Partition coefficient	Data lacking		

### 9.2 Other Information

- | No additional physical and chemical parameters noted.

## Section 10: Stability and Reactivity

### 10.1 Reactivity

- | No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

- | Stable under normal temperatures and pressures.

### 10.3 Possibility of hazardous reactions

- Hazardous polymerization will not occur.

### 10.4 Conditions to avoid

- Excess heat.

### 10.5 Incompatible materials

- Due to the presence of Carbon Tetrafluoride, the following materials are not compatible with this gas mixture: carbon dioxide above 1000°C; alloys of more than 2% magnesium in the presence of water. Silver and copper-bearing alloys can act as catalysts for the decomposition of this product at high temperatures. Oxygen (a component of this gas mixture) is not compatible with fuels or strong reducing agents.

### 10.6 Hazardous decomposition products

- If this gas mixture is exposed to fire, it may decompose yielding toxic products (i.e. hydrogen fluoride, carbonyl fluoride).

## Section 11 - Toxicological Information

### 11.1 Information on toxicological effects

Components		
Oxygen (0.1% TO 15%)	7782-44-7	<b>Reproductive:</b> Inhalation-Rat TCl <sub>0</sub> • 10 pph 9 Hour(s)(22D preg); <i>Reproductive Effects:Specific Developmental Abnormalities:Respiratory system</i> ; <i>Reproductive Effects:Effects on Newborn:Physical</i>

GHS Properties	Classification
Acute toxicity	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Aspiration Hazard	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Carcinogenicity	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Germ Cell Mutagenicity	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Skin corrosion/Irritation	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Skin sensitization	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
STOT-RE	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
STOT-SE	EU/CLP • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects OSHA HCS 2012 • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects
Toxicity for Reproduction	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Respiratory sensitization	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Serious eye damage/Irritation	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met

### Potential Health Effects

## Inhalation

- Acute (Immediate)** | May affect the central nervous system. Symptoms may include dizziness, drowsiness, lethargy, coma and death.
- Chronic (Delayed)** | No data available

## Skin

- Acute (Immediate)** | Under normal conditions of use, no health effects are expected.
- Chronic (Delayed)** | Under normal conditions of use, no health effects are expected.

## Eye

- Acute (Immediate)** | Under normal conditions of use, no health effects are expected.
- Chronic (Delayed)** | Under normal conditions of use, no health effects are expected.

## Ingestion

- Acute (Immediate)** | Ingestion is not anticipated to be a likely route of exposure to this product.
- Chronic (Delayed)** | Ingestion is not anticipated to be a likely route of exposure to this product.

### Key to abbreviations

TC = Toxic Concentration

## Section 12 - Ecological Information

### 12.1 Toxicity

- | Material data lacking.

### 12.2 Persistence and degradability

- | Material data lacking.

### 12.3 Bioaccumulative potential

- | Material data lacking.

### 12.4 Mobility in Soil

- | Material data lacking.

### 12.5 Results of PBT and vPvB assessment

- | PBT and vPvB assessment has not been conducted for this material.

### 12.6 Other adverse effects

- | No studies have been found.

## Section 13 - Disposal Considerations

### 13.1 Waste treatment methods

- Product waste** | Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
- Packaging waste** | Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

## Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
--	----------------	------------------------------	---------------------------------	--------------------	----------------------------

DOT	UN1956	Compressed gases, n.o.s. (Helium, Carbon Tetrafluoride)	2.2	NDA	NDA
TDG	UN1956	COMPRESSED GASES, N.O.S. (Helium, Carbon Tetrafluoride)	2.2	NDA	NDA
IMO/IMDG	UN1956	COMPRESSED GASES, N.O.S. (Helium, Carbon Tetrafluoride)	2.2	NDA	NDA
IATA/ICAO	UN1956	Compressed gases, n.o.s. (Helium, Carbon Tetrafluoride)	2.2	NDA	NDA

**14.6 Special precautions for user**

Cylinders should be transported in a secure position, in a well-ventilated vehicle. The transportation of compressed gas cylinders in automobiles or in closed-body vehicles can present serious safety hazards. If transporting these cylinders in vehicles, ensure these cylinders are not exposed to extremely high temperatures (as may occur in an enclosed vehicle on a hot day). Additionally, the vehicle should be well-ventilated during transportation.

**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not relevant.

**Section 15 - Regulatory Information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**SARA Hazard Classifications** | Pressure(Sudden Release of), Acute

State Right To Know				
Component	CAS	MA	NJ	PA
Carbon tetrafluoride	75-73-0	No	Yes	No
Helium	7440-59-7	Yes	Yes	Yes
Oxygen	7782-44-7	Yes	Yes	Yes

Inventory						
Component	CAS	Canada DSL	Canada NDSL	China	EU EINECS	EU ELNICS
Carbon tetrafluoride	75-73-0	Yes	No	Yes	Yes	No
Helium	7440-59-7	Yes	No	Yes	Yes	No
Oxygen	7782-44-7	Yes	No	Yes	Yes	No

Inventory (Con't.)		
Component	CAS	TSCA
Carbon tetrafluoride	75-73-0	Yes
Helium	7440-59-7	Yes
Oxygen	7782-44-7	Yes

**Canada****Labor****Canada - WHMIS - Classifications of Substances**

- |                        |           |      |
|------------------------|-----------|------|
| • Carbon tetrafluoride | 75-73-0   | A    |
| • Oxygen               | 7782-44-7 | A, C |
| • Helium               | 7440-59-7 | A    |

**Canada - WHMIS - Ingredient Disclosure List**

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

**Environment****Canada - CEPA - Priority Substances List**

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

**China****Environment****China - Ozone Depleting Substances - First Schedule**

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

**China - Ozone Depleting Substances - Second Schedule**

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

**China - Ozone Depleting Substances - Third Schedule**

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

**Other****China - Annex I & II - Controlled Chemicals Lists**

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

**China - Dangerous Goods List**

• Carbon tetrafluoride	75-73-0	
• Oxygen	7782-44-7	(compressed or refrigerated liquid)
• Helium	7440-59-7	(compressed or refrigerated liquid)

**China - Export Control List - Part I Chemicals**

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

**Europe****Other****EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification**

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	O; R8
• Helium	7440-59-7	Not Listed

**EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits**

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

**EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling**

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	O R:8 S:(2)-17
• Helium	7440-59-7	Not Listed

**EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and Preparations**

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

**EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases**

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	S:(2)-17
• Helium	7440-59-7	Not Listed

**Germany****Environment****Germany - TA Luft - Types and Classes**

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

**Germany - Water Classification (VwVwS) - Annex 1**

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	ID Number 743, not considered hazardous to water
• Helium	7440-59-7	Not Listed

**Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes**

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

**Germany - Water Classification (VwVwS) - Annex 3**

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

**Other****Germany - Specifically Regulated Chemicals in TRGS**

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

**Portugal****Other****Portugal - Prohibited Substances**

• Carbon tetrafluoride	75-73-0	Not Listed
------------------------	---------	------------

• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

## United Kingdom

### Environment

#### United Kingdom - Pollution Inventory - Schedule 1 - Thresholds for Releases to Air

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

### Other

#### United Kingdom - Workplace Exposure Limits (WELs) - Substances in Review

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

#### United Kingdom - List of Dangerous Substances in Water

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

## United States

### Labor

#### U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

#### U.S. - OSHA - Specifically Regulated Chemicals

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

### Environment

#### U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

#### U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

#### U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

#### U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

**U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs**

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

**U.S. - CERCLA/SARA - Section 313 - Emission Reporting**

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

**U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing**

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

**United States - California**

**Environment**

**U.S. - California - Proposition 65 - Carcinogens List**

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

**U.S. - California - Proposition 65 - Developmental Toxicity**

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

**U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)**

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

**U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL)**

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

**U.S. - California - Proposition 65 - Reproductive Toxicity - Female**

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

**U.S. - California - Proposition 65 - Reproductive Toxicity - Male**

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

**United States - Pennsylvania**

**Labor**

**U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List**

• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed

• Helium	7440-59-7	Not Listed
<b>U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances</b>		
• Carbon tetrafluoride	75-73-0	Not Listed
• Oxygen	7782-44-7	Not Listed
• Helium	7440-59-7	Not Listed

## 15.2 Chemical Safety Assessment

| No Chemical Safety Assessment has been carried out.

## Section 16 - Other Information

### Relevant Phrases (code & full text)

| H270 - May cause or intensify fire; oxidizer  
R8 - Contact with combustible material may cause fire.

### Last Revision Date

| 22/December/2014

### Preparation Date

| 25/July/2012

### Disclaimer/Statement of Liability

| To the best of Air Liquide's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this gas mixture is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

### Key to abbreviations

NDA = No Data Available