

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 12/08/2014 Version: 1.0

SECTION 4: Identification of the out	
	ostance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: Phenol (0.0001% - 0.0999 %) in Nitrogen
Product code	: SG-2002-02997
	stance or mixture and uses advised against
Use of the substance/mixture	: Test gas/Calibration gas.
1.3. Details of the supplier of the safety	data sheet
Air Liquide America Specialty Gases 6141 Easton Rd Plumsteadville, PA 18949 - USA T 1.800.217.2688 www.airliquide.com	
1.4. Emergency telephone number	
Emergency number	: CHEMTREC: 1-800-424-9300
SECTION 2: Hazards identification	
2.1. Classification of the substance or r	nixture
Classification (GHS-US)	
Compressed gas	H280
	11200
Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	GHS04
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: H280 - Contains gas under pressure; may explode if heated OSHA-H01 - May displace oxygen and cause rapid suffocation
Precautionary statements (GHS-US)	: P202 - Do not handle until all safety precautions have been read and understood
	 P271 - Use only outdoors or in a well-ventilated area P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P313 - Get medical advice/attention P403 - Store in a well-ventilated place P501 - Dispose of contents/container in accordance with local/regional/national/international regulations CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F) CGA-PG05 - Use a back flow preventive device in the piping CGA-PG06 - Close valve after each use and when empty CGA-PG10 - Use only with equipment rated for cylinder pressure CGA-PG21 - Open valve slowly
2.3. Other hazards	
No additional information available	
2.4. Unknown acute toxicity (GHS-US)	
Not applicable	
SECTION 2. Composition/informatic	

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2. Mixture			
Name	Product identifier	%	Classification (GHS-US)
Nitrogen	(CAS No) 7727-37-9	99.9001 - 99.9999	Compressed gas, H280
PHENOL	(CAS No) 108-95-2	0.0001 - 0.0999	Not classified

Full text of H-phrases: see section 16

Full lext of H-phrases, see section to	
SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Adverse effects not expected from this product.
First-aid measures after eye contact	: Adverse effects not expected from this product.
First-aid measures after ingestion	: Ingestion is not considered a potential route of exposure.
4.2. Most important symptoms and effect	s, both acute and delayed
Symptoms/injuries	: Adverse effects not expected from this product.
Symptoms/injuries after inhalation	: May displace oxygen and cause rapid suffocation.
Symptoms/injuries after skin contact	: Adverse effects not expected from this product.
Symptoms/injuries after eye contact	: Adverse effects not expected from this product.
Symptoms/injuries after ingestion	: Ingestion is not considered a potential route of exposure.
Symptoms/injuries upon intravenous administration	: Not known.
Chronic symptoms	: Adverse effects not expected from this product.
4.3. Indication of any immediate medical	attention and special treatment needed
If you feel unwell, seek medical advice. If breathin	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use water jet to extinguish.
5.2. Special hazards arising from the sub	stance or mixture
Fire hazard	: The product is not flammable.
Explosion hazard	: Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Reactivity	: None known.
5.3. Advice for firefighters	
Firefighting instructions	: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.
Protection during firefighting	: Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release meas	ures

6.1. Personal precautions, protective	equipment and emergency procedures
General measures	: Ensure adequate ventilation.
6.1.1. For non-emergency personnel	
Protective equipment	: Wear protective equipment consistent with the site emergency plan.
Emergency procedures	: Escape the danger area by the closest safe route. Close doors and windows of adjacent premises. Keep containers closed. Mark the danger area. Seal off low-lying areas. Keep upwind.
6.1.2. For emergency responders	
Protective equipment	: Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Equip cleanup crew with proper protection.
Emergency procedures	: Evacuate and limit access. Ventilate area.

Safety Data Sheet

6.2. Environment	al precautions	
Try to stop release if sat	fe to do so.	
6.3. Methods and	material for containme	nt and cleaning up
For containment		: Try to stop release if safe to do so.
Methods for cleaning up)	Dispose of this material and its container in accordance with local regulations.
6.4. Reference to	other sections	
See also Sections 8 and		
SECTION 7: Hand		
	for safe handling	. Description descriptions Descriptions and have a film on a film on a line service set of the ordinates
Additional hazards wher		: Pressurized container: Do not pierce or burn, even after use. Use equipment rated for cylinder pressure.
Precautions for safe har	ndling	: Do not handle until all safety precautions have been read and understood. Use only outdoors o in a well-ventilated area.
Hygiene measures		: Do not eat, drink or smoke when using this product.
7.2. Conditions for	or safe storage, includin	g any incompatibilities
Technical measures		: Comply with applicable regulations.
Storage conditions		: Do not expose to temperatures exceeding 52°C (125°F). Keep container closed when not in use. Protect cylinder from physical damage. Store in well ventilated area.
Incompatible products		: None known.
Incompatible materials		: None known.
7.3. Specific end	use(s)	
	()	
Test gas/Calibration gas	S.	
Test gas/Calibration gas		anal protection
SECTION 8: Expo	sure controls/perso	onal protection
SECTION 8: Expos 8.1. Control para	sure controls/perso	onal protection
SECTION 8: Expos 8.1. Control para Phenol (0.0001% - 0.0	sure controls/perso meters 0999 %) in Nitrogen	onal protection
SECTION 8: Expos 8.1. Control para Phenol (0.0001% - 0.0 ACGIH	sure controls/perso meters 0999 %) in Nitrogen Not applicable	onal protection
SECTION 8: Expos 8.1. Control para Phenol (0.0001% - 0.0	sure controls/perso meters 0999 %) in Nitrogen	onal protection
SECTION 8: Expose 8.1. Control para Phenol (0.0001% - 0.0 ACGIH	sure controls/perso meters 0999 %) in Nitrogen Not applicable	onal protection
SECTION 8: Expos 8.1. Control para Phenol (0.0001% - 0.0 ACGIH OSHA	sure controls/perso meters 0999 %) in Nitrogen Not applicable	onal protection
SECTION 8: Expose 8.1. Control para Phenol (0.0001% - 0.0 ACGIH OSHA Nitrogen (7727-37-9)	Sure controls/person meters 0999 %) in Nitrogen Not applicable Not applicable	onal protection
SECTION 8: Expo 8.1. Control paral Phenol (0.0001% - 0.0 ACGIH OSHA Nitrogen (7727-37-9) ACGIH OSHA	Sure controls/personates D999 %) in Nitrogen Not applicable Not applicable Not applicable	onal protection
SECTION 8: Expos 8.1. Control paral Phenol (0.0001% - 0.0 ACGIH OSHA Nitrogen (7727-37-9) ACGIH OSHA PHENOL (108-95-2) PHENOL (108-95-2)	Sure controls/person meters D999 %) in Nitrogen Not applicable Not applicable Not applicable	onal protection
SECTION 8: Expos 8.1. Control para Phenol (0.0001% - 0.0 ACGIH OSHA Nitrogen (7727-37-9) ACGIH OSHA	Sure controls/personates D999 %) in Nitrogen Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable	onal protection
SECTION 8: Expos 8.1. Control para Phenol (0.0001% - 0.0 ACGIH OSHA Nitrogen (7727-37-9) ACGIH OSHA PHENOL (108-95-2) PHENOL (108-95-2)	Sure controls/person meters D999 %) in Nitrogen Not applicable Not applicable Not applicable	onal protection
SECTION 8: Expos 8.1. Control para Phenol (0.0001% - 0.0 ACGIH OSHA Nitrogen (7727-37-9) ACGIH OSHA PHENOL (108-95-2) ACGIH OSHA OSHA	Sure controls/personates D999 %) in Nitrogen Not applicable	onal protection
SECTION 8: Expos 8.1. Control paral Phenol (0.0001% - 0.0 ACGIH OSHA Nitrogen (7727-37-9) ACGIH OSHA PHENOL (108-95-2) ACGIH OSHA SHA	Sure controls/personation meters D999 %) in Nitrogen Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable	
SECTION 8: Expos 8.1. Control para Phenol (0.0001% - 0.0 ACGIH OSHA Nitrogen (7727-37-9) ACGIH OSHA PHENOL (108-95-2) ACGIH OSHA OSHA	Sure controls/personation meters D999 %) in Nitrogen Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable	Ensure exposure is below occupational exposure limits. Provide adequate general and local
SECTION 8: Expos 8.1. Control parat Phenol (0.0001% - 0.0 ACGIH OSHA Nitrogen (7727-37-9) ACGIH OSHA PHENOL (108-95-2) ACGIH OSHA 8.2. Exposure col Appropriate engineering	Sure controls/personation meters D999 %) in Nitrogen Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable	 Ensure exposure is below occupational exposure limits. Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly checked for leakages. Oxyger detectors should be used when asphyxiating gases may be released. Consider work permit system e.g. for maintenance activities. Wear working gloves when handling gas containers. 29CFR 1910.138: Hand Protection.
SECTION 8: Expos 8.1. Control paral Phenol (0.0001% - 0.0 ACGIH OSHA Nitrogen (7727-37-9) ACGIH OSHA PHENOL (108-95-2) ACGIH OSHA 8.2. Exposure col Appropriate engineering	Sure controls/personation meters D999 %) in Nitrogen Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable	Ensure exposure is below occupational exposure limits. Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly checked for leakages. Oxyger detectors should be used when asphyxiating gases may be released. Consider work permit system e.g. for maintenance activities.
SECTION 8: Expos 8.1. Control para Phenol (0.0001% - 0.0 ACGIH OSHA Nitrogen (7727-37-9) ACGIH OSHA PHENOL (108-95-2) ACGIH OSHA 8.2. Exposure con Appropriate engineering Hand protection Eye protection Skin and body protection	sure controls/personation meters D999 %) in Nitrogen Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable	 Ensure exposure is below occupational exposure limits. Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly checked for leakages. Oxyger detectors should be used when asphyxiating gases may be released. Consider work permit system e.g. for maintenance activities. Wear working gloves when handling gas containers. 29CFR 1910.138: Hand Protection. Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection. Wear suitable protective clothing, e.g lab coats, coveralls or flame resistant clothing.
SECTION 8: Expos 8.1. Control para Phenol (0.0001% - 0.0 ACGIH OSHA Nitrogen (7727-37-9) ACGIH OSHA PHENOL (108-95-2) ACGIH OSHA 8.2. Exposure co Appropriate engineering Hand protection Eye protection Skin and body protection Respiratory protection	sure controls/personations personations personation pe	 Ensure exposure is below occupational exposure limits. Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly checked for leakages. Oxyger detectors should be used when asphyxiating gases may be released. Consider work permit system e.g. for maintenance activities. Wear working gloves when handling gas containers. 29CFR 1910.138: Hand Protection. Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection. Wear suitable protective clothing, e.g lab coats, coveralls or flame resistant clothing. None necessary during normal and routine operations. See sections 5 & 6.
SECTION 8: Expos 8.1. Control parate Phenol (0.0001% - 0.0 ACGIH OSHA Nitrogen (7727-37-9) ACGIH OSHA PHENOL (108-95-2) ACGIH OSHA 8.2. Exposure con Appropriate engineering Hand protection Eye protection Skin and body protection	sure controls/personations personations personation pe	 Ensure exposure is below occupational exposure limits. Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly checked for leakages. Oxyger detectors should be used when asphyxiating gases may be released. Consider work permit system e.g. for maintenance activities. Wear working gloves when handling gas containers. 29CFR 1910.138: Hand Protection. Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection. Wear suitable protective clothing, e.g lab coats, coveralls or flame resistant clothing.

: Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for

: Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection.

Other information

Environmental exposure controls

SECTION 9: Physical and chemical properties Information on basic physical and chemical properties 9.1.

specific methods for waste gas treatment.

_

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monda	
Appearance	: Clear, colorless gas.
Molecular mass	: Not applicable for gas-mixtures.
Color	: Colorless
Odor	: No data available
Odor threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Relative evaporation rate (ether=1)	: Not applicable for gas-mixtures.
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not flammable - not combustible
Vapor pressure	: Not applicable.
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Relative gas density	: Similar to air.
Solubility	 Water: Solubility in water of component(s) of the mixture : 20 mg/l
Log Pow	: Not applicable for gas-mixtures.
Log Kow	: Not applicable for gas-mixtures.
Viscosity, kinematic	: Not applicable.
Viscosity, dynamic	: Not applicable.
Explosive properties	: Not applicable - not flammable.
Oxidizing properties	: None.
Explosive limits	: Not applicable - not flammable
9.2. Other information	
Additional information	: None.
SECTION 10: Stability and reactivity	ty
10.1. Reactivity	
None known.	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reactions	\$
None known.	
10.4. Conditions to avoid	
None under recommended storage and handli	ng conditions (see section 7).
10.5. Incompatible materials	
None known.	
10.6. Hazardous decomposition produc	uts
Inder normal conditions of storage and use b	azardous decomposition products should not be produced

Under normal conditions of storage and use hazardous decomposition products should not be produced.

SECTIO	ECTION 11: Toxicological information		
11.1.	Information on toxicological effects		
Acute toxi	city	Not classified	

Nitrogen (7727-37-9)		
LC50 inhalation rat (ppm)	410000 ppm/4h	
Skin corrosion/irritation :	Not classified	
12/11/2014	EN (English US) 4	4/7

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	-
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
, ,	
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May displace oxygen and cause rapid suffocation.
Symptoms/injuries after skin contact	: Adverse effects not expected from this product.
Symptoms/injuries after eye contact	: Adverse effects not expected from this product.
Symptoms/injuries after ingestion	: Ingestion is not considered a potential route of exposure.
Symptoms/injuries upon intravenous administration	: Not known.
Chronic symptoms	: Adverse effects not expected from this product.

SECTION 12: Ecological information		
12.1.	Toxicity	
Ecology	- general	: Classification criteria are not met.
12.2.	Persistence and degradability	

12.2. Persistence and degradability	
Phenol (0.0001% - 0.0999 %) in Nitrogen	
Persistence and degradability	No data available.
Nitrogen (7727-37-9)	
Persistence and degradability	No ecological damage caused by this product.
2.3. Bioaccumulative potential	
Phenol (0.0001% - 0.0999 %) in Nitrogen	
Log Pow	Not applicable for gas-mixtures.
Log Kow	Not applicable for gas-mixtures.
Bioaccumulative potential	No data available.
Nitrogen (7727-37-9)	
Log Pow	Not applicable for inorganic gases.
Bioaccumulative potential	No ecological damage caused by this product.

Phenol (0.0001% - 0.0999 %) in Nitrogen	
Mobility in soil	No data available.
Nitrogen (7727-37-9)	
Ecology - soil	No ecological damage caused by this product.

12.5. Other adverse effects	
Other adverse effects	: None known.
Effect on ozone layer	: None.
Effect on the global warming	: No known ecological damage caused by this product.

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste treatment methods	: Contact supplier if guidance is required. Do not discharge into any place where its accumulation could be dangerous. Ensure that the emission levels from local regulations or operating permits are not exceeded.	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Vaste disposal recommendations	: Refer to the CGA Pamphlet P-63 "Disposal of Gases" available at www.cganet.com for more guidance on suitable disposal methods.
Ecology - waste materials	: None known.
SECTION 14: Transport information	
n accordance with DOT	
Fransport document description	: UN1956 Compressed gas, n.o.s.
JN-No.(DOT)	: UN1956
Proper Shipping Name (DOT)	: Compressed gas, n.o.s.
lazard labels (DOT)	: 2.2 - Non-flammable gas
OOT Symbols	: G - Identifies PSN requiring a technical name
OT Packaging Exceptions (49 CFR 173.xxx)	: 306;307
OT Packaging Non Bulk (49 CFR 173.xxx)	: 302;305
OT Packaging Bulk (49 CFR 173.xxx)	: 314;315
OT Quantity Limitations Passenger aircraft/rail 9 CFR 173.27)	
OT Quantity Limitations Cargo aircraft only (49 FR 175.75)	: 150 kg
OOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
dditional information	
ther information	: No supplementary information available.
special transport precautions	 Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers: Ensure there is adequate ventilation Ensure that containers are firmly secured Ensure cylinder valve is closed and not leaking Ensure valve outlet cap nut or plug (where provided) is correctly fitted Ensure valve protection device (where provided) is correctly fitted.
ADR	
ransport document description	: UN 1956, 2.2, (E)
lass (ADR)	: 2 - Gases
(),	
lazard identification number (Kemler No.)	: 20
lassification code (ADR)	: 1A
Danger labels (ADR)	: 2.2 - Non-flammable compressed gas
orange plates	20 1956
unnel restriction code (ADR)	: E
Q	: 120ml
xcepted quantities (ADR)	: E1
ransport by sea	4050
N-No. (IMDG)	: 1956
roper Shipping Name (IMDG)	: COMPRESSED GAS, N.O.S.
class (IMDG)	: 2.2 - Non-flammable, non-toxic gases
2/11/2014	EN (English US) 6/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport	
UN-No.(IATA)	: 1956
Proper Shipping Name (IATA)	: COMPRESSED GAS, N.O.S.
Class (IATA)	: 2

SECTION 15: Regulatory information	
15.1. US Federal regulations	
Nitrogen (7727-37-9)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

15.2. International regulations

CANADA

Nitrogen (7727-37-9)

Listed on the Canadian DSL (Domestic Sustances List)		s List)
	WHMIS Classification	Class A - Compressed Gas

EU-Regulations

Nitrogen (7727-37-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Classification according to Regulation (EC) No. 1272/2008 [CLP] Not classified

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

15.2.2. National regulations

Nitrogen (7727-37-9)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

15.3. US State regulations

Nitrogen (7727-37-9)		
U.S Massachusetts - Right To Know List U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List		
SECTION 16: Other information		
Indication of changes	 Revised safety data sheet in accordance with OSHA final rule on GHS implementation promulgated March 26, 2012. 	
Other information	: This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this	

Full text of H-phrases:

Compressed gas	Gases under pressure Compressed gas
H280	Contains gas under pressure; may explode if heated

SDS US (GHS HazCom 2012)

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Air Liquide America Corporation's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this product is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

product.