SUPPLIER MATERIAL SAFETY DATA SHEET (MSDS) N/D=Not Determined N/A=Not Applicable

Product: SOOT SEALManufacturer: ESTEAMFlammability: 0Chem. Name: N/ATrade Name: Soot SealReactivity: 0Health: 1

Chem. Family: Mixture

Use: Duct & char sealing compound

Protection:

NFPA LEAST=0, SLIGHT=1, MODERATE=2, HIGH=3, EXTREME=4

HAZARDOUS INGREDIENTS CAS # % WT HAZARD DATA EXPOSURE LIMITS (TLV)

Dipropylene glycol monomethyl ether 34590-94-8 1-4 L 100 ppm TWA

PHYSICAL DATA

Physical Liquid Boiling Solubility Evaporation Percent Volatile (vol): N/D
State: Point (C): 100 Physical Liquid State: Percent Point (C): 100 Physical Liquid Solubility Freezing Physical Liquid Physical Liquid Percent Percent Volatile (vol): N/D

Odor/ Milky white, Freezing Physical Control Physical Liquid Physical Liquid Physical Liquid Physical Liquid Physical Liquid Physical Liquid Percent Volatile (vol): N/D

Odor/ Milky white, Freezing Physical Liquid Physical Liquid

Odor/ Milky white, Freezing Ph Specific Vapor Appearance: Point (C): 0 (undiluted): 7.8 Gravity: N/D Pressure:

FIRE & EXPLOSION HAZARD Conditions: N/A

Flammability: N Hazardous Combustion Products: None Means of Extinction: Appropriate for surrounding conditions Upper Explosion Limit (% by vol): N/A

Special Procedures: None Lower Explosion Limit (% by vol): N/A

Explosion Sensitivity to Impact: N/A

Chemical Sensitivity to Static Discharge: N/A

Auto-ignition: N/D

Rate of Burning: N/A

TDG/WHMIS: Non hazardous / D2B

Flashpoint (C) & Method: N/A Explosive Power: N/A

REACTIVITY DATA Chemical Stability: Stable

Hazardous Decomposition Product: None Incompatible Substances: None

TOXICOLOGICAL PROPERTIES

Route of Entry - Skin Contact: Y
Route of Entry - Skin Absorption: N
Route of Entry - Eye Contact: Y
Route of Entry - Inhalation: Y
Route of Entry - Skin Contact: Y
Reproductive Effects Y/N: N/D
Carcinogenicity Y/N: N/D
Mutagenicity Y/N: N/D
Teratogenicity Y/N: N/D

Route of Entry - Inhalation:

Route of Entry - Ingestion:

Y
Teratogenicity Y/N:
N/D

TLV:
N/D

Effects of Overexposure:

| Acute Effects:

Inhalation may lead to headache, nausea, irritation of mucous membranes. Ingestion may cause irritation of mucous membranes resulting in abdominal pain and diarrhea.

Chronic Effects:

May cause slight skin irritation after prolonged or frequent

PREVENTATIVE MEASURES

Gloves: N/A Footwear: N/A Clothing: N/A Eyes: Chemical goggles Respirator: N/A Other: N/A

Recommended Engineered Controls:Use with adequate ventilation.

Leak & Spill Procedures:

Mop up excess. Flush with water to a

sanitary sewer.

Waste Disposal Methods:

According to federal, provincial and

municipal regulations.

Special Handling Procedures:

Freeze/Thaw

N/D

Store in a cool, dry place away from children. Keep closed when not in

use.

FIRST AID MEASURES

Inhalation: Move person to fresh air. If necessary give artificial respiration or oxygen. Call a doctor if in distress.

Ingestion: Contact a physician.

Eye Contact: Immediately flush eyes with running water for at least 15 minutes. Contact a physician if irritation persists.

Skin Contact: Immediately wash skin for at least 15 minutes. Launder clothing before reuse. Contact a physician if irritation persists.

Prep./Revised Date: June 1, 2016 Mailing Address: Esteam Manufacturing Ltd.

Prepared By: R. Russell 3750-19th Street NE Calgary, AB T2E 6V2

Source Material: Manufacturer's MSDS

Emergency Response: 1-613-996-6666 (Transport Emergencies)



This information is complete to the best of our knowledge, however, users are encouraged to make their own investigations into the suitability of the information to their particular purposes. READ THE LABEL before using this or any product, and take any necessary precautions, dictated by the label or by common sense to ensure that your health is protected.