

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

febi 14738 automatic transmission fluid (ATF)
Article number: 14738, 29738

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG
 Wilhelmstr. 47
 58256 Ennepetal / GERMANY
 Phone +49 2333 911-0
 Fax +49 2333 911-444
 Homepage www.febi.com
 E-mail info@febi.com

Address enquiries to

Technical information info@febi.com

Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

Hazard pictograms none

Hazard statements none

Precautionary statements none

Special labelling EUH210 Safety data sheet available on request.

Contains: Ethanol, 2,2-iminobis-, N-tallow alkyl derivs.. EUH208 May produce an allergic reaction.

2.3 Other hazards

Environmental hazards Does not contain any PBT or vPvB substances.

Other hazards No particular hazards known.

SECTION 3: Composition / Information on ingredients

Product-type:

3.2 The product is a mixture.

| Range [%] | Substance |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 50 - < 99 | Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract) CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX GHS/CLP: Asp. Tox. 1: H304 |
| 2,5 - < 5 | Methacrylate copolymer EINECS/ELINCS: polymer GHS/CLP: Eye Irrit. 2: H319 |
| 0,1 - < 1 | Ethanol, 2,2-iminobis-, N-tallow alkyl derivs. CAS: 61791-44-4, EINECS/ELINCS: 263-177-5 GHS/CLP: Skin Sens. 1: H317 - Skin Corr. 1B: H314 - Acute Tox. 4: H302 - Aquatic Chronic 3: H412 |

Comment on component parts

Contains less than 3% w/w DMSO-extract (only for mineral oils)
Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
For full text of H-statements and R-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Change soaked clothing.

Inhalation

Ensure supply of fresh air.
In the event of symptoms seek medical treatment.

Skin contact

In case of contact with skin wash off immediately with soap and water.
Consult a doctor if skin irritation persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion

Do not induce vomiting.
Rinse out mouth and give plenty of water to drink.
Get medical advice.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in the event of vomiting, risk of product entering the lungs.
Treat symptomatically.
Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not be used

Full water jet

5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.
Risk of formation of toxic pyrolysis products.
Carbon monoxide (CO)
Sulphur oxides (SOx).



Ferdinand Bilstein GmbH + Co. KG

Date printed 16.10.2019, Revision 16.10.2019

Version 09. Supersedes version: 08

Page 3 / 10

5.3 Advice for firefighters

Use self-contained breathing apparatus.
Do not inhale explosion and/or combustion gases.
Cool containers at risk with water spray jet.
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.
Forms slippery surfaces with water.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).
Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).
Dispose of absorbed material in accordance with the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid formation of aerosols.
The product is combustible.
Do not eat, drink or smoke when using this product.
Use barrier skin cream.
Wash hands before breaks and after work.
Cloths contaminated with product should not be kept in trouser pockets.
Contaminated work clothing should not be allowed out of the workplace.
Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Prevent penetration into the ground.
Do not store together with food and animal food/diet.
Do not store together with oxidizing agents.
Keep container tightly closed.
Keep container in a well-ventilated place.
Protect from heat/overheating.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

| |
|---------------------------------------------------------------------------------------------------|
| Substance |
| Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract) |
| CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX |
| Long-term exposure: 5 mg/m ³ , oil mist |
| Short-term exposure (15-minute): 10 mg/m ³ |

DNEL

| |
|--------------------------------------------------------------------------------------------------------|
| Substance |
| Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7 |
| Industrial, dermal, Long-term - systemic effects: 1 mg/kg bw/day. |
| Industrial, inhalative, Long-term - local effects: 5,6 mg/m ³ . |
| Industrial, inhalative, Long-term - systemic effects: 2,7 mg/m ³ . |
| general population, oral, Long-term - systemic effects: 0,74 mg/kg bw/day. |

PNEC

| |
|--------------------------------------------------------------------------------------------------------|
| Substance |
| Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7 |
| oral (food), 9,33 mg/kg. |

8.2 Exposure controls

| | |
|--------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Additional advice on system design | Ensure adequate ventilation on workstation. General exposure limit for oil mist should be noted. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances. |
| Eye protection | If there is a risk of splashing: safety glasses (EN 166:2001) |
| Hand protection | The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3). > 0,4 mm; Neoprene, >480 min (EN 374-1/-2/-3). |
| Skin protection | light protective clothing |
| Other | Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. |
| Respiratory protection | Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387) |
| Thermal hazards | No information available. |
| Delimitation and monitoring of the environmental exposition | Comply with applicable environmental regulations limiting discharge to air, water and soil. |

Ferdinand Bilstein GmbH + Co. KG

Date printed 16.10.2019, Revision 16.10.2019

Version 09. Supersedes version: 08

Page 5 / 10

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

| | |
|-------------------------------------------|---------------------------------------------|
| Form | liquid |
| Color | amber colour |
| Odor | characteristic |
| Odour threshold | not applicable |
| pH-value | not applicable |
| pH-value [1%] | not applicable |
| Boiling point [°C] | No information available. |
| Flash point [°C] | 190 (EN ISO 2592) |
| Flammability (solid, gas) [°C] | No information available. |
| Lower explosion limit | No information available. |
| Upper explosion limit | No information available. |
| Oxidising properties | no |
| Vapour pressure/gas pressure [kPa] | No information available. |
| Density [g/ml] | 0,862 (DIN 51 757) (15°)C |
| Bulk density [kg/m ³] | not applicable |
| Solubility in water | immiscible |
| Partition coefficient [n-octanol/water] | No information available. |
| Viscosity | 35,9 mm ² /s (40° C)(DIN 51 562) |
| Relative vapour density determined in air | No information available. |
| Evaporation speed | No information available. |
| Melting point [°C] | No information available. |
| Autoignition temperature [°C] | No information available. |
| Decomposition temperature [°C] | No information available. |

9.2 Other information

none

SECTION 10: Stability and reactivity**10.1 Reactivity**

No dangerous reactions known if used as directed.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

10.4 Conditions to avoid

See SECTION 7.2.

10.5 Incompatible materials

Strong oxidizing agent.
strong acids
Strong basic compounds

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Ferdinand Bilstein GmbH + Co. KG

Date printed 16.10.2019, Revision 16.10.2019

Version 09. Supersedes version: 08

Page 6 / 10

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity**

| |
|--------------------------------------------------------------------------------------------------------|
| Product |
| inhalative, Based on the available information, the classification criteria are not fulfilled.: |
| oral, Based on the available information, the classification criteria are not fulfilled.: |
| dermal, Based on the available information, the classification criteria are not fulfilled.: |
| Substance |
| Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7 |
| LD50, dermal, Rabbit: > 2000 mg/kg. |
| LD50, oral, Rat: > 5000 mg/kg. |
| LC50, dermal, Rat: 2,18 mg/l. |

| | |
|-----------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Serious eye damage/irritation | Toxicological data of complete product are not available. No classification. Calculation method |
| Skin corrosion/irritation | Toxicological data of complete product are not available. No classification. Calculation method |
| Respiratory or skin sensitisation | Toxicological data of complete product are not available. May produce an allergic reaction. Calculation method |
| Specific target organ toxicity — single exposure | Based on the available information, the classification criteria are not fulfilled. |
| Specific target organ toxicity — repeated exposure | Based on the available information, the classification criteria are not fulfilled. |
| Mutagenicity | Based on the available information, the classification criteria are not fulfilled. |
| Reproduction toxicity | Based on the available information, the classification criteria are not fulfilled. |
| Carcinogenicity | Based on the available information, the classification criteria are not fulfilled. |
| Aspiration hazard | Based on the available information, the classification criteria are not fulfilled. |
| General remarks | Toxicological data of complete product are not available. |

SECTION 12: Ecological information**12.1 Toxicity**

| |
|--------------------------------------------------------------------------------------------------------|
| Product |
| Based on the available information, the classification criteria are not fulfilled.: |
| Substance |
| Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7 |
| EL50, (24h), Daphnia magna: > 10000 mg/l. |
| NOELR, (14d), Oncorhynchus mykiss: >= 1000 mg/l. |
| LL50, (96h), Pimephales promelas: >100 mg/l. |
| NOEL, (72h), Pseudokirchneriella subcapitata: >= 100 mg/l. |
| NOEL, (21d), Daphnia magna: 10 mg/l. |

Ferdinand Bilstein GmbH + Co. KG

Date printed 16.10.2019, Revision 16.10.2019

Version 09. Supersedes version: 08

Page 7 / 10

12.2 Persistence and degradability

| | |
|----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Behaviour in environment compartments | not determined |
| Behaviour in sewage plant | not determined |
| Biological degradability | The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation. |

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

In according to RoHS!
Coordinate disposal with the disposal contractor/authorities if necessary.

Waste no. (recommended)

130205* mineral-based non-chlorinated engine, gear and lubricating oils

Contaminated packaging

Uncontaminated packaging may be taken for recycling.
Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended)

150102
150104
150110*

SECTION 14: Transport information**14.1 UN number**

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable



Ferdinand Bilstein GmbH + Co. KG

Date printed 16.10.2019, Revision 16.10.2019

Version 09. Supersedes version: 08

Page 8 / 10

14.2 UN proper shipping name

- Transport by land according to ADR/RID NO DANGEROUS GOODS
- Inland navigation (ADN) NO DANGEROUS GOODS
- Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"
- Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

- Transport by land according to ADR/RID not applicable
- Inland navigation (ADN) not applicable
- Marine transport in accordance with IMDG not applicable
- Air transport in accordance with IATA not applicable

14.4 Packing group

- Transport by land according to ADR/RID not applicable
- Inland navigation (ADN) not applicable
- Marine transport in accordance with IMDG not applicable
- Air transport in accordance with IATA not applicable

14.5 Environmental hazards

- Transport by land according to ADR/RID no
- Inland navigation (ADN) no
- Marine transport in accordance with IMDG no
- Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 16.10.2019, Revision 16.10.2019

Version 09. Supersedes version: 08

Page 9 / 10

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

| | |
|----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| EEC-REGULATIONS | 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014 |
| TRANSPORT-REGULATIONS | ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019) |
| NATIONAL REGULATIONS (GB): | EH40/2005 Workplace exposure limits (Second edition, published December 2011). |
| - Observe employment restrictions for people | not applicable |
| - VOC (2010/75/CE) | 0 % |

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information**16.1 Hazard statements (SECTION 03)**

H412 Harmful to aquatic life with long lasting effects.
 H302 Harmful if swallowed.
 H314 Causes severe skin burns and eye damage.
 H317 May cause an allergic skin reaction.
 H304 May be fatal if swallowed and enters airways.
 H319 Causes serious eye irritation.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
 ATE = acute toxicity estimate
 CAS = Chemical Abstracts Service
 CLP = Classification, Labelling and Packaging
 DMEL = Derived Minimum Effect Level
 DNEL = Derived No Effect Level
 EC50 = Median effective concentration
 ECB = European Chemicals Bureau
 EEC = European Economic Community
 EINECS = European Inventory of Existing Commercial Chemical Substances
 ELINCS = European List of Notified Chemical Substances
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
 IC50 = Inhibition concentration, 50%
 IMDG = International Maritime Code for Dangerous Goods
 IUCLID = International Uniform Chemical Information Database
 LC50 = Lethal concentration, 50%
 LD50 = Median lethal dose
 LC0 = lethal concentration, 0%
 LOAEL = lowest-observed-adverse-effect level
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships
 NOAEL = No Observed Adverse Effect Level
 NOEC = No Observed Effect Concentration
 PBT = Persistent, Bioaccumulative and Toxic substance
 PNEC = Predicted No-Effect Concentration
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
 STP = Sewage Treatment Plant
 TLV@/TWA = Threshold limit value – time-weighted average
 TLV@STEL = Threshold limit value – short-time exposure limit
 VOC = Volatile Organic Compounds
 vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure



Ferdinand Bilstein GmbH + Co. KG

Date printed 16.10.2019, Revision 16.10.2019

Version 09. Supersedes version: 08

Page 10 / 10

Modified position

SECTION 3 been added: Contains less than 3% w/w DMSO-extract (only for mineral oils)