

n-Heptane (0.0001% - 1.38%) in Argon Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 12/04/2014 Version: 1.0

SECTION 1: Identification of the	substance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: n-Heptane (0.0001% - 1.38%) in Argon
Product code	: SG-2002-00459
	substance or mixture and uses advised against
Use of the substance/mixture	: Test gas/Calibration gas.
1.3. Details of the supplier of the sa	fety data sheet
Air Liquide America Specialty Gases 6141 Easton Rd	
Plumsteadville, PA 18949 - USA	
T 1.800.217.2688 www.airliguide.com	
1.4. Emergency telephone number	
Emergency number	: CHEMTREC: 1-800-424-9300
SECTION 2: Hazards identification	
2.1. Classification of the substance	
Classification (GHS-US)	
Compressed gas	H280
Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	
Signal word (GHS-US) Hazard statements (GHS-US)	GHS04 : Warning : H280 - Contains gas under pressure; may explode if heated
TIAZAIN SIALEITIETIIS (UTO-UO)	OSHA-H01 - May displace oxygen and cause rapid suffocation
Precautionary statements (GHS-US)	 P202 - Do not handle until all safety precautions have been read and understood P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective clothing, protective gloves, eye protection, face protection P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P308+P313 - If exposed or concerned: Get medical advice/attention P403 - Store in a well-ventilated place P501 - Dispose of contents/container in accordance with local/regional/national/international regulations CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F) CGA-PG05 - Use a back flow preventive device in the piping CGA-PG06 - Close valve after each use and when empty CGA-PG10 - Use only with equipment rated for cylinder pressure CGA-PG14 - Approach suspected leak area with caution CGA-PG21 - Open valve slowly
2.3. Other hazards	
No additional information available	
2.4. Unknown acute toxicity (GHS-L	IS)
Not applicable	
SECTION 3: Composition/inform	ation on ingredients
3.1. Substance	
Not applicable	
01/07/2015	EN (English US) Page

Safety Data Sheet

. .

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	Classification (GHS-US)
Argon	(CAS No) 7440-37-1	98.62 - 99.9999	Compressed gas, H280
n-Heptane	(CAS No) 142-82-5	0.0001 - 1.38	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

Full text of H-phrases: see section 16	
SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Adverse effects not expected from this product.
First-aid measures after eye contact	: Adverse effects not expected from this product.
First-aid measures after ingestion	: Ingestion is not considered a potential route of exposure.
4.2. Most important symptoms and effect	s, both acute and delayed
Symptoms/injuries after inhalation	: May displace oxygen and cause rapid suffocation. If you feel unwell, seek medical advice.
Symptoms/injuries after skin contact	: Adverse effects not expected from this product.
Symptoms/injuries after eye contact	: Adverse effects not expected from this product.
Symptoms/injuries after ingestion	: Ingestion is not considered a potential route of exposure.
Symptoms/injuries upon intravenous administration	: Not known.
Chronic symptoms	: None known.
4.3. Indication of any immediate medical	attention and special treatment needed
If breathing is difficult, give oxygen. Obtain medica	al attention if breathing difficulty persists.
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use water jet to extinguish.
5.2. Special hazards arising from the sub	stance or mixture
Fire hazard	: The product is not flammable.
Explosion hazard	 Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Reactivity	: None known.
5.3. Advice for firefighters	
Firefighting instructions	: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.
Protection during firefighting	: Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release meas	ures
6.1. Personal precautions, protective equ	ipment and emergency procedures
General measures	: Ensure adequate ventilation.
6.1.1. For non-emergency personnel	
Protective equipment	: Wear protective equipment consistent with the site emergency plan.
Emergency procedures	 Escape the danger area by the closest safe route. Close doors and windows of adjacent premises. Keep containers closed. Mark the danger area. Seal off low-lying areas. Keep upwind.
6.1.2. For emergency responders	
Protective equipment	: Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Equip cleanup crew with proper protection.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

cording to Federal Register /	Vol. 77, No. 58 / Monday, Ma	arch 26, 2012 / Rules and Regulations
Emergency procedures	:	Evacuate and limit access. Ventilate area.
6.2. Environmental	precautions	
Try to stop release if safe	to do so.	
6.3. Methods and m	naterial for containment	and cleaning up
For containment	:	Try to stop release if safe to do so.
Methods for cleaning up	:	Dispose of this material and its container in accordance with local regulations.
6.4. Reference to o	ther sections	
See also Sections 8 and 1	3.	
SECTION 7: Handlii	ng and storage	
7.1. Precautions fo	r safe handling	
Additional hazards when p	processed :	Pressurized container: Do not pierce or burn, even after use. Use equipment rated for cylinder pressure.
Precautions for safe hand	ing :	Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area.
Hygiene measures	:	Do not eat, drink or smoke when using this product.
.2. Conditions for	safe storage, including	any incompatibilities
echnical measures	:	Comply with applicable regulations.
Storage conditions	:	Do not expose to temperatures exceeding 52°C (125°F). Keep container closed when not in use. Protect cylinder from physical damage.
ncompatible products	:	None known.
ncompatible materials	:	None known.
7.3. Specific end us	se(s)	
Test gas/Calibration gas.		
SECTION 8: Exposi	ure controls/persor	nal protection
3.1. Control parame	eters	
n-Heptane (0.0001% - 1	.38%) in Argon	
ACGIH	Not applicable	
OSHA	Not applicable	
Argon (7440-37-1)		
ACGIH	Not applicable	
OSHA	Not applicable	
n-Heptane (142-82-5)		
ACGIH	Not applicable	

OSHA	A Contraction of the second se	Not applicable	
0.0			
8.2.	Exposure controls		
Approp	riate engineering controls	; :	Ensure exposure is below occupational exposure limits. Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly checked for leakages. Oxygen detectors should be used when asphyxiating gases may be released. Consider work permit system e.g. for maintenance activities.
Hand p	rotection	:	Wear working gloves when handling gas containers. 29CFR 1910.138: Hand Protection.
Eye pro	otection	:	Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection.
Skin an	d body protection	:	Wear suitable protective clothing, e.g lab coats, coveralls or flame resistant clothing.
Respira	tory protection	:	None necessary during normal and routine operations.
Therma	I hazard protection	:	None necessary during normal and routine operations.
Enviror	mental exposure controls	3 :	Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for specific methods for waste gas treatment.

Other information

: Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical	properties
9.1. Information on basic physical and	
Physical state	: Gas
Appearance	: Clear, colorless gas.
Color	: Colorless
Odor	: Odorless
Odor threshold	: No data available
рН	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Relative evaporation rate (ether=1)	: Not applicable for gas-mixtures.
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: See Section 2.1 and 2.2
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Relative gas density	: Heavier than air.
Solubility	 Water: Solubility in water of component(s) of the mixture : •: 61 mg/l
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: None.
Explosive limits	: No data available
9.2. Other information	
Additional information	: Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level.

SECTIC	ON 10: Stability and reactivity
10.1.	Reactivity
None kno	own.
10.2.	Chemical stability
Stable un	nder normal conditions.
10.3.	Possibility of hazardous reactions
None kno	own.
10.4.	Conditions to avoid
None und	der recommended storage and handling conditions (see section 7).
10.5.	Incompatible materials
None kno	own.
10.6.	Hazardous decomposition products
	ormal conditions of storage and use hazardous decomposition products should not be produced.
SECTIC	ON 11: Toxicological information
11.1.	Information on toxicological effects
Acute tox	cicity : Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Argon (7440-37-1)	
LC50 inhalation rat (ppm)	820000 ppm/4h
n-Heptane (142-82-5)	
LC50 inhalation rat (ppm)	25126 ppm/4h
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May displace oxygen and cause rapid suffocation. If you feel unwell, seek medical advice.
Symptoms/injuries after skin contact	: Adverse effects not expected from this product.
Symptoms/injuries after eye contact	: Adverse effects not expected from this product.
Symptoms/injuries after ingestion	: Ingestion is not considered a potential route of exposure.
Symptoms/injuries upon intravenous administration	: Not known.
Chronic symptoms	: None known.

SECT	ΓION 12: Ecological information
12.1.	Toxicity
No add	litional information available

12.2. Persistence and degradability	
	,

12.2. Persistence and degradability	
Argon (7440-37-1)	
Persistence and degradability	No ecological damage caused by this product.
12.3. Bioaccumulative potential	
Argon (7440-37-1)	
Log Pow	Not applicable for inorganic gases.
Bioaccumulative potential	No ecological damage caused by this product.
12.4. Mobility in soil	
Argon (7440-37-1)	
Ecology - soil	No ecological damage caused by this product.
12.5. Other adverse effects	
Effect on ozone layer	:
Effect on the global warming	: No known ecological damage caused by this product.
SECTION 13: Disposal consideration	IS
13.1. Waste treatment methods	
Waste treatment methods	: Contact supplier if guidance is required. Do not discharge into any place where its

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information	
In accordance with DOT	
Transport document description	: UN1956 Compressed gas, n.o.s., 2.2
UN-No.(DOT)	: UN1956
Proper Shipping Name (DOT)	: Compressed gas, n.o.s.
Department of Transportation (DOT) Hazard Classes	: 2.2 - Class 2.2 - Non-flammable compressed gas 49 CFR 173.115
Hazard labels (DOT)	: 2.2 - Non-flammable gas
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306;307
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 302;305
DOT Packaging Bulk (49 CFR 173.xxx)	: 314;315
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 75 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Additional information	
Other information	: No supplementary information available.
ADR	
Transport document description	: UN 1956, 2.2, (E)
Class (ADR)	: 2 - Gases
Hazard identification number (Kemler No.)	: 20
Classification code (ADR)	: 1A
Hazard labels (ADR)	: 2.2 - Non-flammable compressed gas
Orange plates	20 1956
Tunnel restriction code (ADR)	: E
	: 120ml
LQ	
LQ Excepted quantities (ADR)	: E1
Excepted quantities (ADR)	
Excepted quantities (ADR) Transport by sea	: E1
Excepted quantities (ADR) Transport by sea UN-No. (IMDG)	: E1 : 1956
Excepted quantities (ADR) Transport by sea	: E1
Excepted quantities (ADR) Transport by sea UN-No. (IMDG) Proper Shipping Name (IMDG)	: E1 : 1956 : COMPRESSED GAS, N.O.S.
Excepted quantities (ADR) Transport by sea UN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG)	: E1 : 1956 : COMPRESSED GAS, N.O.S.
Excepted quantities (ADR) Transport by sea UN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG) Air transport	 E1 1956 COMPRESSED GAS, N.O.S. 2.2 - Non-flammable, non-toxic gases

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

Argon (7440-37-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Argon (7440-37-1)

Listed on the Canadian DSL (Domestic Sustances List)	
WHMIS Classification	Class A - Compressed Gas

EU-Regulations

Argon (7440-37-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Classification according to Regulation (EC) No. 1272/2008 [CLP] Not classified

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

15.2.2. National regulations

Argon (7440-37-1)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

15.3. US State regulations

Argon (7440-37-1)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information	
Indication of changes	 Revised safety data sheet in accordance with OSHA final rule on GHS implementation promulgated March 26, 2012.
Other information	: This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product.

Full text of H-phrases:

Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Asp. Tox. 1	Aspiration hazard Category 1
Compressed gas	Gases under pressure Compressed gas
Flam. Liq. 2	Flammable liquids Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H280	Contains gas under pressure; may explode if heated
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H336	May cause drowsiness or dizziness
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SDS US (GHS HazCom 2012)

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Air Liquide America Corporation's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this product is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.