

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
 Product name : Ammonia (40.11% - 99.99%) in Nitrogen  
 Product code : SG-2002-00359

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Test gas/Calibration gas.

#### 1.3. Details of the supplier of the safety data sheet

Air Liquide  
 2700 Post Oak Boulevard  
 Houston, TX 77056 - USA  
 T 1-800-819-1704  
[www.us.airliquide.com](http://www.us.airliquide.com)

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (GHS-US)

|                               |      |
|-------------------------------|------|
| Flam. Gas 2                   | H221 |
| Compressed gas                | H280 |
| Acute Tox. 4 (Inhalation:gas) | H332 |
| Skin Corr. 1B                 | H314 |
| Eye Dam. 1                    | H318 |

Full text of H-phrases: see section 16

#### 2.2. Label elements

##### GHS-US labeling

Hazard pictograms (GHS-US) :



Signal word (GHS-US) :

Danger

Hazard statements (GHS-US) :

H221 - Flammable gas  
 H280 - Contains gas under pressure; may explode if heated  
 H314 - Causes severe skin burns and eye damage  
 H318 - Causes serious eye damage  
 H332 - Harmful if inhaled  
 CGA-HG22 - Corrosive to the respiratory tract.

Precautionary statements (GHS-US) :

P202 - Do not handle until all safety precautions have been read and understood  
 P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking  
 P260 - Do not breathe gas  
 P262 - Do not get in eyes, on skin, or on clothing  
 P271 - Use only outdoors or in a well-ventilated area  
 P280 - Wear protective clothing, protective gloves, eye protection, face protection  
 P284 - Wear respiratory protection. Consult respirator supplier's product information for the selection of the appropriate respiratory protection.  
 P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower  
 P310 - Immediately call a doctor  
 P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing  
 P312 - Call a doctor if you feel unwell  
 P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 P337+P313 - If eye irritation persists: Get medical advice/attention  
 P332+P313 - If skin irritation occurs: Get medical advice/attention

# Ammonia (40.11% - 99.99%) in Nitrogen

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P363 - Wash contaminated clothing before reuse  
P370+P376 - In case of fire: Stop leak if safe to do so  
P377 - Leaking gas fire: Do not extinguish, unless leak can be stopped safely  
P381 - Eliminate all ignition sources if safe to do so  
P403 - Store in a well-ventilated place  
P405 - Store locked up  
P501 - Dispose of contents/container in accordance with local/regional/national/international regulations  
CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F)  
CGA-PG05 - Use a back flow preventive device in the piping  
CGA-PG06 - Close valve after each use and when empty  
CGA-PG10 - Use only with equipment rated for cylinder pressure  
CGA-PG14 - Approach suspected leak area with caution  
CGA-PG20 - Use only with equipment of compatible materials of construction  
CGA-PG21 - Open valve slowly

### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS-US)

Not applicable

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

### 3.2. Mixture

| Name              | Product identifier | %             | Classification (GHS-US)   |
|-------------------|--------------------|---------------|---|
| Anhydrous ammonia | (CAS No) 7664-41-7 | 40.11 - 99.99 | Flam. Gas 2, H221<br>Liquefied gas, H280<br>Acute Tox. 4 (Inhalation), H332<br>Skin Corr. 1B, H314<br>STOT SE 3, H335 |
| Nitrogen          | (CAS No) 7727-37-9 | 0.01 - 59.89  | Compressed gas, H280  |

Full text of H-phrases: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact : IF ON SKIN : Gently wash with plenty of soap and water. Get immediate medical advice / attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation develops, seek medical attention. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Ingestion is not considered a potential route of exposure.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Harmful if inhaled. Corrosive to the respiratory tract.

Symptoms/injuries after skin contact : Causes severe skin burns and eye damage.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : Ingestion is not considered a potential route of exposure.

Symptoms/injuries upon intravenous administration : Not known.

Chronic symptoms : None known.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use water jet to extinguish.

# Ammonia (40.11% - 99.99%) in Nitrogen

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 5.2. Special hazards arising from the substance or mixture

|                  |   |
|------------------|---|
| Fire hazard      | : This product is flammable.  |
| Explosion hazard | : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. |
| Reactivity       | : None known.   |

### 5.3. Advice for firefighters

|                                |  |
|--------------------------------|--|
| Firefighting instructions      | : In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.             |
| Protection during firefighting | : Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Do not enter fire area without proper protective equipment, including respiratory protection. |

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

|                  |                                |
|------------------|--------------------------------|
| General measures | : Ensure adequate ventilation. |
|------------------|--------------------------------|

#### 6.1.1. For non-emergency personnel

|                      |  |
|----------------------|--|
| Protective equipment | : Wear protective equipment consistent with the site emergency plan.   |
| Emergency procedures | : Escape the danger area by the closest safe route. Close doors and windows of adjacent premises. Keep containers closed. Mark the danger area. Seal off low-lying areas. Keep upwind. |

#### 6.1.2. For emergency responders

|                      |  |
|----------------------|--|
| Protective equipment | : Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Equip cleanup crew with proper protection.  |
| Emergency procedures | : Evacuate and limit access. Ventilate area. Remove ignition sources. Monitor concentration of released product. Consider the risk of potentially explosive atmospheres. Wear self-contained breathing apparatus when entering atmospheres of unknown contaminant concentration until proven to be safe. |

### 6.2. Environmental precautions

Try to stop release if safe to do so.

### 6.3. Methods and material for containment and cleaning up

|                         |  |
|-------------------------|--|
| For containment         | : Try to stop release if safe to do so.  |
| Methods for cleaning up | : Dispose of this material and its container in accordance with local regulations. |

### 6.4. Reference to other sections

See also Sections 8 and 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

|                                   |   |
|-----------------------------------|---|
| Additional hazards when processed | : Pressurized container: Do not pierce or burn, even after use. Use equipment rated for cylinder pressure. Close valve after each use and when empty.   |
| Precautions for safe handling     | : Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Eliminate all ignition sources if safe to do so. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| Hygiene measures                  | : Do not eat, drink or smoke when using this product.   |

### 7.2. Conditions for safe storage, including any incompatibilities

|                        |  |
|------------------------|--|
| Technical measures     | : Comply with applicable regulations.  |
| Storage conditions     | : Store locked up. Do not expose to temperatures exceeding 52°C (125°F). Keep container closed when not in use. Protect cylinder from physical damage. |
| Incompatible products  | : None known.  |
| Incompatible materials | : Oxidizing materials. Air.  |

### 7.3. Specific end use(s)

See Section 1.2.

# Ammonia (40.11% - 99.99%) in Nitrogen

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

| Ammonia (40.11% - 99.99%) in Nitrogen |                |
|---------------------------------------|----------------|
| ACGIH                                 | Not applicable |
| OSHA                                  | Not applicable |

  

| Anhydrous ammonia (7664-41-7) |                |
|-------------------------------|----------------|
| ACGIH                         | Not applicable |
| OSHA                          | Not applicable |

  

| Nitrogen (7727-37-9) |                |
|----------------------|----------------|
| ACGIH                | Not applicable |
| OSHA                 | Not applicable |

#### 8.2. Exposure controls

|                                  |   |
|----------------------------------|---|
| Appropriate engineering controls | : Ensure exposure is below occupational exposure limits. Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly checked for leakages. Oxygen detectors should be used when asphyxiating gases may be released. Consider work permit system e.g. for maintenance activities.                 |
| Hand protection                  | : Wear working gloves when handling gas containers. 29 CFR 1910.138: Hand Protection. In addition wear chemically resistant protective gloves when making or breaking process connections.  |
| Eye protection                   | : Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection. Wear goggles and faceshield when transfilling or breaking transfer connections.  |
| Skin and body protection         | : Wear suitable protective clothing, e.g. - lab coats, coveralls or flame resistant clothing.   |
| Respiratory protection           | : Wear a respirator when performing non-routine tasks not limited to line breaking or sampling. Wear a respirator during routine operations if determined to be necessary during a process-specific review. Consult respirator suppliers' product information or their representatives for the selection of the appropriate respirator. |
| Thermal hazard protection        | : None necessary during normal and routine operations.  |
| Environmental exposure controls  | : Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for specific methods for waste gas treatment.   |
| Other information                | : Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection.  |

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

|   |  |
|---|--|
| Physical state                              | : Gas  |
| Appearance                                  | : Clear, colorless gas.  |
| Color                                       | : Colorless  |
| Odor  | : Pungent.   |
| Odor threshold                              | : No data available  |
| pH  | : No data available  |
| Relative evaporation rate (butyl acetate=1) | : No data available  |
| Melting point                               | : No data available  |
| Freezing point                              | : No data available  |
| Boiling point                               | : No data available  |
| Flash point                                 | : No data available  |
| Auto-ignition temperature                   | : No data available  |
| Decomposition temperature                   | : No data available  |
| Flammability (solid, gas)                   | : See Section 2.1 and 2.2  |
| Vapor pressure                              | : No data available  |
| Relative vapor density at 20 °C             | : No data available  |
| Relative density                            | : No data available  |
| Relative gas density                        | : Lighter or similar to air  |
| Solubility                                  | : Water: Solubility in water of component(s) of the mixture :<br>• : 517000 mg/l • : 20 mg/l |

# Ammonia (40.11% - 99.99%) in Nitrogen

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|                      |                     |
|----------------------|---------------------|
| Log Pow              | : No data available |
| Log Kow              | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic   | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| Explosive limits     | : No data available |

### 9.2. Other information

Additional information : None.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

None known.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

None known.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

Air. Oxidizing materials.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Inhalation:gas: Harmful if inhaled.

| Ammonia (40.11% - 99.99%) in Nitrogen |                  |
|---------------------------------------|------------------|
| ATE US (gases)                        | 9147.345 ppmV/4h |
| Anhydrous ammonia (7664-41-7)         |                  |
| LC50 inhalation rat (ppm)             | 3669 ppm/4h      |
| ATE US (gases)                        | 3669.000 ppmV/4h |
| ATE US (vapors)                       | 11.000 mg/l/4h   |
| ATE US (dust, mist)                   | 1.500 mg/l/4h    |
| Nitrogen (7727-37-9)                  |                  |
| LC50 inhalation rat (ppm)             | 820000 ppm/4h    |

|  |   |
|--|---|
| Skin corrosion/irritation                          | : Causes severe skin burns and eye damage.                |
| Serious eye damage/irritation                      | : Causes serious eye damage.                              |
| Respiratory or skin sensitization                  | : Not classified  |
| Germ cell mutagenicity                             | : Not classified  |
| Carcinogenicity                                    | : Not classified  |
| Reproductive toxicity                              | : Not classified  |
| Specific target organ toxicity (single exposure)   | : Not classified.   |
| Specific target organ toxicity (repeated exposure) | : Not classified  |
| Aspiration hazard                                  | : Not classified  |
| Symptoms/injuries after inhalation                 | : Harmful if inhaled. Corrosive to the respiratory tract. |
| Symptoms/injuries after skin contact               | : Causes severe skin burns and eye damage.                |
| Symptoms/injuries after eye contact                | : Causes serious eye damage.                              |

# Ammonia (40.11% - 99.99%) in Nitrogen

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|   |  |
|---|--|
| Symptoms/injuries after ingestion                 | : Ingestion is not considered a potential route of exposure. |
| Symptoms/injuries upon intravenous administration | : Not known.   |
| Chronic symptoms                                  | : None known.  |

### SECTION 12: Ecological information

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

|                                      |  |
|--------------------------------------|--|
| <b>Anhydrous ammonia (7664-41-7)</b> |  |
| Persistence and degradability        | The substance is biodegradable. Unlikely to persist. |
| <b>Nitrogen (7727-37-9)</b>          |  |
| Persistence and degradability        | No ecological damage caused by this product.         |

#### 12.3. Bioaccumulative potential

|                                      |   |
|--------------------------------------|---|
| <b>Anhydrous ammonia (7664-41-7)</b> |   |
| Log Pow                              | Not applicable for inorganic gases.   |
| Bioaccumulative potential            | Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9. |
| <b>Nitrogen (7727-37-9)</b>          |   |
| Log Pow                              | Not applicable for inorganic gases.   |
| Bioaccumulative potential            | No ecological damage caused by this product.  |

#### 12.4. Mobility in soil

|                                      |   |
|--------------------------------------|---|
| <b>Anhydrous ammonia (7664-41-7)</b> |   |
| Ecology - soil                       | Because of its high volatility, the product is unlikely to cause ground or water pollution. |
| <b>Nitrogen (7727-37-9)</b>          |   |
| Ecology - soil                       | No ecological damage caused by this product.  |

#### 12.5. Other adverse effects

|                              |  |
|------------------------------|--|
| Effect on ozone layer        | :  |
| Effect on the global warming | : No known ecological damage caused by this product. |

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

|                                |   |
|--------------------------------|---|
| Waste treatment methods        | : Contact supplier if guidance is required. Do not discharge into any place where its accumulation could be dangerous. Ensure that the emission levels from local regulations or operating permits are not exceeded. Waste gas should be flared through a suitable burner with flash back arrestor. Do not discharge into areas where there is a risk of forming an explosive mixture with air. |
| Waste disposal recommendations | : Refer to the CGA Pamphlet P-63 "Disposal of Gases" available at <a href="http://www.cganet.com">www.cganet.com</a> for more guidance on suitable disposal methods.  |
| Additional information         | : None.   |

### SECTION 14: Transport information

|   |  |
|---|--|
| In accordance with DOT                            | :  |
| Transport document description                    | : UN1956 Compressed gas, n.o.s. (Nitrogen, Anhydrous ammonia), 2.2 |
| UN-No.(DOT)                                       | : UN1956   |
| Proper Shipping Name (DOT)                        | : Compressed gas, n.o.s.   |
| Department of Transportation (DOT) Hazard Classes | : 2.2 - Class 2.2 - Non-flammable compressed gas 49 CFR 173.115    |
| Hazard labels (DOT)                               | : 2.2 - Non-flammable gas  |



# Ammonia (40.11% - 99.99%) in Nitrogen

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|  |   |
|--|---|
| DOT Symbols  | : G - Identifies PSN requiring a technical name   |
| DOT Packaging Exceptions (49 CFR 173.xxx)                        | : 306;307   |
| DOT Packaging Non Bulk (49 CFR 173.xxx)                          | : 302;305   |
| DOT Packaging Bulk (49 CFR 173.xxx)                              | : 314;315   |
| DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) | : 75 kg   |
| DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)     | : 150 kg  |
| DOT Vessel Stowage Location                                      | : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. |

### Additional information

Other information : No supplementary information available.

### ADR

|   |                                      |
|---|--------------------------------------|
| Transport document description            | : UN 1956, 2.2, (E)                  |
| Class (ADR)                               | : 2 - Gases                          |
| Hazard identification number (Kemler No.) | : 20                                 |
| Classification code (ADR)                 | : 1A                                 |
| Hazard labels (ADR)                       | : 2.2 - Non-flammable compressed gas |



Orange plates



|                               |         |
|-------------------------------|---------|
| Tunnel restriction code (ADR) | : E     |
| LQ                            | : 120ml |
| Excepted quantities (ADR)     | : E1    |

### Transport by sea

|                             |  |
|-----------------------------|--|
| UN-No. (IMDG)               | : 1956                                 |
| Proper Shipping Name (IMDG) | : COMPRESSED GAS, N.O.S.               |
| Class (IMDG)                | : 2.2 - Non-flammable, non-toxic gases |

### Air transport

|                             |                          |
|-----------------------------|--------------------------|
| UN-No.(IATA)                | : 1956                   |
| Proper Shipping Name (IATA) | : COMPRESSED GAS, N.O.S. |
| Class (IATA)                | : 2                      |

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

#### Nitrogen (7727-37-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. International regulations

#### CANADA

No additional information available

#### Nitrogen (7727-37-9)

Listed on the Canadian DSL (Domestic Substances List)

WHMIS Classification : Class A - Compressed Gas

### EU-Regulations

No additional information available

# Ammonia (40.11% - 99.99%) in Nitrogen

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Nitrogen (7727-37-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

#### 15.2.2. National regulations

### Nitrogen (7727-37-9)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

#### 15.3. US State regulations

### Nitrogen (7727-37-9)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

## SECTION 16: Other information

Indication of changes

: Revised safety data sheet in accordance with OSHA final rule on GHS implementation promulgated March 26, 2012.

Other information

: This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product.

Full text of H-phrases:

|                               |   |
|-------------------------------|---|
| Acute Tox. 4 (Inhalation)     | Acute toxicity (inhalation) Category 4                      |
| Acute Tox. 4 (Inhalation:gas) | Acute toxicity (inhalation:gas) Category 4                  |
| Compressed gas                | Gases under pressure Compressed gas                         |
| Eye Dam. 1                    | Serious eye damage/eye irritation Category 1                |
| Flam. Gas 2                   | Flammable gases Category 2                                  |
| Liquefied gas                 | Gases under pressure Liquefied gas                          |
| Skin Corr. 1B                 | Skin corrosion/irritation Category 1B                       |
| STOT SE 3                     | Specific target organ toxicity (single exposure) Category 3 |
| H221                          | Flammable gas   |
| H280                          | Contains gas under pressure; may explode if heated          |
| H314                          | Causes severe skin burns and eye damage                     |
| H318                          | Causes serious eye damage                                   |
| H332                          | Harmful if inhaled  |
| H335                          | May cause respiratory irritation                            |

SDS US (GHS HazCom 2012)

*This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Air Liquide America Corporation's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this product is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.*