

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 06/01/2015 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : 19 Components in Nitrogen

Product code : SG-2020-02422

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Test gas/Calibration gas.

1.3. Details of the supplier of the safety data sheet

Air Liquide 2700 Post Oak Boulevard Houston, TX 77056 - USA T 1-800-819-1704 www.us.airliquide.com

1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

 Flam. Gas 1
 H220

 Compressed gas
 H280

 Muta. 1B
 H340

 Carc. 1A
 H350

 Repr. 1A
 H360

 STOT RE 1
 H372

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)



 \Diamond



GHS02

GHS04

GHS08

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H220 - Extremely flammable gas

H280 - Contains gas under pressure; may explode if heated

H340 - May cause genetic defects (Inhalation)

H350 - May cause cancer

H360 - May damage fertility or the unborn child

H372 - Causes damage to organs (central nervous system) through prolonged or repeated

exposure

CGA-HG04 - May form explosive mixtures with air CGA-HG10 - Asphyxiating even with adequate oxygen

CGA-HG16 - Extended exposure to gas reduces the ability to smell sulfides.

Precautionary statements (GHS-US) : P202 - Do not handle until all safety precautions have been read and understood P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking

P260 - Do not breathe gas

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear eye protection, face protection, protective gloves, protective clothing P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P308+P313 - If exposed or concerned: Get medical advice/attention

P377 - Leaking gas fire: Do not extinguish, unless leak can be stopped safely

P381 - Eliminate all ignition sources if safe to do so

P403 - Store in a well-ventilated place

P405 - Store locked up

P501 - Dispose of contents/container in accordance with local/regional/national/international

06/04/2015 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

regulations

CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F)

CGA-PG05 - Use a back flow preventive device in the piping CGA-PG06 - Close valve after each use and when empty

CGA-PG10 - Use only with equipment rated for cylinder pressure

CGA-PG14 - Approach suspected leak area with caution

CGA-PG21 - Open valve slowly

CGA-PG29 - Do not depend on odor to detect presence of gas

2.3. Other hazards

Other hazards not contributing to the classification

: This product contains a chemical asphyxiant.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

06/04/2015 EN (English US) 2/23

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
Methane	(CAS No) 74-82-8	30	Compressed gas, H280
Nitrogen	(CAS No) 7727-37-9	20.5	Compressed gas, H280
Hydrogen	(CAS No) 1333-74-0	10	Flam. Gas 1, H220 Compressed gas, H280
Ethylene	(CAS No) 74-85-1	6	Flam. Gas 1, H220 Liquefied gas, H280 STOT SE 3, H336
Propylene	(CAS No) 115-07-1	6	Flam. Gas 1, H220 Liquefied gas, H280
Ethane	(CAS No) 74-84-0	5	Flam. Gas 1, H220 Compressed gas, H280
Propane	(CAS No) 74-98-6	5	Flam. Gas 1, H220 Liquefied gas, H280
Isobutane	(CAS No) 75-28-5	3	Flam. Gas 1, H220 Liquefied gas, H280
n-Butane	(CAS No) 106-97-8	2	Flam. Gas 1, H220 Liquefied gas, H280
cis-2-Butene	(CAS No) 590-18-1	2	Flam. Gas 1, H220 Liquefied gas, H280
trans-2-Butene	(CAS No) 624-64-6	2	Flam. Gas 1, H220 Liquefied gas, H280
2-Methylbutane	(CAS No) 78-78-4	2	Flam. Liq. 1, H224 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Carbon monoxide	(CAS No) 630-08-0	1	Flam. Gas 1, H220 Compressed gas, H280 Acute Tox. 3 (Inhalation:gas), H331 Repr. 1A, H360 STOT RE 1, H372
Carbon dioxide	(CAS No) 124-38-9	1	Liquefied gas, H280
1,3-Butadiene	(CAS No) 106-99-0	1	Flam. Gas 1, H220 Liquefied gas, H280 Muta. 1B, H340 Carc. 1A, H350
Argon	(CAS No) 7440-37-1	1	Compressed gas, H280
Acetylene	(CAS No) 74-86-2	1	Flam. Gas 1, H220 Compressed gas, H280
Hydrogen sulfide	(CAS No) 7783-06-4	0.5	Flam. Gas 1, H220 Liquefied gas, H280 Acute Tox. 2 (Inhalation:gas), H330 STOT SE 3, H335 Aquatic Acute 1, H400
1-Butene	(CAS No) 106-98-9	0.5	Flam. Gas 1, H220 Liquefied gas, H280
Isobutylene	(CAS No) 115-11-7	0.5	Flam. Gas 1, H220 Liquefied gas, H280

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel

unwell, seek medical advice.

First-aid measures after skin contact : Adverse effects not expected from this product. First-aid measures after eye contact : Adverse effects not expected from this product.

First-aid measures after ingestion : Ingestion is not considered a potential route of exposure.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Asphyxiating even with adequate oxygen.

Symptoms/injuries after skin contact : Adverse effects not expected from this product.

Symptoms/injuries after eye contact : Adverse effects not expected from this product.

Symptoms/injuries after ingestion : Ingestion is not considered a potential route of exposure.

Symptoms/injuries upon intravenous : Not known.

administration

06/04/2015 EN (English US) 3/23

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Chronic symptoms

: May cause cancer. May cause genetic defects. May damage fertility. May damage the unborn child. Causes damage to organs (central nervous system) through prolonged or repeated exposure.

4.3. Indication of any immediate medical attention and special treatment needed

If you feel unwell, seek medical advice. If breathing is difficult, give oxygen. Obtain medical attention if breathing difficulty persists.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use water jet to extinguish.

5.2. Special hazards arising from the substance or mixture

Fire hazard : This product is flammable.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of

burns and injuries. May form flammable/explosive vapor-air mixture.

Reactivity : None known.

5.3. Advice for firefighters

Firefighting instructions : In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray

or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.

Protection during firefighting : Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire

fighters. Do not enter fire area without proper protective equipment, including respiratory

protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Ensure adequate ventilation.

6.1.1. For non-emergency personnel

Protective equipment

: Wear protective equipment consistent with the site emergency plan.

Emergency procedures

: Escape the danger area by the closest safe route. Close doors and windows of adjacent premises. Keep containers closed. Mark the danger area. Seal off low-lying areas. Keep

upwind.

6.1.2. For emergency responders

Protective equipment

: Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire

fighters. Equip cleanup crew with proper protection.

Emergency procedures

Evacuate and limit access. Ventilate area. Remove ignition sources. Monitor concentration of released product. Consider the risk of potentially explosive atmospheres. Wear self-contained breathing apparatus when entering atmospheres of unknown contaminant concentration until

proven to be safe.

6.2. Environmental precautions

Try to stop release if safe to do so.

6.3. Methods and material for containment and cleaning up

For containment : Try to stop release if safe to do so.

Methods for cleaning up : Dispose of this material and its container in accordance with local regulations.

6.4. Reference to other sections

See also Sections 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

: Pressurized container: Do not pierce or burn, even after use. Use equipment rated for cylinder pressure. Close valve after each use and when empty. Handle empty containers with care because residual vapors are flammable. In use, may form flammable vapor-air mixture.

Precautions for safe handling

: Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Use only non-sparking tools.

Hygiene measures : Do not eat, drink or smoke when using this product.

06/04/2015 EN (English US) 4/23

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations. Proper grounding procedures to avoid static electricity

should be followed.

Storage conditions : Do not expose to temperatures exceeding 52°C (125°F). Keep container closed when not in

use. Protect cylinder from physical damage. Store in well ventilated area. Store locked up.

Incompatible products : None known

Incompatible materials : Oxidizing materials. Air.

7.3. Specific end use(s)

See Section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

19 Components in Nitrogen	
ACGIH	Not applicable
OSHA	Not applicable
Hydrogen (1333-74-0)	
Hydrogen (1333-74-0) ACGIH	Not applicable

Carbon monoxide (630-08-0)		
ACGIH TWA (ppm) 25 ppm		
OSHA PEL (TWA) (mg/m³) 55 mg/m³		
OSHA	OSHA PEL (TWA) (ppm)	50 ppm

Methane (74-82-8)		
ACGIH	ACGIH TWA (ppm)	1000 ppm
OSHA	Not applicable	

Carbon dioxide (124-38-9)		
ACGIH	ACGIH TWA (ppm)	5000 ppm
ACGIH	ACGIH STEL (ppm)	30000 ppm
OSHA	OSHA PEL (TWA) (mg/m³)	9000 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	5000 ppm

Ethane (74-84-0)		
ACGIH	ACGIH TWA (ppm)	1000 ppm
OSHA	Not applicable	

Ethylene (74-85-1)		
ACGIH	ACGIH TWA (ppm)	200 ppm
OSHA	Not applicable	

Hydrogen sulfide (7783-06-4)		
ACGIH	ACGIH TWA (ppm)	1 ppm
ACGIH	ACGIH STEL (ppm)	5 ppm
OSHA	OSHA PEL (Ceiling) (ppm)	20 ppm

Propane (74-98-6)		
ACGIH TWA (ppm) 1000 ppm		
OSHA	OSHA PEL (TWA) (mg/m³)	1800 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm

06/04/2015 EN (English US) 5/23

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Propylene (115-07-1)		
ACGIH	ACGIH TWA (ppm)	500 ppm
OSHA	Not applicable	·
n-Butane (106-97-8)		
ACGIH	ACGIH STEL (ppm)	1000 ppm
OSHA	Not applicable	
Isobutane (75-28-5)		
ACGIH	ACGIH STEL (ppm)	1000 ppm
OSHA	Not applicable	
trans-2-Butene (624-	64-6)	
ACGIH	ACGIH TWA (ppm)	250 ppm
OSHA	Not applicable	·
cis-2-Butene (590-18	-1)	
ACGIH	ACGIH TWA (ppm)	250 ppm
OSHA	Not applicable	
1,3-Butadiene (106-9	9-0)	
ACGIH	ACGIH TWA (ppm)	2 ppm
OSHA	OSHA PEL (TWA) (ppm)	1 ppm
OSHA	OSHA PEL (STEL) (ppm)	5 ppm (see 29 CFR 1910.1051)
1-Butene (106-98-9)		
ACGIH	ACGIH TWA (ppm)	250 ppm
OSHA	Not applicable	·
Isobutylene (115-11-7	7)	
ACGIH	ACGIH TWA (ppm)	250 ppm
OSHA	Not applicable	·
2-Methylbutane (78-7	78-4)	
ACGIH	ACGIH TWA (ppm)	600 ppm
OSHA	Not applicable	
Acetylene (74-86-2)		
ACGIH	Not applicable	
OSHA	Not applicable	
Argon (7440-37-1)		
ACGIH	Not applicable	
OSHA	Not applicable	
Nitrogen (7727-37-9)		
ACGIH	Not applicable	
OSHA	Not applicable	

8.2. Exposure controls

Appropriate engineering controls

: Ensure exposure is below occupational exposure limits. Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly checked for leakages. Consider work permit system e.g. for maintenance activities. Alarm detectors should be used when toxic gases may be released.

Hand protection

: Wear working gloves when handling gas containers. 29 CFR 1910.138: Hand Protection.

06/04/2015 EN (English US) 6/23

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection. Eye protection Skin and body protection Wear suitable protective clothing, e.g. - lab coats, coveralls or flame resistant clothing.

Respiratory protection None necessary during normal and routine operations. See Sections 5 & 6.

Thermal hazard protection None necessary during normal and routine operations.

Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for Environmental exposure controls

specific methods for waste gas treatment.

Other information Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state : Gas

Appearance : Clear, colorless gas.

Color Colorless

Odor : No data available Odor threshold : No data available μH No data available Melting point No data available Freezing point No data available No data available Boiling point : No data available Flash point Relative evaporation rate (butyl acetate=1) No data available Flammability (solid, gas) See Section 2.1 and 2.2

Explosion limits No data available

Explosive properties Without adequate ventilation formation of explosive mixtures may be possible.

Oxidizing properties : None.

Vapor pressure No data available Relative density : No data available Relative vapor density at 20 °C No data available

Molecular mass Not applicable for gas-mixtures.

Relative gas density Similar to air Solubility No data available Log Pow No data available No data available Log Kow No data available Auto-ignition temperature Decomposition temperature No data available Viscosity No data available Viscosity, kinematic No data available Viscosity, dynamic : No data available

Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None known.

10.2. **Chemical stability**

Stable under normal conditions.

Possibility of hazardous reactions 10.3.

Can form explosive mixture with air.

Conditions to avoid

None under recommended storage and handling conditions (see section 7).

Incompatible materials

Oxidizing materials. Air.

06/04/2015 EN (English US) 7/23

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazardous decomposition products

Under normal conditions of storage and use hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity : Not classified

Hydrogen (1333-74-0)		
ATE US (gases) 820000.000 ppm/v/4h	Hydrogen (1333-74-0)	
Carbon monoxide (630-08-0)	LC50 inhalation rat (ppm)	820000 ppm/4h
LCS0 inhalation rat (ppm) 1880 (ppm/4h	ATE US (gases)	820000.000 ppmV/4h
LCS0 inhalation rat (ppm) 1880 (ppm/4h	Carbon monoxide (630-08-0)	
Methane (74-82-8)		1880 ppm/4h
Methane (74-82-8)		
CSO inhalation rat (ppm) 820000 ppm/4h		
ATE US (gases) 820000.000 ppm//4h	` ,	820000 nnm/4h
Carbon dioxide (124-38-9) 820000 ppm/4h	,	11
LC50 inhalation rat (ppm) 820000 ppm/4h		
Ethane (74-84-0)	·	820000 npm//h
LCS0 inhalation rat (mg/l) 658 mg/l/4h LCS0 inhalation rat (ppm) 820000 ppm/4h ATE US (ayses) 820000.000 ppm/4h ATE US (ayst, mist) 658.000 mg/l/4h ATE US (dust, mist) 658.000 mg/l/4h ATE US (ayst, mist) 820000 ppm/4h ATE US (ayst, mist) 820000 ppm/4h ATE US (ayses) 820000.000 ppm/4h ATE US (ayses) 82000000 ppm/4h ATE US (ayses) 8200000.000 ppm/4h ATE US (ayses) 82000000 ppm/4h ATE US (ayses) 820000000 ppm/4h	W. 1 /	020000 ppnii/4ii
LCS0 inhalation rat (ppm) 820000 ppm/4h ATE US (gases) 820000.000 ppm/4h ATE US (dust, mist) 658.000 mgi/4h ATE US (dust, mist) 658.000 mgi/4h ATE US (dust, mist) 820000 ppm/4h ATE US (gases) 820000.000 ppm/4h		050
ATE US (gases) 820000.000 ppmV/4h ATE US (vapors) 658.0000 mg/l/4h ATE US (dust, mist) 658.0000 mg/l/4h Ethylene (74-85-1) LC50 inhalation rat (ppm) 820000.000 ppmV/4h ATE US (gases) 820000.000 ppmV/4h Hydrogen suffice (7783-06-4) LC50 inhalation rat (mg/l) 0.99 mg/l (Exposure time: 1 h) LC50 inhalation rat (ppm) 356 ppm/4h Propane (74-98-6) LC50 inhalation rat (mg/l) 658 mg/l/4h LC50 inhalation rat (ppm) 276789.28 ppm/4h Isobutae (75-28-5) LC50 inhalation rat (ppm) 276789.28 ppm/4h LC50 inhalation rat (ppm) 276713.11 ppm/4h Itams-2-Butene (624-64-6) LC50 inhalation rat (ppm) 150307.38 ppm/4h Itams-2-Butene (690-18-1) LC50 inhalati	1 2 1	
ATE US (vaus, mist) 658.000 mg/l/4h ATE US (dust, mist) 658.000 mg/l/4h Ethylene (74-85-1) LC50 inhalation rat (ppm) 820000.000 ppm/4h ATE US (gases) 820000.000 ppm/4h ATE US (gases) 820000.000 ppm/4h Hydrogen sulfide (7783-06-4) LC50 inhalation rat (mg/l) 9356 ppm/4h LC50 inhalation rat (mg/l) 658 mg/l/4h LC50 inhalation rat (mg/l) 658 mg/l/4h LC50 inhalation rat (ppm) 877.23 ppm/4h Propylene (115-07-1) LC50 inhalation rat (mg/l) 658 mg/l/4h LC50 inhalation rat (ppm) 49957.23 ppm/4h LC50 inhalation rat (mg/l) 658 mg/l/4h LC50 inhalation rat (ppm) 276789.28 ppm/4h trans-2-Butene (624-64-6) LC50 inhalation rat (ppm) 150307.38 ppm/4h trans-2-Butene (624-64-6) LC50 inhalation rat (ppm) 150307.38 ppm/4h 1.3-Butadiene (106-99-0) LC50 inhalation rat (mg/l) 285 g/m² (Exposure time: 4 h) LC50 inhalation rat (mg/l) 150307.38 ppm/4h	* * * * * * * * * * * * * * * * * * * *	
ATE US (dust, mist) 658.000 mg/l/4h Ethylene (74-85-1) 820000 ppm/4h ATE US (gases) 820000 000 ppm//4h Hydrogen sulfide (7783-06-4) US (gases) LC50 inhalation rat (mg/l) 0.99 mg/l (Exposure time: 1 h) LC50 inhalation rat (ppm) 356 ppm/4h Propane (74-98-6) US (gases) LC50 inhalation rat (mg/l) 658 mg/l/4h LC50 inhalation rat (mg/l) 658 g/m² (Exposure time: 4 h) LC50 inhalation rat (ppm) 276789.28 ppm/4h LC50 inhalation rat (mg/l) 658 mg/l/4h LC50 inhalation rat (ppm) 276713.11 ppm/4h trans-2-Butene (524-64-6) US (gase) LC50 inhalation rat (ppm) 150307.38 ppm/4h tc30 inhalation rat (ppm) 150307.38 ppm/4h tc30 inhalation rat (mg/l) 285 g/m² (Exposure time: 4 h) LC50 inhalation rat (mg/l) 285 g/m² (Exposure time: 4 h) LC50 inhalation rat (mg/l) <td></td> <td></td>		
Ethylene (74-85-1) LC50 inhalation rat (ppm) 820000 ppm/4h ATE US (gases) 820000.000 ppmV/4h Hydrogen sulfide (7783-06-4) LC50 inhalation rat (ppm) 356 ppm/4h LC50 inhalation rat (ppm) 356 ppm/4h Propane (74-98-6) LC50 inhalation rat (mg/l) 658 mg/l/4h LC50 inhalation rat (ppm) 282800 ppm/4h LC50 inhalation rat (mg/l) 658 mg/l/4h LC50 inhalation rat (ppm) 49957.23 ppm/4h LC50 inhalation rat (ppm) 276789.28 ppm/4h LC50 inhalation rat (ppm) 276789.28 ppm/4h LC50 inhalation rat (ppm) 276789.28 ppm/4h LC50 inhalation rat (ppm) 276789.11 ppm/4h LC50 inhalation rat (ppm) 276713.11 ppm/4h LC50 inhalation rat (ppm) 150307.38 ppm/4h Cis-2-Butene (624-64-6) LC50 inhalation rat (ppm) 150307.38 ppm/4h	` ' '	•
Record R	, ,	030.000 HIgh/4H
### ATE US (gases)		
Hydrogen sulfide (7783-06-4)		
C50 inhalation rat (mg/l) 0.99 mg/l (Exposure time: 1 h)	, , , , , , , , , , , , , , , , , , ,	820000.000 ppmV/4h
C50 inhalation rat (ppm) 356 ppm/4h		
Propane (74-98-6) LC50 inhalation rat (mg/l) 658 mg/l/4h LC50 inhalation rat (ppm) 282800 ppm/4h Propylene (115-07-1) LC50 inhalation rat (mg/l) 658 mg/l/4h LC50 inhalation rat (ppm) 49957.23 ppm/4h n-Butane (106-97-8) LC50 inhalation rat (mg/l) 658 g/m³ (Exposure time: 4 h) LC50 inhalation rat (mg/l) 658 mg/l/4h LC50 inhalation rat (ppm) 276713.11 ppm/4h trans-2-Butene (624-64-6) LC50 inhalation rat (ppm) 150307.38 ppm/4h cis-2-Butene (590-18-1) LC50 inhalation rat (ppm) 150307.38 ppm/4h 1,3-Butadiene (106-99-0) LD50 oral rat 5480 mg/kg LC50 inhalation rat (mg/l) 285 g/m³ (Exposure time: 4 h) LC50 inhalation rat (mg/l) 285 g/m³ (Exposure time: 4 h) LC50 inhalation rat (ppm) 110000 ppm/4h		
LC50 inhalation rat (mg/l) 658 mg/l/4h Propylene (115-07-1) LC50 inhalation rat (mg/l) 658 mg/l/4h LC50 inhalation rat (ppm) 49957.23 ppm/4h n-Butane (106-97-8) LC50 inhalation rat (mg/l) 658 g/m³ (Exposure time: 4 h) LC50 inhalation rat (ppm) 276789.28 ppm/4h Isobutane (75-28-5) LC50 inhalation rat (mg/l) 658 mg/l/4h LC50 inhalation rat (ppm) 276713.11 ppm/4h trans-2-Butene (624-64-6) LC50 inhalation rat (ppm) 150307.38 ppm/4h cis-2-Butene (590-18-1) LC50 inhalation rat (ppm) 150307.38 ppm/4h 1,3-Butadiene (106-99-0) LD50 oral rat 5480 mg/kg LC50 inhalation rat (mg/l) 285 g/m³ (Exposure time: 4 h) LC50 inhalation rat (ppm) 110000 ppm/4h 1-Butene (106-98-9)	LC50 inhalation rat (ppm)	356 ppm/4h
LC50 inhalation rat (ppm) 282800 ppm/4h Propylene (115-07-1) LC50 inhalation rat (mg/l) 658 mg/l/4h LC50 inhalation rat (ppm) 49957.23 ppm/4h n-Butane (106-97-8) LC50 inhalation rat (mg/l) 658 g/m³ (Exposure time: 4 h) LC50 inhalation rat (ppm) 276789.28 ppm/4h Isobutane (75-28-5) LC50 inhalation rat (mg/l) 658 mg/l/4h LC50 inhalation rat (ppm) 276713.11 ppm/4h trans-2-Butene (624-64-6) LC50 inhalation rat (ppm) 150307.38 ppm/4h LC50 inhalation rat (ppm) 150307.38 ppm/4h 1,3-Butadiene (106-99-0) LD50 oral rat 5480 mg/kg LC50 inhalation rat (mg/l) 285 g/m³ (Exposure time: 4 h) LC50 inhalation rat (ppm) 110000 ppm/4h 1-Butene (106-98-9)	Propane (74-98-6)	
Propylene (115-07-1) LC50 inhalation rat (mg/l) 658 mg/l/4h LC50 inhalation rat (ppm) 49957.23 ppm/4h n-Butane (106-97-8) LC50 inhalation rat (mg/l) 658 g/m³ (Exposure time: 4 h) LC50 inhalation rat (ppm) 276789.28 ppm/4h lsobutane (75-28-5) LC50 inhalation rat (mg/l) 658 mg/l/4h LC50 inhalation rat (mg/l) 658 mg/l/4h LC50 inhalation rat (ppm) 276713.11 ppm/4h trans-2-Butene (624-64-6) LC50 inhalation rat (ppm) 150307.38 ppm/4h cis-2-Butene (590-18-1) LC50 inhalation rat (ppm) 150307.38 ppm/4h 1,3-Butadiene (106-99-0) LD50 oral rat 5480 mg/kg LC50 inhalation rat (mg/l) 285 g/m³ (Exposure time: 4 h) LC50 inhalation rat (ppm) 110000 ppm/4h 1-Butene (106-98-9)	LC50 inhalation rat (mg/l)	658 mg/l/4h
C50 inhalation rat (mg/l) 658 mg/l/4h C50 inhalation rat (ppm) 49957.23 ppm/4h C50 inhalation rat (mg/l) 658 g/m³ (Exposure time: 4 h) C50 inhalation rat (mg/l) 276789.28 ppm/4h C50 inhalation rat (mg/l) 658 mg/l/4h C50 inhalation rat (mg/l) 658 mg/l/4h C50 inhalation rat (mg/l) 658 mg/l/4h C50 inhalation rat (ppm) 276713.11 ppm/4h C50 inhalation rat (ppm) 150307.38 ppm/4h C650 inhalation rat (mg/l) 285 g/m² (Exposure time: 4 h) C650 inhalation rat (mg/l) 285 g/m² (Exposure time: 4 h) C650 inhalation rat (ppm) 110000 ppm/4h	LC50 inhalation rat (ppm)	282800 ppm/4h
LC50 inhalation rat (ppm) 49957.23 ppm/4h n-Butane (106-97-8) LC50 inhalation rat (mg/l) 658 g/m³ (Exposure time: 4 h) LC50 inhalation rat (ppm) 276789.28 ppm/4h Isobutane (75-28-5) LC50 inhalation rat (mg/l) 658 mg/l/4h LC50 inhalation rat (ppm) 276713.11 ppm/4h trans-2-Butene (624-64-6) LC50 inhalation rat (ppm) 150307.38 ppm/4h cis-2-Butene (590-18-1) LC50 inhalation rat (ppm) 150307.38 ppm/4h 1,3-Butadiene (106-99-0) LD50 oral rat 5480 mg/kg LC50 inhalation rat (mg/l) 285 g/m³ (Exposure time: 4 h) LC50 inhalation rat (ppm) 110000 ppm/4h 1-Butene (106-98-9)	Propylene (115-07-1)	
n-Butane (106-97-8) LC50 inhalation rat (mg/l) 658 g/m³ (Exposure time: 4 h) LC50 inhalation rat (ppm) 276789.28 ppm/4h Isobutane (75-28-5) LC50 inhalation rat (mg/l) 658 mg/l/4h LC50 inhalation rat (ppm) 276713.11 ppm/4h trans-2-Butene (624-64-6) LC50 inhalation rat (ppm) LC50 inhalation rat (ppm) 150307.38 ppm/4h cis-2-Butene (590-18-1) LC50 inhalation rat (ppm) LC50 oral rat 5480 mg/kg LC50 inhalation rat (mg/l) 285 g/m³ (Exposure time: 4 h) LC50 inhalation rat (ppm) 110000 ppm/4h 1-Butene (106-98-9)	LC50 inhalation rat (mg/l)	658 mg/l/4h
LC50 inhalation rat (mg/l) 658 g/m³ (Exposure time: 4 h) LC50 inhalation rat (ppm) 276789.28 ppm/4h Isobutane (75-28-5) LC50 inhalation rat (mg/l) 658 mg/l/4h LC50 inhalation rat (ppm) 276713.11 ppm/4h It colspan="2">It colspan="2"	LC50 inhalation rat (ppm)	49957.23 ppm/4h
LC50 inhalation rat (mg/l) 658 g/m³ (Exposure time: 4 h) LC50 inhalation rat (ppm) 276789.28 ppm/4h Isobutane (75-28-5) LC50 inhalation rat (mg/l) 658 mg/l/4h LC50 inhalation rat (ppm) 276713.11 ppm/4h It colspan="2">It colspan="2"	n-Butane (106-97-8)	
LC50 inhalation rat (ppm) 276789.28 ppm/4h Isobutane (75-28-5) LC50 inhalation rat (mg/l) 658 mg/l/4h LC50 inhalation rat (ppm) 276713.11 ppm/4h trans-2-Butene (624-64-6) LC50 inhalation rat (ppm) 150307.38 ppm/4h cis-2-Butene (590-18-1) LC50 inhalation rat (ppm) 150307.38 ppm/4h LC50 inhalation rat (ppm) 150307.38 ppm/4h LD50 oral rat 5480 mg/kg LC50 inhalation rat (mg/l) 285 g/m³ (Exposure time: 4 h) LC50 inhalation rat (ppm) 110000 ppm/4h 1-Butene (106-98-9)		658 g/m³ (Exposure time: 4 h)
LC50 inhalation rat (mg/l) 658 mg/l/4h LC50 inhalation rat (ppm) 276713.11 ppm/4h trans-2-Butene (624-64-6) LC50 inhalation rat (ppm) 150307.38 ppm/4h cis-2-Butene (590-18-1) LC50 inhalation rat (ppm) 150307.38 ppm/4h 1,3-Butadiene (106-99-0) LD50 oral rat 5480 mg/kg LC50 inhalation rat (mg/l) 285 g/m³ (Exposure time: 4 h) LC50 inhalation rat (ppm) 110000 ppm/4h 1-Butene (106-98-9)	LC50 inhalation rat (ppm)	
LC50 inhalation rat (mg/l) 658 mg/l/4h LC50 inhalation rat (ppm) 276713.11 ppm/4h trans-2-Butene (624-64-6) LC50 inhalation rat (ppm) 150307.38 ppm/4h cis-2-Butene (590-18-1) LC50 inhalation rat (ppm) 150307.38 ppm/4h 1,3-Butadiene (106-99-0) LD50 oral rat 5480 mg/kg LC50 inhalation rat (mg/l) 285 g/m³ (Exposure time: 4 h) LC50 inhalation rat (ppm) 110000 ppm/4h 1-Butene (106-98-9)	Isobutane (75-28-5)	
LC50 inhalation rat (ppm) 276713.11 ppm/4h trans-2-Butene (624-64-6) 150307.38 ppm/4h LC50 inhalation rat (ppm) 150307.38 ppm/4h LC50 inhalation rat (ppm) 150307.38 ppm/4h 1,3-Butadiene (106-99-0) 150307.38 ppm/4h LD50 oral rat 5480 mg/kg LC50 inhalation rat (mg/l) 285 g/m³ (Exposure time: 4 h) LC50 inhalation rat (ppm) 110000 ppm/4h 1-Butene (106-98-9)		658 mg/l/4h
trans-2-Butene (624-64-6) LC50 inhalation rat (ppm) 150307.38 ppm/4h cis-2-Butene (590-18-1) LC50 inhalation rat (ppm) 150307.38 ppm/4h 1,3-Butadiene (106-99-0) LD50 oral rat 5480 mg/kg LC50 inhalation rat (mg/l) 285 g/m³ (Exposure time: 4 h) LC50 inhalation rat (ppm) 110000 ppm/4h 1-Butene (106-98-9)	` 0 /	
LC50 inhalation rat (ppm) 150307.38 ppm/4h cis-2-Butene (590-18-1) LC50 inhalation rat (ppm) LC50 inhalation rat (ppm) 150307.38 ppm/4h 1,3-Butadiene (106-99-0) LD50 oral rat 5480 mg/kg LC50 inhalation rat (mg/l) 285 g/m³ (Exposure time: 4 h) LC50 inhalation rat (ppm) 110000 ppm/4h 1-Butene (106-98-9)	(11 /	
cis-2-Butene (590-18-1) LC50 inhalation rat (ppm) 150307.38 ppm/4h 1,3-Butadiene (106-99-0) LD50 oral rat 5480 mg/kg LC50 inhalation rat (mg/l) 285 g/m³ (Exposure time: 4 h) LC50 inhalation rat (ppm) 110000 ppm/4h 1-Butene (106-98-9)	•	150307.38 ppm/4h
LC50 inhalation rat (ppm) 150307.38 ppm/4h 1,3-Butadiene (106-99-0) 150307.38 ppm/4h LD50 oral rat 5480 mg/kg LC50 inhalation rat (mg/l) 285 g/m³ (Exposure time: 4 h) LC50 inhalation rat (ppm) 110000 ppm/4h 1-Butene (106-98-9)	W. , ,	
1,3-Butadiene (106-99-0) LD50 oral rat 5480 mg/kg LC50 inhalation rat (mg/l) 285 g/m³ (Exposure time: 4 h) LC50 inhalation rat (ppm) 110000 ppm/4h 1-Butene (106-98-9)	` ,	150307 38 npm/4h
LD50 oral rat 5480 mg/kg LC50 inhalation rat (mg/l) 285 g/m³ (Exposure time: 4 h) LC50 inhalation rat (ppm) 110000 ppm/4h 1-Butene (106-98-9)	,	100001.00 μμππππ
LC50 inhalation rat (mg/l) 285 g/m³ (Exposure time: 4 h) LC50 inhalation rat (ppm) 110000 ppm/4h 1-Butene (106-98-9)	· · ·	E490 malks
LC50 inhalation rat (ppm) 110000 ppm/4h 1-Butene (106-98-9)		
1-Butene (106-98-9)	, <u>e</u> ,	
,	", ,	ι τουου μριτιν α τι
LC50 inhalation rat (ppm) 500000 ppm/4h	` ,	
	LC50 inhalation rat (ppm)	500000 ppm/4h

06/04/2015 EN (English US) 8/23

Safety Data Sheet

Isobutylene (115-11-7)	
LC50 inhalation rat (mg/l)	620 mg/l/4h
LC50 inhalation rat (ppm)	239620.46 ppm/4h
ATE US (gases)	239620.460 ppmV/4h
ATE US (vapors)	620.000 mg/l/4h
ATE US (dust, mist)	620.000 mg/l/4h
2-Methylbutane (78-78-4)	
LC50 inhalation rat (ppm)	94859.36 ppm/4h
Acetylene (74-86-2)	
LC50 inhalation rat (ppm)	820000 ppm/4h
Argon (7440-37-1)	
LC50 inhalation rat (ppm)	820000 ppm/4h
Nitrogen (7727-37-9)	
LC50 inhalation rat (ppm)	820000 ppm/4h
kin corrosion/irritation	: Not classified
erious eye damage/irritation	: Not classified
espiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: May cause genetic defects (Inhalation).
arcinogenicity	: May cause cancer.
Ethylene (74-85-1)	
IARC group	3 - Not classifiable
Propylene (115-07-1)	
IARC group	3 - Not classifiable
- 3 · · · p	
1,3-Butadiene (106-99-0)	
IARC group	1 - Carcinogenic to humans
National Toxicology Program (NTP) Status	1 - Evidence of Carcinogenicity, 2 - Known Human Carcinogens
In OSHA Hazard Communication Carcinogen list	Yes
In OSHA Specifically Regulated Carcinogen list	Yes
Isobutylene (115-11-7)	
National Toxicology Program (NTP) Status	1 - Evidence of Carcinogenicity

Isobutylene (115-11-7)	
National Toxicology Program (NTP) Status	1 - Evidence of Carcinogenicity

Reproductive toxicity : May damage fertility or the unborn child.

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure)

: Causes damage to organs (central nervous system) through prolonged or repeated exposure.

: Not classified Aspiration hazard

Symptoms/injuries after inhalation : Asphyxiating even with adequate oxygen. : Adverse effects not expected from this product. Symptoms/injuries after skin contact Symptoms/injuries after eye contact : Adverse effects not expected from this product. Symptoms/injuries after ingestion : Ingestion is not considered a potential route of exposure.

Symptoms/injuries upon intravenous : Not known.

administration

06/04/2015 EN (English US) 9/23

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Chronic symptoms

: May cause cancer. May cause genetic defects. May damage fertility. May damage the unborn child. Causes damage to organs (central nervous system) through prolonged or repeated exposure.

SECTION 12: Ecological information

Toxicity

Hydrogen sulfide (7783-06-4)	
LC50 fish 1	0.0448 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
EC50 Daphnia 1	0.022 mg/l (Exposure time: 96 h - Species: Gammarus pseudolimnaeus)
LC50 fish 2	0.016 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])

2-Methylbutane (78-78-4)	
EC50 Daphnia 1	2.3 mg/l (Exposure time: 48 h - Species: Daphnia magna)

Persistence and degradability

Hydrogen (1333-74-0)	
Persistence and degradability	No ecological damage caused by this product.
Carbon monoxide (630-08-0)	
Persistence and degradability	Will not undergo hydrolysis. Not readily biodegradable. Not applicable for inorganic gases.
Methane (74-82-8)	
Persistence and degradability	The substance is biodegradable. Unlikely to persist. No data available.
Carbon dioxide (124-38-9)	
Persistence and degradability	No ecological damage caused by this product.
Ethane (74-84-0)	
Persistence and degradability	The substance is biodegradable. Unlikely to persist.
Ethylene (74-85-1)	
Persistence and degradability	The substance is biodegradable. Unlikely to persist.
Hydrogen sulfide (7783-06-4)	
Persistence and degradability	Not applicable for inorganic gases.
Propane (74-98-6)	
Persistence and degradability	The substance is biodegradable. Unlikely to persist.
Propylene (115-07-1)	
Persistence and degradability	The substance is biodegradable. Unlikely to persist.
n-Butane (106-97-8)	
Persistence and degradability	No data available.
Isobutane (75-28-5)	
Persistence and degradability	The substance is biodegradable. Unlikely to persist.
trans-2-Butene (624-64-6)	
Persistence and degradability	No data available.
cis-2-Butene (590-18-1)	
Persistence and degradability	No data available.
1,3-Butadiene (106-99-0)	
Persistence and degradability	Not readily biodegradable.
1-Butene (106-98-9)	
Persistence and degradability	Not readily biodegradable.
Isobutylene (115-11-7)	
Persistence and degradability	The substance is biodegradable. Unlikely to persist.
2-Methylbutane (78-78-4)	
Persistence and degradability	No data available.

EN (English US) 06/04/2015 10/23

19 Components in Nitrogen Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Acatylana (74 86 2)	
Acetylene (74-86-2)	Will rapidly degrade by indirect photolysis is air Will not undergo by dralysis
Persistence and degradability	Will rapidly degrade by indirect photolysis in air. Will not undergo hydrolysis.
Argon (7440-37-1)	
Persistence and degradability	No ecological damage caused by this product.
Nitrogen (7727-37-9)	
Persistence and degradability	No ecological damage caused by this product.
12.3. Bioaccumulative potential	
Hydrogen (1333-74-0)	
BCF fish 1	(no bioaccumulation expected)
Log Pow	Not applicable for inorganic gases.
Bioaccumulative potential	No ecological damage caused by this product.
•	The books great during educate by the product.
Carbon monoxide (630-08-0)	1.78
Log Pow Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9.
·	Not expected to bioaccumulate due to the low log Now (log Now < 4). Relet to section 9.
Methane (74-82-8)	
Log Pow	Not applicable for gas mixtures
Log Kow	Not applicable for gas mixtures
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9.
Carbon dioxide (124-38-9)	
BCF fish 1	(no bioaccumulation)
Log Pow	0.83
Bioaccumulative potential	No ecological damage caused by this product.
Ethane (74-84-0)	
Log Pow	1.81
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9.
Ethylene (74-85-1)	
BCF fish 1	4 - 4.6
Log Pow	1.13
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9.
Hydrogen sulfide (7783-06-4)	
BCF fish 1	(no bioaccumulation expected)
Log Pow	Not applicable for inorganic gases.
Bioaccumulative potential	No data available.
Propane (74-98-6)	
Log Pow	2.36
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9.
Propylene (115-07-1)	
Log Pow	1.77
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9.
n-Butane (106-97-8)	
Log Pow	2.89
Log Kow	Not applicable for gas-mixtures.
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9.
Isobutane (75-28-5)	,
BCF fish 1	1.57 - 1.97
Log Pow	2.76
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9.
·	The state of the s
trans-2-Butene (624-64-6)	2.32
Log Pow Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9.
·	The expected to biodecumulate due to the low log flow (log flow > 4). Nelei to section 5.
cis-2-Butene (590-18-1)	2.22
Log Pow	2.33

06/04/2015 EN (English US) 11/23

19 Components in NitrogenSafety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

cis-2-Butene (590-18-1)	
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9.
1,3-Butadiene (106-99-0)	
BCF fish 1	13 - 19.1
Log Pow	1.99
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9.
1-Butene (106-98-9)	
Log Pow	2.4
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9.
Isobutylene (115-11-7)	
Log Pow	2.35
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9.
2-Methylbutane (78-78-4)	
Log Pow	3.2 - 3.3
Log Kow	Not applicable for gas-mixtures.
Bioaccumulative potential	No data available.
Acetylene (74-86-2)	
Log Pow	0.37
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9.
Argon (7440-37-1)	
Log Pow	Not applicable for inorganic gases.
Bioaccumulative potential	No ecological damage caused by this product.
Nitrogen (7727-37-9)	
Log Pow	Not applicable for inorganic gases.
Bioaccumulative potential	No ecological damage caused by this product.
12.4. Mobility in soil	
Hydrogen (1333-74-0)	
Ecology - soil	No ecological damage caused by this product.
	, , , , , , , , , , , , , , , , , , , ,

Hydrogen (1333-74-0)	
Ecology - soil	No ecological damage caused by this product.
Carbon monoxide (630-08-0)	
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.
	Decades of its high volatility, the product is drinkely to cause ground of water politition.
Methane (74-82-8)	
Mobility in soil	No data available.
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.
Carbon dioxide (124-38-9)	
Ecology - soil	No ecological damage caused by this product.
Ethane (74-84-0)	
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.
Ethylene (74-85-1)	
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.
Hydrogen sulfide (7783-06-4)	
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.
Propane (74-98-6)	
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.
Propylene (115-07-1)	
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.
n-Butane (106-97-8)	
Mobility in soil	No data available.
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.
Isobutane (75-28-5)	
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.

06/04/2015 EN (English US) 12/23

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

trans-2-Butene (624-64-6)			
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.		
cis-2-Butene (590-18-1)			
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.		
1,3-Butadiene (106-99-0)			
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.		
1-Butene (106-98-9)			
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.		
Isobutylene (115-11-7)	Isobutylene (115-11-7)		
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.		
2-Methylbutane (78-78-4)			
Mobility in soil	No data available.		
Acetylene (74-86-2)			
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.		
Argon (7440-37-1)			
Ecology - soil	No ecological damage caused by this product.		
Nitrogen (7727-37-9)			
Ecology - soil	No ecological damage caused by this product.		

12.5. Other adverse effects

Effect on ozone layer : No known effects from this product.

Effect on the global warming : Contains greenhouse gas(es) not covered by 842/2006/EC.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Contact supplier if guidance is required. Do not discharge into any place where its

accumulation could be dangerous. Ensure that the emission levels from local regulations or operating permits are not exceeded. Waste gas should be flared through a suitable burner with flash back arrestor. Do not discharge into areas where there is a risk of forming an explosive

mixture with air.

Waste disposal recommendations : Refer to the CGA Pamphlet P-63 "Disposal of Gases" available at www.cganet.com for more

guidance on suitable disposal methods.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN1954 Compressed gas, flammable, n.o.s. (Hydrogen, Methane)

UN-No.(DOT) : UN1954

Proper Shipping Name (DOT) : Compressed gas, flammable, n.o.s.

Hazard labels (DOT) : 2.1 - Flammable gas

2

DOT Packaging Non Bulk (49 CFR 173.xxx) : 302;305
DOT Packaging Bulk (49 CFR 173.xxx) : 314;315

DOT Symbols : G - Identifies PSN requiring a technical name

DOT Packaging Exceptions (49 CFR 173.xxx) : 306
DOT Quantity Limitations Passenger aircraft/rail : Forbidden

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 150 kg

CFR 175.75)

06/04/2015 EN (English US) 13/23

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Vessel Stowage Location : D - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel

carrying a number of passengers limited to not more than the larger of 25 passengers or one passenger per each 3 m of overall vessel length, but the material is prohibited on passenger

vessels in which the limiting number of passengers is exceeded.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

Additional information

Other information : No supplementary information available.

ADR

Transport document description : UN 1954, 2.1, (B/D)

Class (ADR) : 2 - Gases
Hazard identification number (Kemler No.) : 23
Classification code (ADR) : 1F

Hazard labels (ADR) : 2.1 - Flammable gases

2

Orange plates :

23 1954

Tunnel restriction code (ADR) : B/D Limited quantities (ADR) : 0 Excepted quantities (ADR) : E0

Transport by sea

UN-No. (IMDG) : 1954

Proper Shipping Name (IMDG) : COMPRESSED GAS, FLAMMABLE, N.O.S.

Class (IMDG) : 2 - Gases

Air transport

UN-No. (IATA) : 1954

Proper Shipping Name (IATA) : COMPRESSED GAS, FLAMMABLE, N.O.S.

Class (IATA) : 2

SECTION 15: Regulatory information

15.1. US Federal regulations

Hydrogen (1333-74-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Carbon monoxide (630-08-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Methane (74-82-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Carbon dioxide (124-38-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Ethane (74-84-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Ethylene (74-85-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313

SARA Section 313 - Emission Reporting 1.0 %

06/04/2015 EN (English US) 14/23

Safety Data Sheet

ccording to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations		
Hydrogen sulfide (7783-06-4)		
Listed on the United States TSCA (Toxic Subs Listed on the United States SARA Section 302 Subject to reporting requirements of United Sta	,	
SARA Section 302 Threshold Planning Quantity (TPQ)	500	
SARA Section 313 - Emission Reporting	1.0 %	
Propane (74-98-6)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Propylene (115-07-1)		
Listed on the United States TSCA (Toxic Subs Subject to reporting requirements of United Sta	,	
SARA Section 313 - Emission Reporting	1.0 %	
n-Butane (106-97-8)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Isobutane (75-28-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		

trans-2-Butene (624-64-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

cis-2-Butene (590-18-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

1,3-Butadiene (106-99-0) Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313

1-Butene (106-98-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

0.1 %

Isobutylene (115-11-7)

SARA Section 313 - Emission Reporting

Listed on the United States TSCA (Toxic Substances Control Act) inventory

2-Methylbutane (78-78-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Acetylene (74-86-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Argon (7440-37-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Nitrogen (7727-37-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Hydrogen (1333-74-0)		
Listed on the Canadian DSL (Domestic Sustances List)		
WHMIS Classification	Class A - Compressed Gas Class B Division 1 - Flammable Gas	
Carbon monoxide (630-08-0)		
Listed on the Canadian DSL (Domestic Sustances List)		
WHMIS Classification	Class A - Compressed Gas Class B Division 1 - Flammable Gas Class D Division 1 Subdivision A - Very toxic material causing immediate and serious toxic effects Class D Division 2 Subdivision A - Very toxic material causing other toxic effects	
Methane (74-82-8)		
Listed on the Canadian DSL (Domestic Sustances List)		
WHMIS Classification	Class A - Compressed Gas Class B Division 1 - Flammable Gas	

06/04/2015 EN (English US) 15/23

19 Components in NitrogenSafety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

eording to 1 ederal register 7 vol. 77, 1vo. 55 7 Monday, IV		
Carbon dioxide (124-38-9)		
Listed on the Canadian DSL (Domestic Sustances List)		
WHMIS Classification	Class A - Compressed Gas	
Ethane (74-84-0)		
Listed on the Canadian DSL (Domestic Sustance	es List)	
WHMIS Classification	Class A - Compressed Gas	
	Class B Division 1 - Flammable Gas	
Ethylene (74-85-1)		
Listed on the Canadian DSL (Domestic Sustance	es List)	
WHMIS Classification	Class A - Compressed Gas Class B Division 1 - Flammable Gas Class D Division 2 Subdivision B - Toxic material causing other toxic effects	
Hydrogen sulfide (7783-06-4)		
Listed on the Canadian DSL (Domestic Sustance	es List)	
WHMIS Classification	Class A - Compressed Gas Class B Division 1 - Flammable Gas Class D Division 1 Subdivision A - Very toxic material causing immediate and serious toxic effects Class D Division 2 Subdivision B - Toxic material causing other toxic effects	
Propane (74-98-6)		
Listed on the Canadian DSL (Domestic Sustance	es List)	
WHMIS Classification	Class A - Compressed Gas Class B Division 1 - Flammable Gas	
Propylene (115-07-1)		
Listed on the Canadian DSL (Domestic Sustance	es List)	
WHMIS Classification	Class A - Compressed Gas Class B Division 1 - Flammable Gas	
n-Butane (106-97-8)		
Listed on the Canadian DSL (Domestic Sustance	es List)	
WHMIS Classification	Class A - Compressed Gas Class B Division 1 - Flammable Gas	
Isobutane (75-28-5)		
Listed on the Canadian DSL (Domestic Sustance	es List)	
WHMIS Classification	Class A - Compressed Gas Class B Division 1 - Flammable Gas	
trans-2-Butene (624-64-6)		
Listed on the Canadian DSL (Domestic Sustance	es List)	
cis-2-Butene (590-18-1)		
Listed on the Canadian DSL (Domestic Sustance	es List)	
1,3-Butadiene (106-99-0) Listed on the Canadian DSL (Domestic Sustances List)		
WHMIS Classification	Class A - Compressed Gas Class B Division 1 - Flammable Gas Class D Division 2 Subdivision A - Very toxic material causing other toxic effects Class F - Dangerously Reactive Material	
1-Butene (106-98-9)		
Listed on the Canadian DSL (Domestic Sustances List)		
Isobutylene (115-11-7)		
Listed on the Canadian DSL (Domestic Sustances List)		
2-Methylbutane (78-78-4)		
Listed on the Canadian DSL (Domestic Sustances List)		
WHMIS Classification Class B Division 2 - Flammable Liquid		
	Table 2 - Marie	

06/04/2015 EN (English US) 16/23

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Acetylene (74-86-2)		
Listed on the Canadian DSL (Domestic Sustances List)		
WHMIS Classification	Class A - Compressed Gas Class B Division 1 - Flammable Gas Class F - Dangerously Reactive Material	
Argon (7440-37-1)		
Listed on the Canadian DSL (Domestic Sustances List)		
WHMIS Classification	Class A - Compressed Gas	
Nitrogen (7727-37-9)		
Listed on the Canadian DSL (Domestic Sustances List)		
WHMIS Classification	Class A - Compressed Gas	

EU-Regulations

Hydrogen (1333-74-0)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Carbon monoxide (630-08-0)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Methane (74-82-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Carbon dioxide (124-38-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Ethane (74-84-0)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Ethylene (74-85-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Hydrogen sulfide (7783-06-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Propane (74-98-6)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Propylene (115-07-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

n-Butane (106-97-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Isobutane (75-28-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

trans-2-Butene (624-64-6)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

cis-2-Butene (590-18-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

1,3-Butadiene (106-99-0)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

1-Butene (106-98-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Isobutylene (115-11-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

2-Methylbutane (78-78-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Acetylene (74-86-2)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Argon (7440-37-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

06/04/2015 EN (English US) 17/23

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Nitrogen (7727-37-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

No additional information available

National regulations

Hydrogen (1333-74-0)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Carbon monoxide (630-08-0)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

Methane (74-82-8)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Carbon dioxide (124-38-9)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

Ethane (74-84-0)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Ethylene (74-85-1)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Hydrogen sulfide (7783-06-4)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

06/04/2015 EN (English US) 18/23

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Propane (74-98-6)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Propylene (115-07-1)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

n-Butane (106-97-8)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

Isobutane (75-28-5)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

trans-2-Butene (624-64-6)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

cis-2-Butene (590-18-1)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

1,3-Butadiene (106-99-0)

Listed on IARC (International Agency for Research on Cancer)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed as carcinogen on NTP (National Toxicology Program)

Listed on the Canadian IDL (Ingredient Disclosure List)

1-Butene (106-98-9)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

06/04/2015 EN (English US) 19/23

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Isobutylene (115-11-7)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

2-Methylbutane (78-78-4)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Acetylene (74-86-2)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Argon (7440-37-1)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Nitrogen (7727-37-9)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

15.3. US State regulations

Carbon monoxide (630-08-0)					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	
No	Yes	No	No		

1,3-Butadiene (106-99-0)						
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)		
Yes	Yes	Yes	No	0.4 µg/day		

Hydrogen (1333-74-0)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

Carbon monoxide (630-08-0)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

U.S. - Pennsylvania - RTK (Right to Know) List

06/04/2015 EN (English US) 20/23

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methane (74-82-8)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Carbon dioxide (124-38-9)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Ethane (74-84-0)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Ethylene (74-85-1)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

Hydrogen sulfide (7783-06-4)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

Propane (74-98-6)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Propylene (115-07-1)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

n-Butane (106-97-8)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Isobutane (75-28-5)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

trans-2-Butene (624-64-6)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

cis-2-Butene (590-18-1)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

1,3-Butadiene (106-99-0)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) Special Hazardous Substances
- U.S. Pennsylvania RTK (Right to Know) List

06/04/2015 EN (English US) 21/23

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1-Butene (106-98-9)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Isobutylene (115-11-7)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

2-Methylbutane (78-78-4)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Acetylene (74-86-2)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Argon (7440-37-1)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Nitrogen (7727-37-9)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

SECTION 16: Other information

Indication of changes

: Revised safety data sheet in accordance with OSHA final rule on GHS implementation promulgated March 26, 2012.

Other information

: This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product.

06/04/2015 EN (English US) 22/23

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

Acute Tox. 2 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 2
Acute Tox. 3 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 3
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Asp. Tox. 1	Aspiration hazard Category 1
Carc. 1A	Carcinogenicity Category 1A
Compressed gas	Gases under pressure Compressed gas
Flam. Gas 1	Flammable gases Category 1
Flam. Liq. 1	Flammable liquids Category 1
Liquefied gas	Gases under pressure Liquefied gas
Muta. 1B	Germ cell mutagenicity Category 1B
Repr. 1A	Reproductive toxicity Category 1A
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H220	Extremely flammable gas
H224	Extremely flammable liquid and vapor
H280	Contains gas under pressure; may explode if heated
H304	May be fatal if swallowed and enters airways
H330	Fatal if inhaled
H331	Toxic if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H340	May cause genetic defects (Inhalation)
H350	May cause cancer
H360	May damage fertility or the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

SDS US (GHS HazCom 2012)

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Air Liquide America Corporation's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this product is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

06/04/2015 EN (English US) 23/23