

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 06/08/2015 Version: 2.0

SECTION 1. Identification of the cube	stance/mixture and of the company/undertaking
	stance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: Nitric Oxide (0.00001% - 0.2874%) in Carbon Dioxide
Product code	: SG-2002-02458
	ance or mixture and uses advised against
Use of the substance/mixture	: Test gas/Calibration gas.
1.3. Details of the supplier of the safety d	lata sheet
Air Liquide 2700 Post Oak Boulevard Houston, TX 77056 - USA T 1-800-819-1704 www.us.airliquide.com	
1.4. Emergency telephone number	
Emergency number	: CHEMTREC: 1-800-424-9300
SECTION 2: Hazards identification	
2.1. Classification of the substance or mi	xture
GHS-US classification	
Compressed gas	H280
Full text of H-phrases: see section 16	
2.2. Label elements GHS-US labeling	
Hazard pictograms (GHS-US)	: GHS04
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: H280 - Contains gas under pressure; may explode if heated OSHA-H01 - May displace oxygen and cause rapid suffocation CGA-HG03 - May increase respiration and heart rate
Precautionary statements (GHS-US)	<ul> <li>P202 - Do not handle until all safety precautions have been read and understood P261 - Avoid breathing gas</li> <li>P271 - Use only outdoors or in a well-ventilated area</li> <li>P280 - Wear eye protection, face protection, protective gloves, protective clothing</li> <li>P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing</li> <li>P308+P313 - If exposed or concerned: Get medical advice/attention</li> <li>P403 - Store in a well-ventilated place</li> <li>P501 - Dispose of contents/container in accordance with local/regional/national/international</li> <li>regulations</li> <li>CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F)</li> <li>CGA-PG05 - Use a back flow preventive device in the piping</li> <li>CGA-PG10 - Use only with equipment rated for cylinder pressure</li> <li>CGA-PG14 - Approach suspected leak area with caution</li> <li>CGA-PG21 - Open valve slowly</li> </ul>
2.2 Other bazards	

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.1. Substance			
Not applicable			
3.2. Mixture			
Name	Product identifier	%	GHS-US classification
Carbon dioxide	(CAS No) 124-38-9	99.7126 - 99.99999	Liquefied gas, H280
Nitric oxide	(CAS No) 10102-43-9	0.00001 - 0.2874	Ox. Gas 1, H270 Compressed gas, H280 Acute Tox. 1 (Inhalation:gas), H330 Skin Corr. 1B, H314 STOT SE 2, H371
Full text of H-phrases: see section 16 SECTION 4: First aid measures			
4.1. Description of first aid measures	6		
First-aid measures after inhalation	: Remove victim to fresh air and keep a unwell, seek medical advice.	at rest in a position cor	nfortable for breathing. If you feel
First-aid measures after skin contact	: Adverse effects not expected from thi	is product.	
First-aid measures after eye contact	: Adverse effects not expected from thi	is product.	
First-aid measures after ingestion	: Ingestion is not considered a potentia	al route of exposure.	
4.2. Most important symptoms and e	effects, both acute and delayed		
Symptoms/injuries after inhalation	: May displace oxygen and cause rapid	d suffocation. May incr	ease respiration and heart rate.
Symptoms/iniuries after skin contact	: Adverse effects not expected from thi	is product	

Symptoms/injuries after skin contact	: Adverse effects not expected from this product.
Symptoms/injuries after eye contact	: Adverse effects not expected from this product.
Symptoms/injuries after ingestion	: Ingestion is not considered a potential route of exposure.
Symptoms/injuries upon intravenous administration	: Not known.
Chronic symptoms	: Adverse effects not expected from this product.

4.3. Indication of any immediate medical attention and special treatment needed

If you feel unwell, seek medical advice. If breathing is difficult, give oxygen.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use water jet to extinguish.
5.2. Special hazards arising from the subs	stance or mixture
Fire hazard	: The product is not flammable.
Explosion hazard	<ul> <li>Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.</li> </ul>
Reactivity	: None known.
5.3. Advice for firefighters	
Firefighting instructions	: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.
Protection during firefighting	: Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTIC	ON 6: Accidental release measu	ires	
6.1.	Personal precautions, protective equipment and emergency procedures		
General n	neasures	: Ensure adequate ventilation.	
6.1.1.	For non-emergency personnel		
Protective	e equipment :	: Wear protective equipment consistent with the site emergency plan.	
Emergeno	cy procedures :	: Escape the danger area by the closest safe route. Close doors and windows of adjacent premises. Keep containers closed. Mark the danger area. Seal off low-lying areas. Keep upwind.	
06/08/2015	;	EN (English US)	2/8

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2. For emergency responders	
Protective equipment	: Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Equip cleanup crew with proper protection.
Emergency procedures	: Evacuate and limit access. Ventilate area.
6.2. Environmental precautions	
Try to stop release if safe to do so.	
6.3. Methods and material for contain	ment and cleaning up
For containment	: Try to stop release if safe to do so.
Methods for cleaning up	: Dispose of this material and its container in accordance with local regulations.
6.4. Reference to other sections	
See also Sections 8 and 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	<ul> <li>Pressurized container: Do not pierce or burn, even after use. Use equipment rated for cylinder pressure. Close valve after each use and when empty.</li> </ul>
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area.
Hygiene measures	: Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, inclu	Iding any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	Do not expose to temperatures exceeding 52°C (125°F). Keep container closed when not in use. Protect cylinder from physical damage. Store in well ventilated area.
Incompatible products	: None known.
Incompatible materials	: None known.

### 7.3. Specific end use(s)

See Section 1.2.

### SECTION 8: Exposure controls/personal protection

8.1. Control parameters	ameters
-------------------------	---------

o.i. Control parameters		
Nitric Oxide (0.00001% - 0.2874%) in Carbon Dioxide		
ACGIH	Not applicable	
OSHA	Not applicable	
Nitric oxide (10102-43-9)		
ACGIH	ACGIH TWA (ppm)	25 ppm
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	30 mg/m <sup>3</sup>
OSHA	OSHA PEL (TWA) (ppm)	25 ppm
Carbon dioxide (124-38-9)		
ACGIH	ACGIH TWA (ppm)	5000 ppm
ACGIH	ACGIH STEL (ppm)	30000 ppm
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	9000 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	5000 ppm

8.2. Exposure controls		
Appropriate engineering controls	: Ensure exposure is below occupational exposure limits. Provide adequate general and lo exhaust ventilation. Systems under pressure should be regularly checked for leakages. C detectors should be used when asphyxiating gases may be released. Consider work perr system e.g. for maintenance activities.	)xygen
Hand protection	: Wear working gloves when handling gas containers. 29 CFR 1910.138: Hand Protection.	
Eye protection	: Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection.	
Skin and body protection	: Wear suitable protective clothing, e.g lab coats, coveralls or flame resistant clothing.	
Respiratory protection	: None necessary during normal and routine operations. See Sections 5 & 6.	
Thermal hazard protection	: None necessary during normal and routine operations.	
06/08/2015	EN (English US)	3/8

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Environmental exposure controls	<ul> <li>Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for specific methods for waste gas treatment.</li> </ul>
Other information	: Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection.

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and c	hemical properties
Physical state	: Gas
Appearance	: Clear, colorless gas.
Color	: Colorless
Odor	: Irritating/pungent odour
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: Not applicable - not flammable
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: See Section 2.1 and 2.2
Explosion limits	: Not applicable - not flammable
Explosive properties	: Not applicable - not flammable.
Oxidizing properties	: None.
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: Not applicable for gas-mixtures.
Relative gas density	: Heavier than air
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Additional information	: Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level.

SECTIO	ON 10: Stability and reactivity
10.1.	Reactivity
None kno	own.
10.2.	Chemical stability
Stable ur	ider normal conditions.
10.3.	Possibility of hazardous reactions
None kno	own.
10.4.	Conditions to avoid
None und	der recommended storage and handling conditions (see section 7).
10.5.	Incompatible materials
None kno	own.
10.6.	Hazardous decomposition products
Under no	rmal conditions of storage and use hazardous decomposition products should not be produced.

06/08/2015

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information		
: Not classified		
57.5 ppmV/4h		
57.500 ppmV/4h		
820000 ppm/4h		
: Not classified		
: May displace oxygen and cause rapid suffocation. May increase respiration and heart rate.		
: Adverse effects not expected from this product.		
: Adverse effects not expected from this product.		
: Ingestion is not considered a potential route of exposure.		
: Not known.		

### **SECTION 12: Ecological information**

### 12.1. Toxicity

### No additional information available

### 12.2. Persistence and degradability

Nitric oxide (10102-43-9)	
Persistence and degradability	Not applicable for inorganic gases.
Carbon dioxide (124-38-9)	
Persistence and degradability	No ecological damage caused by this product.
12.3. Bioaccumulative potential	

Nitric oxide (10102-43-9)	
Log Pow	Not applicable for inorganic gases.
Bioaccumulative potential	No data available.
Carbon dioxide (124-38-9)	
BCF fish 1	(no bioaccumulation)
Log Pow	0.83
Bioaccumulative potential	No ecological damage caused by this product.

### 12.4. Mobility in soil

Nitric oxide (10102-43-9)	
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.
Carbon dioxide (124-38-9)	
Ecology - soil	No ecological damage caused by this product.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ffect on ozone layer	: No known effects from this product.	
ffect on the global warming	: Contains greenhouse gas(es) not covered by 842/2006/EC.	
SECTION 13: Disposal consideration	S	
3.1. Waste treatment methods		
Vaste treatment methods	: Contact supplier if guidance is required. Do not discharge into any place where its accumulation could be dangerous. Ensure that the emission levels from local regulations or operating permits are not exceeded.	r
Vaste disposal recommendations	: Refer to the CGA Pamphlet P-63 "Disposal of Gases" available at www.cganet.com for mor guidance on suitable disposal methods.	re
SECTION 14: Transport information		
Department of Transportation (DOT)		
n accordance with DOT		
ransport document description	: UN1956 Compressed gas, n.o.s. (Nitric Oxide, Carbon Dioxide)	
	: UN1956	
JN-No.(DOT) Proper Shipping Name (DOT)	: Compressed gas, n.o.s.	
lazard labels (DOT)	2.2 - Non-flammable gas	
	2	
OT Packaging Non Bulk (49 CFR 173.xxx)	: 302;305	
OT Packaging Bulk (49 CFR 173.xxx)	: 314;315	
OOT Symbols	: G - Identifies PSN requiring a technical name	
OOT Packaging Exceptions (49 CFR 173.xxx)	: 306;307	
OT Quantity Limitations Passenger aircraft/rail 49 CFR 173.27)	: 75 kg	
OOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)		
OOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.	
Additional information		
Other information	: No supplementary information available.	
<b>NDR</b>		
ransport document description	: UN 1956, 2.2, (E)	
Class (ADR)	: 2 - Gases	
lazard identification number (Kemler No.)	: 20	
lassification code (ADR)	: 1A	
lazard labels (ADR)	: 2.2 - Non-flammable compressed gas	
Drange plates	20 1956	
	: E	
unnel restriction code (ADR)		
unnel restriction code (ADR) imited quantities (ADR)	: 120ml	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Excepted quantities (ADR)	: E1
Transport by sea UN-No. (IMDG)	: 1956
Proper Shipping Name (IMDG) Class (IMDG)	: COMPRESSED GAS, N.O.S. : 2 - Gases
Air transport UN-No. (IATA) Proper Shipping Name (IATA) Class (IATA)	: 1956 : COMPRESSED GAS, N.O.S. : 2

SECTION 15: Regulatory information	
15.1. US Federal regulations	
Nitric oxide (10102-43-9)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on the United States SARA Section 302	
SARA Section 302 Threshold Planning Quantity (TPQ)	100
Carbon dioxide (124-38-9)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

### 15.2. International regulations

CANADA	
Nitric oxide (10102-43-9)	
Listed on the Canadian DSL (Domes	tic Sustances List)
WHMIS Classification	Class A - Compressed Gas Class C - Oxidizing Material Class D Division 1 Subdivision A - Very toxic material causing immediate and serious toxic effects Class E - Corrosive Material
Carbon dioxide (124-38-9)	
Listed on the Canadian DSL (Domes	tic Sustances List)
WHMIS Classification	Class A - Compressed Gas

### **EU-Regulations**

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### Carbon dioxide (124-38-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Classification according to Regulation (EC) No. 1272/2008 [CLP] Not classified

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD] No additional information available

### **National regulations**

Listed on the AICS (Australian Inventory of Chemical Substances)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on the Korean ECL (Existing Chemicals List)
Listed on NZIOC (New Zealand Inventory of Chemicals)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Canadian IDL (Ingredient Disclosure List)

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Carbon dioxide (124-38-9)	
Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Canadian IDL (Ingredient Disclosure List)	

### 15.3. US State regulations

### Nitric oxide (10102-43-9)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

### Carbon dioxide (124-38-9)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information	
Indication of changes	<ol> <li>Revised safety data sheet in accordance with OSHA final rule on GHS implementation promulgated March 26, 2012.</li> </ol>
Other information	<ul> <li>This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product.</li> </ul>

#### Full text of H-phrases:

Acute Tox. 1 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 1
Compressed gas	Gases under pressure Compressed gas
Liquefied gas	Gases under pressure Liquefied gas
Ox. Gas 1	Oxidizing gases Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
STOT SE 2	Specific target organ toxicity (single exposure) Category 2
H270	May cause or intensify fire; oxidizer
H280	Contains gas under pressure; may explode if heated
H314	Causes severe skin burns and eye damage
H330	Fatal if inhaled
H371	May cause damage to organs

#### SDS US (GHS HazCom 2012)

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Air Liquide America Corporation's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this product is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.