

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 07/28/2015 Version: 2.0

SECTION 1: Identification of the su	ibstance/mixture and of the company/undertaking
1.1. Product identifier	isotanooninkaro ana or tio oompany/anacitaking
Product form	: Mixture
Product name	 Carbon Dioxide (0.00001% - 2.9999%), Oxygen (0.00001% - 2.00%), Methane (0.00001% - 5.00%) in Nitrogen
Product code	: SG-2004-02756
1.2. Relevant identified uses of the sul	bstance or mixture and uses advised against
Use of the substance/mixture	: Test gas/Calibration gas.
1.3. Details of the supplier of the safet	y data sheet
Air Liquide 2700 Post Oak Boulevard Houston, TX 77056 - USA T 1-800-819-1704 www.us.airliquide.com	
1.4. Emergency telephone number	
Emergency number	: CHEMTREC: 1-800-424-9300
SECTION 2: Hazards identification	
2.1. Classification of the substance or	mixture
GHS-US classification	
Compressed gas	H280
Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labeling Hazard pictograms (GHS-US)	
	GHS04
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	 H280 - Contains gas under pressure; may explode if heated OSHA-H01 - May displace oxygen and cause rapid suffocation
Precautionary statements (GHS-US)	 P202 - Do not handle until all safety precautions have been read and understood P271 - Use only outdoors or in a well-ventilated area P280 - Wear eye protection, face protection, protective gloves, protective clothing P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P308+P313 - If exposed or concerned: Get medical advice/attention P403 - Store in a well-ventilated place P501 - Dispose of contents/container in accordance with local/regional/national/international regulations CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F) CGA-PG05 - Use a back flow preventive device in the piping CGA-PG10 - Use only with equipment rated for cylinder pressure CGA-PG14 - Approach suspected leak area with caution CGA-PG21 - Open valve slowly
2.3. Other hazards	
No additional information available	
2.4. Unknown acute toxicity (GHS US)	
Not applicable	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable 3.2. Mixture

Name	Product identifier	%	GHS-US classification
Nitrogen	(CAS No) 7727-37-9	90.0001 - 99.99997	Compressed gas, H280
Methane	(CAS No) 74-82-8	0.00001 - 5	Flam. Gas 1, H220 Compressed gas, H280
Carbon dioxide	(CAS No) 124-38-9	0.00001 - 2.9999	Liquefied gas, H280
Oxygen	(CAS No) 7782-44-7	0.00001 - 2	Ox. Gas 1, H270 Compressed gas, H280

Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Adverse effects not expected from this product.
First-aid measures after eye contact	: Adverse effects not expected from this product.
First-aid measures after ingestion	: Ingestion is not considered a potential route of exposure.
4.2. Most important symptoms and effect	cts, both acute and delayed
Symptoms/injuries after inhalation	: May displace oxygen and cause rapid suffocation.
Symptoms/injuries after skin contact	: Adverse effects not expected from this product.
Symptoms/injuries after eye contact	: Adverse effects not expected from this product.
Symptoms/injuries after ingestion	: Ingestion is not considered a potential route of exposure.
Symptoms/injuries upon intravenous administration	: Not known.
Chronic symptoms	: Adverse effects not expected from this product.
4.3. Indication of any immediate medica	I attention and special treatment needed

If you feel unwell, seek medical advice. If breathing is difficult, give oxygen.

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.		
Unsuitable extinguishing media	: Do not use water jet to extinguish.		
5.2. Special hazards arising from the sul	bstance or mixture		
Fire hazard	: The product is not flammable.		
Explosion hazard	Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.		
Reactivity	: None known.		
5.3. Advice for firefighters			
Firefighting instructions	: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.		
Protection during firefighting	 Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Do not enter fire area without proper protective equipment, including respiratory protection. 		
SECTION 6: Accidental release measures			
6.1. Personal precautions, protective eq	uipment and emergency procedures		
General measures	: Ensure adequate ventilation.		
6.1.1. For non-emergency personnel			

Protective equipment : Wear protective equipment consistent with the site emergency plan.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations : Escape the danger area by the closest safe route. Close doors and windows of adjacent Emergency procedures premises. Keep containers closed. Mark the danger area. Seal off low-lying areas. Keep upwind. 6.1.2. For emergency responders Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire Protective equipment fighters. Equip cleanup crew with proper protection. Emergency procedures : Evacuate and limit access. Ventilate area. 62 **Environmental precautions** Try to stop release if safe to do so. 6.3. Methods and material for containment and cleaning up : Try to stop release if safe to do so. For containment Methods for cleaning up : Dispose of this material and its container in accordance with local regulations. 6.4. **Reference to other sections** See also Sections 8 and 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling : Pressurized container: Do not pierce or burn, even after use. Use equipment rated for cylinder Additional hazards when processed pressure. Close valve after each use and when empty. Do not handle until all safety precautions have been read and understood. Use only outdoors or Precautions for safe handling in a well-ventilated area. Hygiene measures : Do not eat, drink or smoke when using this product. Conditions for safe storage, including any incompatibilities 7.2. : Comply with applicable regulations. **Technical measures**

 Storage conditions
 : Do not expose to temperatures exceeding 52°C (125°F). Keep container closed when not in use. Protect cylinder from physical damage. Store in well ventilated area.

 Incompatible products
 : None known.

 Incompatible materials
 : None known.

7.3. Specific end use(s)

Control parameter

See Section 1.2.

0 1

SECTION 8: Exposure controls/personal protection

5.1. Control paral			
Carbon Dioxide (0.00	001% - 2.9999%), Oxygen (0.00001% - 2.00%), Me	thane (0.00001% - 5.00%) in Nitrogen	
ACGIH	Not applicable		
OSHA	Not applicable		
Carbon dioxide (124-	38-9)		
ACGIH	ACGIH TWA (ppm)	5000 ppm	
ACGIH	ACGIH STEL (ppm)	30000 ppm	
OSHA	OSHA PEL (TWA) (mg/m ³)	9000 mg/m³	
OSHA	OSHA PEL (TWA) (ppm)	5000 ppm	
Nitrogen (7727-37-9)			
ACGIH	Not applicable		
OSHA	Not applicable		
Oxygen (7782-44-7)			
ACGIH	Not applicable		
OSHA	Not applicable		
Methane (74-82-8)			
ACGIH	ACGIH TWA (ppm)	1000 ppm	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methane (74-82-8)		
OSHA	Not applicable	
I		
8.2. Exposure controls		
Appropriate engineering controls	:	Ensure exposure is below occupational exposure limits. Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly checked for leakages. Oxyger detectors should be used when asphyxiating gases may be released. Consider work permit system e.g. for maintenance activities.
Hand protection	:	Wear working gloves when handling gas containers. 29 CFR 1910.138: Hand Protection.
Eye protection	:	Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	:	Wear suitable protective clothing, e.g lab coats, coveralls or flame resistant clothing.
Respiratory protection	:	None necessary during normal and routine operations. See Sections 5 & 6.
Thermal hazard protection	:	None necessary during normal and routine operations.
Environmental exposure controls	: :	Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for specific methods for waste gas treatment.
Other information	:	Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection.

9.1. Information on basic physical and	chemical properties
Physical state	: Gas
Appearance	: Clear, colorless gas.
Color	: Colorless
Odor	: Odorless
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: Not applicable - not flammable
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: See Section 2.1 and 2.2
Explosion limits	: Not applicable - not flammable
Explosive properties	: Not applicable - not flammable.
Oxidizing properties	: None.
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: Not applicable for gas-mixtures.
Relative gas density	: Similar to air
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
No additional information available	

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Safety Data Sheet

Chemical stability

10.2.

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Stable under normal conditions. Possibility of hazardous reactions 10.3. None known. 10.4. **Conditions to avoid** None under recommended storage and handling conditions (see section 7). 10.5. Incompatible materials None known. 10.6. Hazardous decomposition products Under normal conditions of storage and use hazardous decomposition products should not be produced. **SECTION 11: Toxicological information** 11.1. Information on toxicological effects Acute toxicity : Not classified Carbon dioxide (124-38-9) LC50 inhalation rat (ppm) 820000 ppm/4h Nitrogen (7727-37-9) LC50 inhalation rat (ppm) 820000 ppm/4h Oxygen (7782-44-7) LC50 inhalation rat (ppm) 800000 ppm/4h Methane (74-82-8) LC50 inhalation rat (ppm) 820000 ppm/4h ATE US (gases) 820000.000 ppmV/4h Skin corrosion/irritation : Not classified Serious eye damage/irritation Not classified Respiratory or skin sensitization Not classified Germ cell mutagenicity Not classified Carcinogenicity Not classified Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated : Not classified exposure) Aspiration hazard : Not classified Symptoms/injuries after inhalation : May displace oxygen and cause rapid suffocation. Symptoms/injuries after skin contact : Adverse effects not expected from this product. Symptoms/injuries after eye contact Adverse effects not expected from this product. Symptoms/injuries after ingestion Ingestion is not considered a potential route of exposure. Symptoms/injuries upon intravenous : Not known. administration : Adverse effects not expected from this product. Chronic symptoms

SECTION 12: Ecological information

12.1. Toxicity

07/28/2015

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Carbon dioxide (124-38-9)		
Persistence and degradability	No ecological damage caused by this product.	
Nitrogen (7727-37-9)		
Persistence and degradability	No ecological damage caused by this product.	
Oxygen (7782-44-7)		
Persistence and degradability	No ecological damage caused by this product.	
Methane (74-82-8)		
Persistence and degradability	The substance is biodegradable. Unlikely to persist. No data available.	

Bioaccumulative potential 12.3.

Carbon dioxide (124-38-9)	
BCF fish 1	(no bioaccumulation)
Log Pow	0.83
Bioaccumulative potential	No ecological damage caused by this product.
Nitrogen (7727-37-9)	
Log Pow	Not applicable for inorganic gases.
Bioaccumulative potential	No ecological damage caused by this product.
Oxygen (7782-44-7)	
Log Pow	Not applicable for inorganic gases.
Bioaccumulative potential	No ecological damage caused by this product.
Methane (74-82-8)	
Log Pow	Not applicable for gas mixtures
Log Kow	Not applicable for gas mixtures
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4). Refer to section 9.

Mobility in soil 12.4.

Carbon dioxide (124-38-9)	
Ecology - soil	No ecological damage caused by this product.
Nitrogen (7727-37-9)	
Ecology - soil	No ecological damage caused by this product.
Oxygen (7782-44-7)	
Ecology - soil	No ecological damage caused by this product.
Methane (74-82-8)	
Mobility in soil	No data available.
Ecology - soil	Because of its high volatility, the product is unlikely to cause ground or water pollution.
12.5. Other adverse effects	
12.5. Other adverse effects	
Effect on ozone layer	: No known effects from this product.
Effect on the global warming	: Contains greenhouse gas(es) not covered by 842/2006/EC.

SECTION 13: Disposal considerations	S
13.1. Waste treatment methods	
Waste treatment methods	Contact supplier if guidance is required. Do not discharge into any place where its accumulation could be dangerous. Ensure that the emission levels from local regulations or operating permits are not exceeded.
Waste disposal recommendations	: Refer to the CGA Pamphlet P-63 "Disposal of Gases" available at www.cganet.com for more guidance on suitable disposal methods.
SECTION 14: Transport information	

In accordance with DOT Transport document description : Ut	1956 Compressed gas, n.o.s.	
07/28/2015 EN (English US) 6/9	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

JN-No.(DOT)	: UN1956
Proper Shipping Name (DOT)	: Compressed gas, n.o.s.
azard labels (DOT)	: 2.2 - Non-flammable gas
OOT Packaging Non Bulk (49 CFR 173.xxx)	: 302;305
DOT Packaging Bulk (49 CFR 173.xxx)	: 314;315
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306;307
DOT Quantity Limitations Passenger aircraft/rail 49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Additional information	
Other information	: No supplementary information available.
ADR	
Fransport document description	: UN 1956 COMPRESSED GAS, N.O.S., 2.2, (E)
Class (ADR)	: 2 - Gases
Hazard identification number (Kemler No.)	: 20
Classification code (ADR)	: 1A
Hazard labels (ADR)	: 2.2 - Non-flammable compressed gas
	2
Drange plates	
	20
	105(
	1956
Funnel restriction code (ADR)	: E
imited quantities (ADR)	: 120ml
Excepted quantities (ADR)	: E1
Fransport by sea	. 1056
JN-No. (IMDG)	: 1956
JN-No. (IMDG) Proper Shipping Name (IMDG)	: COMPRESSED GAS, N.O.S.
JN-No. (IMDG) Proper Shipping Name (IMDG)	: COMPRESSED GAS, N.O.S.
JN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG) Air transport	: COMPRESSED GAS, N.O.S.
JN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG)	: COMPRESSED GAS, N.O.S. : 2 - Gases
JN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG) Air transport JN-No. (IATA)	 COMPRESSED GAS, N.O.S. 2 - Gases 1956
JN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG) Air transport JN-No. (IATA) Proper Shipping Name (IATA)	 COMPRESSED GAS, N.O.S. 2 - Gases 1956 COMPRESSED GAS, N.O.S. 2
JN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG) Air transport JN-No. (IATA) Proper Shipping Name (IATA) Class (IATA)	 COMPRESSED GAS, N.O.S. 2 - Gases 1956 COMPRESSED GAS, N.O.S. 2

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Nitrogen (7727-37-9)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Oxygen (7782-44-7)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Methane (74-82-8)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		

15.2. International regulations

CANADA

Carbon dioxide (124-38-9)			
Listed on the Canadian DSL (Domestic Sustances List)			
WHMIS Classification	Class A - Compressed Gas		
Nitrogen (7727-37-9)			
Listed on the Canadian DSL (Domestic Sustances List)			
WHMIS Classification	Class A - Compressed Gas		
Oxygen (7782-44-7)			
Listed on the Canadian DSL (Domestic Sustances List)			
WHMIS Classification	Class A - Compressed Gas		
	Class C - Oxidizing Material		
Methane (74-82-8)			
Listed on the Canadian DSL (Domestic Sustances List)			
WHMIS Classification	Class A - Compressed Gas		
	Class B Division 1 - Flammable Gas		

EU-Regulations

Carbon dioxide (124-38-9)		
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)		
Nitrogen (7727-37-9)		
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)		
Oxygen (7782-44-7)		
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)		
Methane (74-82-8)		
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)		

Classification according to Regulation (EC) No. 1272/2008 [CLP] Not classified

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD] No additional information available

National regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Oxygen (7782-44-7)

Listed on the AICS (Australian Inventory of Chemical Substances)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on the Korean ECL (Existing Chemicals List)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Methane (74-82-8)
Listed on the AICS (Australian Inventory of Chemical Substances)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on the Korean ECL (Existing Chemicals List)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

15.3. US State regulations

Carbon dioxide (124-38-9)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Nitrogen (7727-37-9)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Oxygen (7782-44-7)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Methane (74-82-8)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

SECTION 16: Other information	
Indication of changes	 Revised safety data sheet in accordance with OSHA final rule on GHS implementation promulgated March 26, 2012.
Other information	 This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product.

Full text of H-phrases:

Compressed gas	Gases under pressure Compressed gas
Flam. Gas 1	Flammable gases Category 1
Liquefied gas	Gases under pressure Liquefied gas
Ox. Gas 1	Oxidizing gases Category 1
H220	Extremely flammable gas
H270	May cause or intensify fire; oxidizer
H280	Contains gas under pressure; may explode if heated

SDS US (GHS HazCom 2012)

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Air Liquide America Corporation's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this product is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.