

Isoflurane (1.00% - 10.00%), Sevoflurane (1.00% -9.99%) in Nitrogen Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 07/22/2015 Version: 2.0

SECTION 1: Identification of the subs	tance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: Isoflurane (1.00% - 10.00%), Sevoflurane (1.00% - 9.99%) in Nitrogen
Product code	: HC-2003-03517
	ance or mixture and uses advised against
Use of the substance/mixture	: Test gas/Calibration gas.
1.3. Details of the supplier of the safety da	ata sheet
Air Liquide 2700 Post Oak Boulevard Houston, TX 77056 - USA T 1-800-819-1704 www.us.airliquide.com	
1.4. Emergency telephone number	
Emergency number	: CHEMTREC: 1-800-424-9300
SECTION 2: Hazards identification	
2.1. Classification of the substance or mix	xture
GHS-US classification	
Compressed gas	H280
Repr. 2 STOT RE 2	H361 H373
Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	CHS04 CHS08
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	 H280 - Contains gas under pressure; may explode if heated H361 - Suspected of damaging fertility or the unborn child (Inhalation) H373 - May cause damage to organs (lung) through prolonged or repeated exposure (Inhalation) OSHA-H01 - May displace oxygen and cause rapid suffocation
Precautionary statements (GHS-US)	 P202 - Do not handle until all safety precautions have been read and understood P260 - Do not breathe gas P271 - Use only outdoors or in a well-ventilated area P280 - Wear eye protection, face protection, protective gloves, protective clothing P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P308+P313 - If exposed or concerned: Get medical advice/attention P403 - Store in a well-ventilated place P405 - Store locked up P501 - Dispose of contents/container in accordance with local/regional/national/international regulations CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52°C (125°F) CGA-PG06 - Close valve after each use and when empty CGA-PG10 - Use only with equipment rated for cylinder pressure CGA-PG14 - Approach suspected leak area with caution CGA-PG21 - Open valve slowly

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
Nitrogen	(CAS No) 7727-37-9	80.01 - 98	Compressed gas, H280
Isoflurane	(CAS No) 26675-46-7	1 - 10	Acute Tox. 4 (Inhalation:gas), H332 Repr. 2, H361 STOT SE 3, H336 STOT RE 2, H373
Sevoflurane	(CAS No) 28523-86-6	1 - 9.99	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Repr. 2, H361 STOT SE 3, H336

Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	Adverse effects not expected from this product.
First-aid measures after eye contact	Adverse effects not expected from this product.
First-aid measures after ingestion	Ingestion is not considered a potential route of exposure.
4.2. Most important symptoms and effects	s, both acute and delayed
Symptoms/injuries after inhalation	: May displace oxygen and cause rapid suffocation.
Symptoms/injuries after skin contact	Adverse effects not expected from this product.
Symptoms/injuries after eye contact	Adverse effects not expected from this product.
Symptoms/injuries after ingestion	: Ingestion is not considered a potential route of exposure.
Symptoms/injuries upon intravenous administration	Not known.
Chronic symptoms	 Suspected of damaging fertility. Suspected of damaging the unborn child. May cause damage to organs (lung) through prolonged or repeated exposure (Inhalation).

4.3. Indication of any immediate medical attention and special treatment needed

If you feel unwell, seek medical advice. If breathing is difficult, give oxygen.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use water jet to extinguish.
5.2. Special hazards arising from the sub	ostance or mixture
Fire hazard	: The product is not flammable.
Explosion hazard	: Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Reactivity	: None known.
5.3. Advice for firefighters	
Firefighting instructions	: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.
Protection during firefighting	: Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Do not enter fire area without proper protective equipment, including respiratory protection.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental I	release measures
6.1. Personal precautions	s, protective equipment and emergency procedures
General measures	: Ensure adequate ventilation.
6.1.1. For non-emergency p	personnel
Protective equipment	: Wear protective equipment consistent with the site emergency plan.
Emergency procedures	: Escape the danger area by the closest safe route. Close doors and windows of adjacent premises. Keep containers closed. Mark the danger area. Seal off low-lying areas. Keep upwind.
6.1.2. For emergency respo	onders
Protective equipment	: Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Equip cleanup crew with proper protection.
Emergency procedures	: Evacuate and limit access. Ventilate area.
6.2. Environmental preca	
Try to stop release if safe to do s	30.
	I for containment and cleaning up
For containment	: Try to stop release if safe to do so.
Methods for cleaning up	: Dispose of this material and its container in accordance with local regulations.
5.4. Reference to other se	ections
See also Sections 8 and 13.	
SECTION 7: Handling an	
7.1. Precautions for safe	
Additional hazards when process	pressure. Close valve after each use and when empty.
Precautions for safe handling	: Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area.
Hygiene measures	: Do not eat, drink or smoke when using this product.
	torage, including any incompatibilities
Fechnical measures	: Comply with applicable regulations.
Storage conditions	 Do not expose to temperatures exceeding 52°C (125°F). Keep container closed when not in use. Protect cylinder from physical damage. Store in well ventilated area. Store locked up.
ncompatible products ncompatible materials	: None known. : None known.
	. INDIE KIDWII.
7.3. Specific end use(s) See Section 1.2.	
	ontrols/personal protection
3.1. Control parameters	Sourcefluxene(4,000/-0,000/) in Nitrogen
Isoflurane (1.00% - 10.00%), 3 ACGIH	Sevoflurane (1.00% - 9.99%) in Nitrogen Not applicable
OSHA	Not applicable
Isoflurane (26675-46-7) ACGIH	Not applicable
OSHA	Not applicable
Sevoflurane (28523-86-6)	Net englischie
ACGIH	Not applicable
OSHA	Not applicable
Nitrogen (7727-37-9)	
ACGIH	Not applicable
OSHA	Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Exposure controls	
Appropriate engineering controls	Ensure exposure is below occupational exposure limits. Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly checked for leakages. Oxygen detectors should be used when asphyxiating gases may be released. Consider work permit system e.g. for maintenance activities.
Hand protection	: Wear working gloves when handling gas containers. 29 CFR 1910.138: Hand Protection.
Eye protection	: Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing, e.g lab coats, coveralls or flame resistant clothing.
Respiratory protection	: None necessary during normal and routine operations. See Sections 5 & 6.
Thermal hazard protection	: None necessary during normal and routine operations.
Environmental exposure controls	 Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for specific methods for waste gas treatment.
Other information	: Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	
Physical state	: Gas
Appearance	: Clear, colorless gas.
Color	: Colorless
Odor	: Sweet Mildly pungent ethereal odor
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: Not applicable - not flammable
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: See Section 2.1 and 2.2
Explosion limits	: Not applicable - not flammable
Explosive properties	: Not applicable - not flammable.
Oxidizing properties	: None.
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: Not applicable for gas-mixtures.
Relative gas density	: Heavier than air
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Additional information	Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below

Additional information

: Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level.

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
None k	nown.
10.2.	Chemical stability
Stable	under normal conditions.

Safety Data Sheet

ccording to Federal Register / Vol. 77, No. 58 / I	Monday, March 26, 2012 / Rules and Regulations
10.3. Possibility of hazardous reac	tions
None known.	
10.4. Conditions to avoid	
None under recommended storage and h	andling conditions (see section 7).
10.5. Incompatible materials	
None known.	
10.6. Hazardous decomposition pr	oducte
and the second second process pro-	use hazardous decomposition products should not be produced.
-	
SECTION 11: Toxicological info	
11.1. Information on toxicological of	effects
Acute toxicity	: Not classified
Isoflurane (26675-46-7)	
LD50 oral rat	5450 μl/kg
LC50 inhalation rat (ppm)	13249.8 ppm/4h
ATE US (gases)	13249.800 ppmV/4h
Sevoflurane (28523-86-6)	
LD50 oral rat	5450 μl/kg
LC50 inhalation rat (ppm)	24940.8 ppm/4h
ATE US (gases)	24940.800 ppmV/4h
Nitrogen (7727-37-9)	
LC50 inhalation rat (ppm)	820000 ppm/4h
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	· Not classified

Serious eye damage/irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity	 Not classified Not classified Not classified Not classified
Reproductive toxicity Specific target organ toxicity (single exposure)	Suspected of damaging fertility or the unborn child (Inhalation).Not classified
Specific target organ toxicity (repeated exposure)	: May cause damage to organs (lung) through prolonged or repeated exposure (Inhalation).
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May displace oxygen and cause rapid suffocation.
Symptoms/injuries after skin contact	: Adverse effects not expected from this product.
Symptoms/injuries after eye contact	: Adverse effects not expected from this product.
Symptoms/injuries after ingestion	: Ingestion is not considered a potential route of exposure.
Symptoms/injuries after ingestion Symptoms/injuries upon intravenous administration	Ingestion is not considered a potential route of exposure.Not known.

12.1. Toxicity No additional information available Image: Topologic and the state of the sta	SECTION 12: Ecological information	
12.2. Persistence and degradability	12.1. Toxicity	
	No additional information available	
Nitrogen (7727-37-9)	12.2. Persistence and degradability	
	Nitrogen (7727-37-9)	
Persistence and degradability No ecological damage caused by this product.	Persistence and degradability	No ecological damage caused by this product.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3. Bioaccumulative potential	
Nitrogen (7727-37-9)	
Log Pow	Not applicable for inorganic gases.
Bioaccumulative potential	No ecological damage caused by this product.
12.4. Mobility in soil	
Nitrogen (7727-37-9)	
Ecology - soil	No ecological damage caused by this product.
12.5. Other adverse effects	
Effect on ozone layer	: No known effects from this product.
Effect on the global warming	: No known ecological damage caused by this product.
SECTION 13: Disposal consideration	s
3.1. Waste treatment methods	
Waste treatment methods	: Contact supplier if guidance is required. Do not discharge into any place where its
	accumulation could be dangerous. Ensure that the emission levels from local regulations or operating permits are not exceeded.
Waste disposal recommendations	: Refer to the CGA Pamphlet P-63 "Disposal of Gases" available at www.cganet.com for more guidance on suitable disposal methods.
SECTION 14: Transport information	
Department of Transportation (DOT)	
n accordance with DOT	
Fransport document description	: UN1956 Compressed gas, n.o.s.
JN-No.(DOT)	: UN1956
Proper Shipping Name (DOT)	: Compressed gas, n.o.s.
Hazard labels (DOT)	: 2.2 - Non-flammable gas
	2
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 302;305
DOT Packaging Bulk (49 CFR 173.xxx)	: 314;315
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306;307
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 75 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Additional information	
Other information	: No supplementary information available.
ADR	
Transport document description	: UN 1956 COMPRESSED GAS, N.O.S., 2.2, (E)
Class (ADR)	: 2 - Gases
. ,	
Hazard identification number (Kemler No.)	: 20

Safety Data Sheet

Hazard labels (ADR)	: 2.2 - Non-flammable compressed gas
	2
Drange plates	20 1956
Funnel restriction code (ADR)	: E
_imited quantities (ADR)	: 120ml
Excepted quantities (ADR)	: E1
Fransport by sea	
UN-No. (IMDG)	: 1956
Proper Shipping Name (IMDG)	: COMPRESSED GAS, N.O.S.
Class (IMDG)	: 2 - Gases
Air transport	
UN-No. (IATA)	: 1956
Proper Shipping Name (IATA)	: COMPRESSED GAS, N.O.S.
Class (IATA)	: 2
SECTION 15: Regulatory informa	tion
15.1. US Federal regulations	
Nitrogen (7727-37-9)	
Listed on the United States TSCA (Toxic S	Substances Control Act) inventory
15.2. International regulations	
CANADA	
No additional information available	
Nitrogen (7727-37-9)	
Listed on the Canadian DSL (Domestic Sus WHMIS Classification	Istances List) Class A - Compressed Gas
EU-Regulations	
No additional information available	
Nitrogen (7727-37-9)	
Listed on the EEC inventory EINECS (Euro	opean Inventory of Existing Commercial Chemical Substances)
Classification according to Regulation (E Not classified	C) No. 1272/2008 [CLP]
	48/EEC [DSD] or 1999/45/EC [DPD]
No additional information available	
Classification according to Directive 67/5 No additional information available National regulations Nitrogen (7727-37-9)	

Listed on NZIOC (New Zealand Inventory of Chemicals and Chemicals) Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

15.3. US State regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- Nitrogen (7727-37-9)
- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

SECTION 16: Other information Indication of changes : Revised safety data sheet in accordance with OSHA final rule on GHS implementation promulgated March 26, 2012. Other information : This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product.

Full text of H-phrases:

Acute Tox. 4 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 4
Compressed gas	Gases under pressure Compressed gas
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Repr. 2	Reproductive toxicity Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H280	Contains gas under pressure; may explode if heated
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness
H361	Suspected of damaging fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated exposure

SDS US (GHS HazCom 2012)

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Air Liquide America Corporation's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this product is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.