

# Isoflurane (1.00% - 17.00%), Halothane (1.00% -2.99%) in Nitrogen Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 07/22/2015 Version: 2.0

SECTION 1: Identification		
1.1. Identification		
Product form	: Mixture	
Product name	: Isoflurane (1.00% - 17.00%), Halothan	e (1.00% - 2.99%) in Nitrogen
Product code	: HC-2003-03513	
1.2. Relevant identified uses of the subst	tance or mixture and uses advised again	nst
Use of the substance/mixture	: Test gas/Calibration gas.	not l
1.3. Details of the supplier of the safety d		
Air Liquide 9811 Katy Freeway, Suite 100 Houston, TX 77024 - USA		
T 1-800-819-1704 www.us.airliquide.com		
1.4. Emergency telephone number		
Emergency number	: CHEMTREC: 1-800-424-9300	
SECTION 2: Hazard(s) identification		
2.1. Classification of the substance or mi	ixture	
GHS-US classification		
Compressed gas	H280 -	Contains gas under pressure; may explode if heated
Eye Irrit. 2A	H319 -	Causes serious eye irritation
Repr. 2	H361 -	Suspected of damaging fertility or the unborn child (Inhalation)
STOT SE 3	H335 -	May cause respiratory irritation
STOT RE 2	H373 -	May cause damage to organs (lung) through prolonged or repeated exposure (Inhalation)
Full text of H-phrases: see section 16		
2.2. Label elements		
GHS-US labeling Hazard pictograms (GHS-US)		•
	GHS04 GHS07 G	SHS08
Signal word (GHS-US)	: Warning	
Hazard statements (GHS-US)	: H280 - Contains gas under pressure; n H319 - Causes serious eye irritation H335 - May cause respiratory irritation H361 - Suspected of damaging fertility H373 - May cause damage to organs ( (Inhalation)	
	OSHA-H01 - May displace oxygen and	
Precautionary statements (GHS-US)	P260 - Do not breathe gas P271 - Use only outdoors or in a well-v P280 - Wear eye protection, face prote P304+P340 - If inhaled: Remove perso	ection, protective gloves, protective clothing on to fresh air and keep comfortable for breathing autiously with water for several minutes. Remove contact inue rinsing
	•	
	regulations	n accordance with local/regional/national/international en ambient temperature exceeds 52°C (125°F)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- CGA-PG05 Use a back flow preventive device in the piping CGA-PG06 - Close valve after each use and when empty CGA-PG10 - Use only with equipment rated for cylinder pressure
  - CGA-PG14 Approach suspected leak area with caution
  - CGA-PG21 Open valve slowly

#### 2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/Information on ingredients

### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	GHS-US classification
Nitrogen	(CAS No) 7727-37-9	80.01 - 98	Compressed gas, H280
Isoflurane	(CAS No) 26675-46-7	1 - 17	Acute Tox. 4 (Inhalation:gas), H332 Repr. 2, H361 STOT SE 3, H336 STOT RE 2, H373
Halothane	(CAS No) 151-67-7	1 - 2.99	Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 Repr. 2, H361 STOT SE 3, H336 STOT SE 3, H335

### Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Adverse effects not expected from this product.
First-aid measures after eye contact	: Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation occurs, seek medical attention.
First-aid measures after ingestion	: Ingestion is not considered a potential route of exposure.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/injuries after inhalation	: May displace oxygen and cause rapid suffocation. May cause respiratory irritation.
Symptoms/injuries after skin contact	: Adverse effects not expected from this product.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: Ingestion is not considered a potential route of exposure.
Symptoms/injuries upon intravenous administration	: Not known.
Chronic symptoms	: Suspected of damaging fertility. Suspected of damaging the unborn child. May cause damage to organs (lung) through prolonged or repeated exposure (Inhalation).

**4.3.** Indication of any immediate medical attention and special treatment needed If you feel unwell, seek medical advice. If breathing is difficult, give oxygen.

SECTION 5: Firefighting measure	S S
5.1. Extinguishing media	
Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use water jet to extinguish.
5.2. Special hazards arising from the	e substance or mixture
Fire hazard	: The product is not flammable.
Explosion hazard	Product is not explosive. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Reactivity	: None known.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Advice for firefighters	
Firefighting instructions	: In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.
Protection during firefighting	: Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release r	neasures
6.1. Personal precautions, protectiv	re equipment and emergency procedures
General measures	: Ensure adequate ventilation.
6.1.1. For non-emergency personnel	
Protective equipment	: Wear protective equipment consistent with the site emergency plan.
Emergency procedures	: Escape the danger area by the closest safe route. Close doors and windows of adjacent premises. Keep containers closed. Mark the danger area. Seal off low-lying areas. Keep upwind.
6.1.2. For emergency responders	
Protective equipment	: Standard protective clothing and equipment (e.g., Self Contained Breathing Apparatus) for fire fighters. Equip cleanup crew with proper protection.
Emergency procedures	: Evacuate and limit access. Ventilate area.
6.2. Environmental precautions	
Try to stop release if safe to do so.	
6.3. Methods and material for conta	inment and cleaning up
For containment	: Try to stop release if safe to do so.
Methods for cleaning up	: Dispose of this material and its container in accordance with local regulations.
6.4. Reference to other sections	
See also Sections 8 and 13.	
SECTION 7: Handling and storage	le
7.1. Precautions for safe handling	
Additional hazards when processed	: Pressurized container: Do not pierce or burn, even after use. Use equipment rated for cylinder pressure. Close valve after each use and when empty.
Precautions for safe handling	<ul> <li>Do not handle until all safety precautions have been read and understood. Use only outdoors o in a well-ventilated area.</li> </ul>
Hygiene measures	: Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, inc	cluding any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Do not expose to temperatures exceeding 52°C (125°F). Keep container closed when not in use. Protect cylinder from physical damage. Store in well ventilated area. Store locked up.
Incompatible products	: None known.

Incompatible materials : None known.

SECTION 8: Exposure controls/personal protection

**Control parameters** 8.1.

No additional information available

08/26/201	5	EN (English LIS) 3/8
Respirato	ory protection	: None necessary during normal and routine operations. See Sections 5 & 6.
Skin and	body protection	: Wear suitable protective clothing, e.g lab coats, coveralls or flame resistant clothing.
Eye prote	ection	: Wear safety glasses with side shields. 29 CFR 1910.133: Eye and Face Protection.
Hand pro	otection	: Wear working gloves when handling gas containers. 29 CFR 1910.138: Hand Protection.
Appropria	ate engineering controls	Ensure exposure is below occupational exposure limits. Provide adequate general and local exhaust ventilation. Systems under pressure should be regularly checked for leakages. Oxygen detectors should be used when asphyxiating gases may be released. Consider work permit system e.g. for maintenance activities.
8.2.	Exposure controls	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Thermal hazard protection	: None necessary during normal and routine operations.
Environmental exposure controls	: Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for specific methods for waste gas treatment.
Other information	: Wear safety shoes while handling containers. 29 CFR 1910.136: Foot Protection.

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and	chemical properties
Physical state	: Gas
Appearance	: Clear, colorless gas.
Color	: Colorless
Odor	: Sweet Mildly pungent ethereal odor
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: Not applicable - not flammable
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: See Section 2.1 and 2.2
Explosion limits	: Not applicable - not flammable
Explosive properties	: Not applicable - not flammable.
Oxidizing properties	: None.
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: Not applicable for gas-mixtures.
Relative gas density	: Heavier than air
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
9.2. Other information	
Additional information	: Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level.

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
None kr	nown.
10.2.	Chemical stability
Stable ι	under normal conditions.
10.3.	Possibility of hazardous reactions
None kr	nown.
10.4.	Conditions to avoid
None u	nder recommended storage and handling conditions (see section 7).
10.5.	Incompatible materials
None kr	nown.
10.6.	Hazardous decomposition products

Under normal conditions of storage and use hazardous decomposition products should not be produced.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Isoflurane (26675-46-7)	
LD50 oral rat	5450 µl/kg
LC50 inhalation rat (ppm)	13249.8 ppm/4h
ATE US (gases)	13249.800 ppmV/4h
Halothane (151-67-7)	
LD50 oral rat	5450 µl/kg
LC50 inhalation rat (mg/l)	120 mg/l/4h
LC50 inhalation rat (ppm)	29000 ppm/4h
ATE US (gases)	4500.000 ppmV/4h
ATE US (dust, mist)	1.500 mg/l/4h
Nitrogen (7727-37-9)	
LC50 inhalation rat (ppm)	820000 ppm/4h
L.	: Not classified
Skin corrosion/irritation	
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Suspected of damaging fertility or the unborn child (Inhalation).
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: May cause damage to organs (lung) through prolonged or repeated exposure (Inhalation).
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May displace oxygen and cause rapid suffocation. May cause respiratory irritation.
Symptoms/injuries after skin contact	: Adverse effects not expected from this product.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: Ingestion is not considered a potential route of exposure.
Symptoms/injuries upon intravenous administration	: Not known.
Chronic symptoms	: Suspected of damaging fertility. Suspected of damaging the unborn child. May cause damage to organs (lung) through prolonged or repeated exposure (Inhalation).

SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	
Nitrogen (7727-37-9)	
Persistence and degradability	No ecological damage caused by this product.
10.2 Discoursulative notantial	
12.3. Bioaccumulative potential	

Nitrogen (7727-37-9)	
Log Pow	Not applicable for inorganic gases.
Bioaccumulative potential	No ecological damage caused by this product.
12.4. Mobility in soil	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Cology - soil     Other adverse effects     ect on ozone layer     ect on the global warming	No ecological damage caused by this product.
ect on ozone layer	
ect on ozone layer	
ect on the global warming	: No known effects from this product.
ect on the global warning	No known ocological damage caused by this product
	: No known ecological damage caused by this product.
ECTION 13: Disposal consideration	IS
.1. Waste treatment methods	
aste treatment methods	: Contact supplier if guidance is required. Do not discharge into any place where its accumulation could be dangerous. Ensure that the emission levels from local regulations or operating permits are not exceeded.
aste disposal recommendations	<ul> <li>Refer to the CGA Pamphlet P-63 "Disposal of Gases" available at www.cganet.com for more guidance on suitable disposal methods.</li> </ul>
ECTION 14: Transport information	
partment of Transportation (DOT)	
accordance with DOT	
ansport document description	: UN1956 Compressed gas, n.o.s.
J-No.(DOT)	: UN1956
oper Shipping Name (DOT)	: Compressed gas, n.o.s.
zard labels (DOT)	: 2.2 - Non-flammable gas
	2
OT Packaging Non Bulk (49 CFR 173.xxx)	: 302;305
OT Packaging Bulk (49 CFR 173.xxx)	: 314;315
DT Symbols	: G - Identifies PSN requiring a technical name
OT Packaging Exceptions (49 CFR 173.xxx)	: 306;307
OT Quantity Limitations Passenger aircraft/rail O CFR 173.27)	: 75 kg
DT Quantity Limitations Cargo aircraft only (49 R 175.75)	: 150 kg
OT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
her information	: No supplementary information available.
G	
additional information available	
ansport by sea	
I-No. (IMDG)	: 1956
oper Shipping Name (IMDG)	: COMPRESSED GAS, N.O.S.
ass (IMDG)	: 2 - Gases
r transport	
I-No. (IATA)	: 1956
oper Shipping Name (IATA)	: COMPRESSED GAS, N.O.S.
ass (IATA)	: 2

15.1. US Federal regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Nitrogen (7727-37-9)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
15.2. International regulations		
CANADA No additional information available		
Nitrogen (7727-37-9)		
Listed on the Canadian DSL (Domestic Sustances List)		
WHMIS Classification	Class A - Compressed Gas	

**EU-Regulations** 

No additional information available

#### **National regulations**

### Nitrogen (7727-37-9)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

#### 15.3. US State regulations

### Nitrogen (7727-37-9)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

### SECTION 16: Other information

### Indication of changes

: Revised safety data sheet in accordance with OSHA final rule on GHS implementation promulgated March 26, 2012.

Other information

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product.

#### Full text of H-phrases:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 4
Compressed gas	Gases under pressure Compressed gas
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Repr. 2	Reproductive toxicity Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H280	Contains gas under pressure; may explode if heated
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H361	Suspected of damaging fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated exposure

### SDS US (GHS HazCom 2012)

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR, 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Air Liquide America Corporation's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this product is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.