



MATERIAL SAFETY DATA SHEET

MSDS Number: 1600E

Section 1

PRODUCT AND COMPANY IDENTIFICATION

Trade Name: OATEY 95/5 LEAD-FREE PLUMBING WIRE SOLDER
OATEY 95/5 LEAD-FREE ACID CORE WIRE SOLDER
OATEY 95/5 LEAD-FREE ROSIN CORE WIRE SOLDER

Product Nos.: 95/5 -22004, 22017, 22018, 22025, 53026, 53027, 53181, 53189 95/5 AC - 53170, 53172, 53174, 53176 95/5 RC - 53171, 53173, 53175, 53177, 53190, 29031

Product Use: Solder

Formula: see Section 3

Synonyms: Solder

Firm Name & Address: Oatey Company 4700 West 160th Street, Cleveland, Ohio 44135
www.oatey.com

Firm Phone No: (216) 267-7100

Emergency Phone Nos.: For Emergency First Aid call 1-877-740-5015. For chemical transportation emergencies ONLY, call Chemtrec at 1-800-424-9300. Outside the U.S. 1-703-527-3887.

Prepared by: Technical Department

Preparation Date: 04/07/2013

Section 2

HAZARDS IDENTIFICATION

Emergency Overview:

Silver-gray wire metal. The fumes may be hazardous during soldering operations. Fumes can cause eye irritation and may cause headache and respiratory system irritation. Ingestion of metal alloys may be harmful.

OSHA Hazard Classification: Not hazardous as is. In use, irritant and organ effects.

Section 3

COMPOSITION/INFORMATION ON INGREDIENTS

For 95/5 solid wire

INGREDIENTS:	%wt/wt :	CAS NUMBER:	ACGIH TLV TWA:	OSHA PEL TWA
Tin	60 - 100%	7440-31-5	2 mg/m3	2 mg/m3
Antimony	3 - 7%	7440-36-0	0.5 mg/m3	0.5 mg/m3

For 95/5 acid core

INGREDIENTS:	%wt/wt :	CAS NUMBER:	ACGIH TLV TWA:	OSHA PEL TWA
Tin	60 - 100%	7440-31-5	2 mg/m3	2 mg/m3
Antimony	3 - 7%	7440-36-0	0.5 mg/m3	0.5 mg/m3
Acid Flux	0.1 - 1%	Unknown	None Established	None Established

For 95/5 rosin core

INGREDIENTS:	%wt/wt :	CAS NUMBER:	ACGIH TLV TWA:	OSHA PEL TWA
Tin	60 - 100%	7440-31-5	2 mg/m3	2 mg/m3
Antimony	3 - 7%	7440-36-0	0.5 mg/m3	0.5 mg/m3
Rosin Flux	0.1 - 1%	Unknown	None Established	None Established

Section 4 FIRST AID MEASURES

Skin: If irritation arises, wash thoroughly with soap and water. Seek medical attention if irritation persists.

Eyes: If material gets into eyes, immediately flush eyes with water while holding eyelids open until material is removed. If irritation persists, seek medical attention.

Inhalation: Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Keep victim quiet and warm. Call a poison control center or physician immediately.

Ingestion: **DO NOT INDUCE VOMITING.** Ingestion is not a likely route of entry. Never give anything by mouth to a person who is unconscious or drowsy. Get medical attention by calling a Poison Control Center, or hospital emergency room.

Section 5 FIRE FIGHTING MEASURES

Flashpoint / Not applicable
Method:

Flammability: LEL = Not applicable, UEL = Not applicable

Extinguishing Use appropriate means of extinguishing surrounding fire.

Media:

Special Fire Not applicable
Fighting

Procedure:

Unusual Fire None known
And Explosion

Hazards:

Hazardous Material will not decompose under normal conditions. If overheated, oxides of
Decomposition tin and antimony may result.

Products:

Section 6 ACCIDENTAL RELEASE MEASURES

Spill or Leak Collect solid and place in properly labeled containers for recycle or disposal.
Procedures:

Section 7 HANDLING AND STORAGE

Handling: Avoid inhalation of fumes, vapors or dust. Keep away from children. Wash thoroughly after handling before eating, drinking, or smoking.

Storage: Store in a cool, dry place away from heat or open flame.

Other: None

Section 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: Good general ventilation (equivalent to outdoors) should be adequate for normal use. For operations where the TLV may be exceeded, mechanical ventilation such as local exhaust may be needed to maintain exposure levels below applicable limits.

Respiratory For operations where the TLV may be exceeded, a NIOSH approved organic vapor
Protection: respirator or supplied air respirator is recommended. Equipment selection depends on contaminant type and concentration, select in accordance with 29 CFR 1910.134 and good industrial hygiene practice.

Skin Wear gloves and long sleeves to avoid direct contact with skin.
Protection:

Eye Safety glasses with side shields or safety goggles.

Protection:

Other: Eye wash and safety shower should be available.

Section 9 PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point:	Not determined
Melting Point:	450 to 464 Degrees F (232 to 240 Degrees C)
Vapor Pressure:	Not determined
Vapor Density:	(Air = 1) Greater than 1
Volatile Components:	None
Solubility In Water:	Negligible
pH:	Not applicable
Specific Gravity:	9 to 11
Evaporation Rate:	Not applicable
Appearance:	Silver-gray wire metal
Odor:	None
Will Dissolve In:	Not applicable
Material Is:	Solid

Section 10 STABILITY AND REACTIVITY

Stability:	Stable.
Conditions To	Do not heat over 480 degrees F (250 degrees C).
Avoid:	
Hazardous	If overheated, oxides of tin and antimony.
Decomposition	
Products:	
Incompatibility/	None.
Materials To	
Avoid:	
Hazardous	Will not occur.
Polymerization:	

Section 11 TOXICOLOGICAL INFORMATION

Inhalation:	Fumes from soldering operations may be irritating to the respiratory system. Prolonged exposure to fumes may cause stannosis, a mild benign pneumoconiosis. Repeated inhalation of fumes may cause occupational asthma. Symptoms may be delayed.
Skin:	Fumes may cause irritation.
Eye:	Fumes may cause irritation.
Ingestion:	Ingestion may cause abdominal pain, nausea, vomiting, diarrhea, gastroenteritis, or internal cuts. Long term chronic ingestion may damage the liver, kidneys, nervous system and gastrointestinal system.
Toxicity Data:	No data available.
Sensitization:	None of the components are known to cause sensitization.
Carcinogenicity:	None of the components are listed as a carcinogen or suspect carcinogen by NTP, IARC or OSHA.
Mutagenicity:	None of the components have been found to be mutagenic.
Reproductive	None of the components are known to cause adverse reproductive effects.
Toxicity:	
Medical	Persons with pre-existing skin, lung, kidney or liver disorders may be at
Conditions	increased risk from exposure to the fumes of this product.
Aggravated By	
Exposure:	

Section 12 ECOLOGICAL INFORMATION

No data available. Keep out of waterways.

Section 13 DISPOSAL CONSIDERATIONS

Waste Disposal: Dispose of in accordance with federal, state, and local regulations. It is the responsibility of the end-user to determine at the time of disposal of the product.

RCRA Hazardous Waste Number: None

EPA Hazardous Waste ID Number: None

EPA Hazard Waste Number: None.

Section 14 TRANSPORT INFORMATION

DOT

UN/NA Number: None

Proper Shipping Name: Not regulated

Hazard Class: None

Packing Group: None

Hazard Labels: None

IMDG

UN Number: None

Proper Shipping Name: Not regulated

Hazard Class: None

Packing Group: None

Label: None

2008 North American Emergency Response Guidebook Number: Not applicable

Section 15 REGULATORY INFORMATION

Hazard Category for Acute and chronic health hazards.
Section 311/312:

Section 302 Extremely Hazardous Substances (TPQ): This product does not contain chemicals regulated under SARA Section 302.

Section 313 Toxic Chemicals: This product contains the following chemicals subject to SARA Title III Section 313 Reporting requirements:

Chemical	CAS #	% wt
Antimony	7440-36-0	3 - 7%

CERCLA 103 Reportable Quantity: This product contains no chemicals subject to CERCLA reporting.

California Proposition 65: This product does not contain any chemicals subject to California Proposition 65 regulations.

TSCA Inventory Canadian WHIMS Classification: All of the components of this product are listed on the TSCA inventory. Class D, Division 2, Subdivision B.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

Section 16 OTHER INFORMATION

NFPA and HMIS:

NFPA Hazard Signal: Health: 1 Flammability: 0 Reactivity: 0 Special: None

HMIS Hazard Signal: Health: 1 Flammability: 0 Reactivity: 0 PPE: B

Disclaimer:

The information herein has been compiled from sources believed to be reliable, up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources, and expressly do not make warranties, nor assume any liability for its use.

Template: tmpl-so-e1