



SAFETY DATA SHEET

According to the Hazard Communication Standard, 29 CFR 1910.1200

SDS # : 083569

KLEENOIL 440 A

Date of the previous version: 2015-07-08

Revision Date: 2015-07-08

Version 2

1. IDENTIFICATION

Product identifier

Product name KLEENOIL 440 A

Other means of identification

Product Code(s) 083569

Number 7R0
Substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Identified uses Lubricant. Industrial applications .

Uses advised against Do not use for any purpose other than the one for which it is intended

Details of the supplier of the safety data sheet

Supplier Address TOTAL Specialties USA Inc
1201 Louisiana Street, Suite 1800
Houston, TX 77002
Phone: +1 800 323 3198

Contact Point Technical/ HSEQ

E-mail Address USRMLIN-info@total.com

Emergency telephone number

Company Phone Number +1 (908) 862-9300
Emergency telephone CHEMTREC: +1 800 424 9300 (24h)

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label elements

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Version GNAM



SDS # : 083569

KLEENOIL 440 A

Date of the previous version: 2015-07-08

Revision Date: 2015-07-08

Version 2

Unknown Acute Toxicity

No information available

Hazards not otherwise classified (HNOC)

- None known

Other information

- Contaminated surfaces will be extremely slippery
- Should not be released into the environment

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

4. FIRST AID MEASURES**First aid measures for different exposure routes**

| | |
|-----------------------|---|
| General advice | IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE. |
| Eye contact | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If symptoms persist, call a physician. |
| Skin contact | Remove contaminated clothing and shoes. Wash off with soap and water. Wash contaminated clothing before reuse. High pressure jets may cause skin damage. |
| Inhalation | Move to fresh air in case of accidental inhalation of vapors. |
| Ingestion | If swallowed: Rinse mouth. Do NOT induce vomiting. |

Most important symptoms/effects, acute and delayed

| | |
|---------------------|---|
| Skin contact | Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent. |
| Eye contact | Not classified. |
| Inhalation | Not classified. |
| Ingestion | Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. |
| Symptoms | Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Itching. |

Version GNAM



SDS # : 083569

KLEENOIL 440 A

Date of the previous version: 2015-07-08

Revision Date: 2015-07-08

Version 2

Indication of immediate medical attention and special treatment needed, if necessary**Notes to physician** Treat symptomatically.**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media** Foam. Carbon dioxide (CO₂). ABC powder. Water spray or fog.**Unsuitable Extinguishing Media** Do not use a solid water stream as it may scatter and spread fire.**Special Hazard** Thermal decomposition can lead to release of irritating gases and vapors. Sulfur oxides. Phosphorous oxides. Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.**Explosion Data****Sensitivity to Mechanical Impact** None.
Sensitivity to Static Discharge None.**Protective Equipment and Precautions for Firefighters** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Evacuate non-essential personnel.**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures****General Information** Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Ensure adequate ventilation. Use personal protective equipment. Evacuate personnel to safe areas. Remove all sources of ignition.**Other information** See Section 12 for additional information.**Environmental precautions****General Information** Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained. Try to prevent the material from entering drains or water courses. See Section 12 for additional Ecological Information.**Methods and materials for containment and cleaning up****Methods for cleaning up** Dam up. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Use mechanical means such as pumps and absorbent materials.**7. HANDLING AND STORAGE****Precautions for safe handling**

Version GNAM



SDS # : 083569

KLEENOIL 440 A

Date of the previous version: 2015-07-08

Revision Date: 2015-07-08

Version 2

Advice on safe handling When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.

Hygiene measures Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions Keep away from food, drink and animal feedingstuffs. Keep in a banded area. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Keep in properly labeled containers. Keep away from open flames, hot surfaces and sources of ignition.

Materials to Avoid Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits . Contains no substances with occupational exposure limit values.

Exposure controls

Engineering Measures Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

General Information If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.

Eye/Face Protection If splashes are likely to occur, wear: Safety glasses with side-shields.

Skin and body protection Wear suitable protective clothing. Protective shoes or boots.

Hand Protection Hydrocarbon-proof gloves. Fluorinated rubber. Nitrile rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Version GNAM



SDS # : 083569

KLEENOIL 440 A

Date of the previous version: 2015-07-08

Revision Date: 2015-07-08

Version 2

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures

Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

9. PHYSICAL AND CHEMICAL PROPERTIES**Physical and chemical properties**

| | |
|----------------------|--------------------------|
| Appearance | limpid |
| Color | green |
| Physical State @20°C | liquid |
| Odor | Faint |
| Odor Threshold | No information available |

| <u>Property</u> | <u>Values</u> | <u>Remarks</u> | <u>Method</u> |
|------------------------------|--------------------------|---|--|
| pH | | Not applicable | |
| Melting point/range | | No information available | |
| Boiling point/boiling range | | No information available | |
| Flash point | > 204 °C > 399 °F | | Cleveland Open Cup (COC) ASTM D 92 Cleveland Open Cup (COC). ASTM D 92. |
| Evaporation rate | | No information available | |
| Flammability Limits in Air | | No information available | |
| upper | - | No information available | |
| Lower | - | No information available | |
| Vapor Pressure | | No information available | |
| Vapor density | | No information available | |
| Relative density | < 1 | @ 25 °C | ASTM D 1298 |
| Density | < 1000 kg/m ³ | @ 25 °C | ASTM D 1298 |
| Water solubility | | Insoluble | |
| Solubility in other solvents | | Soluble in many common organic solvents | |
| logPow | | No information available | |
| Autoignition temperature | | Not applicable | |
| Decomposition temperature | | No information available | |
| Viscosity, kinematic | > 198 mm ² /s | @ 40 °C | ASTM D 445 |
| Explosive properties | Not explosive | | |

Version GNAM



SDS # : 083569

KLEENOIL 440 A

Date of the previous version: 2015-07-08

Revision Date: 2015-07-08

Version 2

Oxidizing Properties Not applicable
Possibility of hazardous reactions Not applicable
Other information

Specific Gravity < 1 @ 25 °C
Freezing Point No information available

10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to Avoid Take precautionary measures against static discharges. Heat (temperatures above flash point), sparks, ignition points, flames, static electricity. Heat, flames and sparks. Strong oxidizing agents.

Incompatible Materials Strong oxidizing agents.

Hazardous Decomposition Products None under normal use. Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. Sulfur oxides. Phosphorous oxides.

11. TOXICOLOGICAL INFORMATION**Acute toxicity****Information on likely routes of exposure****Product Information**

Skin contact Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.

Eye contact Not classified.

Inhalation Not classified.

Ingestion Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity No information available

Information on toxicological effects

Version GNAM



SDS # : 083569

KLEENOIL 440 A

Date of the previous version: 2015-07-08

Revision Date: 2015-07-08

Version 2

Symptoms Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Itching.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Not classified as a sensitizer.
Carcinogenicity This product is not classified carcinogenic.

Mutagenicity This product is not classified as mutagenic.
Reproductive toxicity This product does not present any known or suspected reproductive hazards.
Aspiration Hazard Not classified.

12. ECOLOGICAL INFORMATION**Ecotoxicity****Acute aquatic toxicity - Product Information**

No experimental data available

Acute aquatic toxicity - Component Information

No information available

Chronic aquatic toxicity - Product Information

No experimental data available

Chronic aquatic toxicity - Component Information

No information available

Effects on terrestrial organisms No experimental data available .

Persistence and degradability

General Information No information available.

Bioaccumulative potential

Product Information No information available.

logPow No information available

Component Information No information available.

Version GNAM



SDS # : 083569

KLEENOIL 440 A

Date of the previous version: 2015-07-08

Revision Date: 2015-07-08

Version 2

Mobility

Soil Given its physical and chemical characteristics, the product has no soil mobility.
Air Loss by evaporation is limited
Water The product is insoluble and floats on water
Other adverse effects

General Information No information available

13. DISPOSAL CONSIDERATIONS**Waste treatment**

Waste Disposal Methods Dispose of in accordance with local regulations.

Contaminated packaging Dispose of in accordance with local regulations.

California Hazardous Waste Codes 221

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

MEX Not regulated

ICAO/IATA Not regulated

IMDG/IMO Not regulated

ADR/RID Not regulated

ADN Not regulated

15. REGULATORY INFORMATION**U.S. Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

| | |
|------------------------------|----|
| Acute Health Hazard | no |
| Chronic Health Hazard | no |

Version GNAM



SDS # : 083569

KLEENOIL 440 A

Date of the previous version: 2015-07-08

Revision Date: 2015-07-08

Version 2

| | |
|--|----|
| Fire Hazard | no |
| Sudden Release of Pressure Hazard | no |
| Reactive Hazard | no |

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any substances regulated as hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

No information available

16. OTHER INFORMATION

| | | | | |
|-------------|------------------------|-----------------------|--------------------------|--|
| NFPA | Health Hazard 1 | Flammability 1 | Instability 0 | Physical and chemical hazards - |
| HMIS | Health Hazard 1 | Flammability 1 | Physical Hazard 0 | Personal protection X |

NFPA (National Fire Protection Association)

HMIS (Hazardous Material Information System)

Hazards are split into categories each with a 0 to 4 rating, 0 meaning no hazard and 4 meaning high hazard

Revision Date: 2015-07-08

Revision Note No information available

Abbreviations, acronyms

Version GNAM



SDS # : 083569

KLEENOIL 440 A

Date of the previous version: 2015-07-08**Revision Date:** 2015-07-08**Version** 2

Legend

Section 8

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH - National Institute for Occupational Safety and Health

TLV - Threshold Limit Values

PEL - Permissible Exposure Limits

IDHL - Immediately Dangerous to Life or Health concentrations

TWA - Time Weight Average

STEL - Short Term Exposure Limits

S* - Skin notation

TSCA - Toxic Substance Control Act

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet

Version GNAM