

Product name	DUR-O-SET® ELITE Ultra		NAGH/EN
MSDS number	85707	Revision Date	Jun.22.2015
Revision Number	0.01	Issuing date	Jun.22.2015

1. Product and company identification

Trade Name

DUR-O-SET® ELITE Ultra

Celanese Ltd.

222 W. Las Colinas Blvd., Suite 900N
 Irving, TX 75039
 United States
 Phone: 972 443 4000
 Internet: www.celanese.com

Transportation emergency phone numbers:

In USA, call 800 424 9300
 Outside USA, call 703 527 3887, collect calls accepted.

2. Hazard Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200:

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard (29CFR 1910.1200)

3. Composition/information on ingredients

Chemical characterization Water-borne polymer emulsion.

Components	CAS-No	Percent %
Water	7732-18-5	45 - 55
Vinyl Acetate Ethylene Copolymer		45 - 55

4. First aid measures

General Information

Wash contaminated clothing before re-use.

Skin

Wash off with soap and water. If symptoms persist, call a physician.

Eyes

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Ingestion

If swallowed, seek medical advice immediately and show this container or label.

Product name	DUR-O-SET® ELITE Ultra		NAGH/EN
MSDS number	85707	Revision Date	Jun.22.2015
Revision Number	0.01	Issuing date	Jun.22.2015

5. Fire-fighting measures

Suitable extinguishing media

The product in solution form does not burn. The product will burn only after the water it contains is driven off. For dry polymer, use alcohol resistant foam, carbon dioxide (CO₂) or dry chemical.

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

Other Information

This is a water-based product and presents no particular fire or explosion hazard

6. Accidental release measures

Personal precautions

Contaminated surfaces will be extremely slippery. Avoid contact with the skin and the eyes.

Environmental precautions

Do not flush into surface water or sanitary sewer system.

Methods for cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Contaminated equipment (brushes, rags) must be cleaned immediately with water. Dispose of in accordance with local regulations.

7. Handling and storage

Advice on safe handling

Open containers in ventilated area.

Protection - fire and explosion:

No special protective measures against fire required.

Technical measures/Storage conditions

Keep tightly closed in a dry and cool place. No special technical protective measures required.

Material storage

Protect from frost. Keep at temperatures between 5°C and 35°C (40°F and 95°F). Agitate before use. Keep tightly closed in a dry and cool place.

Incompatible products

No special restrictions on storage with other products

8. Exposure controls / personal protection

OSHA Exposure Limits

No exposure limits established.

ACGIH Exposure Limits

No exposure limits established.

Product name DUR-O-SET® ELITE Ultra
MSDS number 85707
Revision Number 0.01

NAGH/EN

Revision Date Jun.22.2015
Issuing date Jun.22.2015

Mexico National Exposure Limits

No exposure limits established

Exposure controls

Engineering measures

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Protective equipment

A safety shower and eyebath should be readily available.

General advice

Avoid contact with skin and eyes.

Skin protection:

Wear impervious clothing and gloves when there is a reasonable chance for skin contact..

Eye/face protection:

safety glasses with side-shields.

9. Physical and chemical properties

Appearance

Form	liquid
Color	milky white
Odor	sweet
Freezing point	Approx. 32 F°C (212°F)
pH	4 - 5
Specific Gravity	1.05

10. Stability and reactivity

Chemical stability

Stable under recommended storage conditions

Conditions to avoid

Do not freeze

Incompatible Materials

Materials that react with water

Product name	DUR-O-SET® ELITE Ultra		NAGH/EN
MSDS number	85707	Revision Date	Jun.22.2015
Revision Number	0.01	Issuing date	Jun.22.2015

Possibility of hazardous reactions
 No hazards to be especially mentioned.

11. Toxicological information

Potential health effects

Routes of exposure Skin, eyes, ingestion

Immediate effects

- Skin** Prolonged or repeated exposure may cause: Essentially non-irritating.
- Eyes** May cause eye irritation.
- Ingestion** May cause gastrointestinal irritation.

Toxicological data are not available. Observe the usual hygienic measures for handling chemicals.

12. Ecological Information

Ecotoxicological data are not available. According to experience, the material has no harmful effect on the environment.

13. Disposal considerations

Disposal considerations

Dispose of spilled material in accordance with state and local regulations for waste that is non-hazardous by Federal definition. Note that this information applies to the material as manufactured; processing, use, or contamination may make this information inappropriate, inaccurate, or incomplete.

Note that this handling and disposal information may also apply to empty containers, liners and rinsate. State or local regulations or restrictions are complex and may differ from federal regulations. This information is intended as an aid to proper handling and disposal; the final responsibility for handling and disposal is with the owner of the waste.

14. Transport information

US Department of Transportation Not regulated

TDG Not regulated

ICAO/IATA Not restricted

IMDG Not regulated

Safety Data Sheet



Product name	DUR-O-SET® ELITE Ultra		NAGH/EN
MSDS number	85707	Revision Date	Jun.22.2015
Revision Number	0.01	Issuing date	Jun.22.2015

For industrial use only. The information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. Celanese makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances. Effects can be aggravated by other materials and/or this material may aggravate or add to the effects of other materials. This material may be released from gas, liquid, or solid materials made directly or indirectly from it. User has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. User must meet all applicable safety and health standards. Material safety data sheets are provided on the Internet by Celanese as a service to its customers. Possession of an Internet MSDS does not indicate that the possessor of the MSDS was a purchaser or user of the subject product.