

Metrex Research Corporation
MATERIAL SAFETY DATA SHEET

Effective Date: July 2008

PRODUCT INFORMATION

TRADE NAME:
CaviWipes

PRODUCT USE:
Disinfectant Solution

MANUFACTURER: Metrex Research Corporation

Metrex Research Corporation
1717 West Collins Avenue
Orange, CA 92867
USA

SUPPLIER: VDI Health Care
250 First Gulf Boulevard
Brampton ON L6W4T5
Canada

Tel: (714) 516-7400
Fax: (714) 516-7904

Tel: (905) 796-3365
Fax: (905) 796-7818

EMERGENCY PHONE:

(USA) – Chemtrec: 1 (800) 424-9300 (24 hours)
(Canada) – Canutec: 1 (613) 996-6666 (24 hours)

MOLECULAR WEIGHT: Not applicable, mixture
DIN: 02242209

CHEMICAL NAME: Mixture

CHEMICAL FAMILY: Not applicable, mixture

CHEMICAL FORMULA: Not applicable, mixture

HAZARDOUS INGREDIENTS

	% BY WT.	CAS NO.	ACUTE LETHALITY
Isopropanol	10.0 to 20.0	67-63-0	LD ₅₀ (oral, rat) = 4710 mg/kg
Butyl Cellosolve	1.0 to 5.0	111-76-2	LD ₅₀ (oral, rat) = 790 mg/kg
Hyamine 1622	0.1 to 1.0	121-54-0	LD50 (oral, rat) = 420 mg/kg

PHYSICAL DATA

PHYSICAL STATE: Liquid

BOILING POINT: 88 °C

MELTING POINT: -10 °C

VAPOUR DENSITY: Same as water

SPECIFIC GRAVITY: 0.974

% VOLATILE BY VOLUME: not available

pH: 11.0 - 12.49

ODOUR THRESHOLD: not available

CaviWipesEffective Date : July 2008
Page 2 of 4**VAPOUR PRESSURE (mm Hg @ 20 °C):** Similar to water**EVAPORATION RATE:** not established**COEFFICIENT OF WATER/OIL DISTRIBUTION:** not available**APPEARANCE AND ODOUR:** Clear to amber liquid with minty odour

FIRE OR EXPLOSION HAZARD

FLASH POINT: 28 °C (83 °F)**LOWER EXPLOSIVE LIMIT:** not applicable**UPPER EXPLOSIVE LIMIT:** not applicable**METHOD:** Closed cup**AUTO-IGNITION TEMPERATURE:** not applicable**MEANS OF EXTINGUCTION:** not applicable**SPECIAL FIRE FIGHTING PROCEDURES:** not applicable**HAZARDOUS COMBUSTION PRODUCTS:** Oxides of nitrogen and carbon, low molecular weight volatile organic compounds.**EXPLOSION DATA:** not applicable**SENSITIVITY to MECHANICAL IMPACT:** none known**SENSITIVITY to STATIC DISCHARGE:** none known

REACTIVITY DATA

STABILITY AT ROOM TEMPERATURE: This product is a stable solution within a closed container under normal conditions of storage and use.**INCOMPATIBLE MATERIALS:** Avoid contact with acids.**CONDITIONS of REACTIVITY:** Avoid temperatures above 50 °C; do not allow significant evaporation.**HAZARDOUS DECOMPOSITION PRODUCTS:** oxides of carbon

TOXICOLOGICAL PROPERTIES

OCCUPATIONAL EXPOSURE LIMITS:

	ACGIH TLV-TWA**	TWAEV*
Isopropanol	400 ppm	400 ppm
Butyl cellosolve	25 ppm	25 ppm
Hyamine 1622	not established	not established

NOTE: * Time-weighted average exposure value limits as published in Ont. Reg. 833/90 (as amended by Ont. Reg. 513/92) REGULATION RESPECTING CONTROL OF EXPOSURE TO BIOLOGICAL OR CHEMICAL AGENTS.

** Threshold Limit Value of American Conference of Governmental Industrial Hygienists is concentration that cannot be exceeded during an eight-hour exposure.

CaviWipesEffective Date : July 2008
Page 3 of 4**EFFECTS OF ACUTE EXPOSURE TO PRODUCT (Routes of entry):**

INHALATION: Low to mild irritant. Inhalation of vapours at moderate concentrations may cause nose, throat and respiratory tract irritation, nausea and headaches. Inhalation of vapours at extremely high concentrations (above exposure guidelines) may result in CNS depression.

EYE CONTACT: Vapours are irritating to the eyes and may cause reversible eye damage.

SKIN CONTACT/ABSORPTION: Not considered an irritant.

INGESTION: May be harmful if swallowed.

EFFECTS OF CHRONIC EXPOSURE TO PRODUCT: Repeated skin contact may cause dermatitis.

SENSITIZATION TO PRODUCT: No evidence of skin or respiratory sensitization.

CARCINOGENICITY: TERATOGENICITY: REPRODUCTIVE TOXICITY: No reported evidence of carcinogenicity or reproductive toxicity.

PREVENTIVE MEASURES

HANDLING PROCEDURES and EQUIPMENT: Avoid eye contact. Do not breathe fumes, vapours or spray mist released from this product. Do not ingest. Do not use this product at elevated temperatures. Washing facilities should be readily available when using this product. Wash thoroughly after handling and before eating, drinking or smoking. Avoid contamination of food.

PERSONAL PROTECTIVE EQUIPMENT

EYES: Not required if used as directed.

SKIN: Not required if used as directed.

RESPIRATORY: Use in a well-ventilated area.

ENGINEERING CONTROLS: General mechanical and local exhaust ventilation to maintain airborne concentrations below occupational exposure limits. If ventilation is insufficient, wear suitable respiratory protection.

STORAGE REQUIREMENTS: Keep containers tightly closed. Store in a cool, dry well ventilated area, away from acids, alkalines and oxidizers. Do not store with incompatible materials. Protect containers from damage.

SPILL or LEAK PROCEDURE: Stop discharge and contain spill. Ventilate area. Keep others at a safe distance. Wear protective equipment listed above. Absorb remaining product with an inert absorbent. Dumping into sewer, onto the ground, or into any body of water may be prohibited by local sewer use by-laws. Wash residue from spill with water and dispose of according to local, provincial or federal regulations.

WASTE DISPOSAL: Wastes must be disposed of according to local, provincial or federal regulations.

CaviWipes

Effective Date : July 2008
Page 4 of 4**SPECIAL SHIPPING INFORMATION:****DOT:**

This product is not regulated by DOT for ground transportation under the aqueous alcohol exemption per 49 CFR 173.150 (E)(1)(2).

IATA, IMO:

Proper Shipping Name: Alcohol n.o.s. (Isopropanol, aqueous solution)
Hazard Class: 3
Identification Number: 1987
Packaging Group: III
Label: Flammable Liquid

FIRST AID

EYE: Immediately flush eyes with running water for a minimum of 20 minutes while forcing eyelids open during flush. Take care not to rinse contaminated water into the non-affected eye. Always seek medical attention for accidents involving the eyes.

SKIN: Wash affected areas with soap and running water for a minimum of 15 minutes while removing clothing. Launder contaminated clothing before reuse. Get medical attention if irritation persists.

INHALATION: Take proper precautions to ensure your own safety before attempting to rescue. Remove source of contamination or move victim to fresh air. Give artificial respiration if not breathing, and get immediate medical attention.

INGESTION: Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. If conscious, give 2 or 3 glasses of water. Aspiration of liquid into lungs during ingestion or vomiting may cause severe pulmonary injury or death. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into lungs. Immediately contact local Poison Control Centre to obtain medical attention.

PREPARATION INFORMATION

PREPARED BY: SYBRON DENTAL SPECIALTIES (714) 516-7400

NOTICE:

This information is furnished for Metrex Research Corporation at no charge, independent of any sale of the product, and subject to the user's investigation and verification. While this data is believed to be correct, Metrex Research Corporation makes no warranties, guarantees, or representations of any kind with respect to the product or to this information, either expressed or implied, and whether arising by law or otherwise, including but not limited to any implied warranty of merchantability or fitness for any particular purpose. Metrex Research Corporation shall in no event be liable for any personal injury, property or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon this information.