

CHEMICAL NAME(S)

DeoxIT® GOLD GX2

CAS No.

TRADE SECRET

RTECS No.

MATERIAL SAFETY DATA SHEET

TLV

ppm

NE

STEL

ppm

NE

PEL

ppm

NE

STEL

ppm

NE

IDLH

ppm

NE

Page 1 of 7 MSDS-E-GX2

Prep	pared to OSHA, ACC, A	ANSI, WHMIS & 2001/58 EC Stand	dards	MSDS R	evision: 1.0	MS	DS Revisio	on Date: 1	11/15/20)05
1.	PRODUCT IDEN	TIFICATION			C	CHEMICA	L RESPO	ONSE C	ARD:	03
1.1	Product Name:	DeoxIT® GOLD GX2	(Experime	ntal)	R	ESPONSE		\sqrt{m}		
1.2	Chemical Name:	See ingredients listed in section			TI	EAM PPE:	lacksquare			
1.3	Synonyms:	DeoxIT® GOLD GX2				// IN ALC	T			
1.4	Trade Names:	DeoxIT® GOLD GX2 (see list b	elow)		V	VHMIS:				
1.5	Product Use:	Conditioner, enhancer & prot	ector for contac	ts & con	nectors	IEALTH:				0
1.6	Manufacturer's Name:	CAIG Laboratories, Inc. FLAMMABILITY: 0						0		
1.7	Manufacturer's Address:	12200 Thatcher Court, Poway, CA 92064-6876 REACTIVITY: 0						0		
1.8	Business Phone:	+1 (800)-224-4123 PERSONAL PROTECTION: A						Α		
1.9	Emergency Phone:	CHEMTREC 1-800-42	4-9300/1-7	03-52	7-3887					
1.10	Other Product Names:	DeoxIT® GOLD GX2, 2 ml (Par DeoxIT® GOLD GX2, 7.4 ml (Par DeoxIT® GOLD GX2, 12 ml (Par DeoxIT® GOLD GX2, 25 ml (Par DeoxIT® GOLD GX2 PEN, 7 ml DeoxIT® GOLD GX2 WIPES, 50 DeoxIT® GOLD GX2, 236 ml (Par DeoxIT® GOLD GX2, 30 L (Par	art No. GX2-2DB) Irt No. GX2-12C) Irt No. GX2-25C) (Part No. GX2P) count (Part No. art No. GX2-8) art No. GX2-32)		v)					
		1								
		2. COMPOSITION	ON & INGRE	DIENT	INFORM	<u>IATION</u>				
						EXPOSURE I				
					ACGII	Η	OSF	łΑ	(OTHER

NA = Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used NOTE: all WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-1998 format.

EINECS No.

100

UNK



Page 2 of 7

MSDS-E-GX2

Prep	Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 11/15/2005								
	3. HAZARD IDENTIFICATION								
3.1	Hazard Identification: DeoxIT® GOLD G	X2 is non-volatile, non-h							
3.2	Routes of Entry:		Inhalation:	YES	Absorption:	YES	Ingestio	n:	YES
3.3	Effects of Exposure: EYES: SKIN: INGESTION: INHALATION:	Mild to moderate irrita Prolonged or repeated Gastrointestinal irritatio Central nervous system	d contact may cause on & discomfort.		•		r rash).		
3.4	Symptoms of Overexpo EYES: SKIN: INGESTION: INHALATION:	osure: Mild irritation, redness, Contact dermatitis, ch Nausea, vomiting, and Mouth, nose, and throa	aracterized by locali I diarrhea.			_	s, and loss o	of coordinatio	n.
3.5	Acute Health Effects: EYES: Mild to moderate irritation. SKIN: Repeated exposure at site of contact may cause contact dermatitis (localized redness or rash). INGESTION: Gastrointestinal irritation and central nervous system depression. INHALATION: Central nervous system depressant. Irritating to the upper respiratory tract.								
3.6	Chronic Health Effects: None reported by the manufacturer.								
3.7	Target Organs: Eyes and skin.								
	4. FIRST AID MEASURES								
4.1									
	SKIN: Remove contaminated clothing and wash affected areas with soap and water. If irritation persists, seek prompt medical attention. Do not wear contaminated clothing until after it has been properly cleaned.								
	INGESTION: Do not induce vomiting! Drink plenty of water. If irritation persists, contact a physician. Remove victim to fresh air at once. If breathing is difficult, administer supplemental oxygen and seek immediate medical attention. If breathing stops, perform artificial respiration.						mediate		
4.2	Medical Conditions Ag					HEALTH			0
	wone reported by	the manufacturer.				FLAMMA	ABILITY		0
						REACTIV	/ITY		0
					<u> </u>	PROTEC	TIVE EQI	UIPMENT	Α
						EYES			



Use as necessary to prevent skin contact.

MATERIAL SAFETY DATA SHEET

Page 3 of 7

MSDS-E-GX2

10	224 AH20 at bare	ANSI, WHMIS & 2001/	'58 FC Standards	MSDS	Revision: 1.0	N.	ISDS Pavis	on Date: 11	/15/2005
	pared to Osha, ACC,	ANSI, WHIVIIS & 2001/	38 EC Standards	INISDS	Revision: 1.0	I IV	ISDS KEVIS	on Date: 11	/ 15/2005
			5. FIREFIGHT	ING MEA	SURES				
1	Flashpoint & Method:								
	> 310 °C (590 °F)								
2	Autoignition Temperature NA	:							
3	Flammability Limits:		Lower Explosive Lim	it (LEL):	ND	Upper Exi	olosive Lim	nit (UEL):	ND
1	Fire & Explosion Hazards:		1						
	Carbon dioxide, ca	ırbon monoxide, hydı	ocarbons.						
5	Extinguishing Methods:								
	CO ₂ , Alcohol foam	Dry Chemical, Water	Fog						
5	Firefighting Procedures: Wear NIOSH/MSHA approved self-contained breathing apparatus and protective clothing. Use a water spray to cool containers involved in fire. Do not use direct water stream. Container storage areas exposed to direct flame contact should be cooled with large quantities of water as needed to prevent weakening of container structure. Keep containers cool until well after the fire is out to prevent rupture. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway.								
		6.	ACCIDENTAL	RELEASE I	MEASURE	S			
	or commercial abs	orbent material Plac							
	the spill to prevent and/or reporting re	runoff into sewers, d	e into leak-proof, apprains, and all waterw		ners. If neces	ssary, cove	er all drain	s and dike v	vell ahead
		runoff into sewers, d quirements.		ays. Contact	ners. If neces	ssary, cove local or p	er all drain	s and dike v	
.1	and/or reporting re Work & Hygiene Practice	runoff into sewers, d quirements. 7. H	rains, and all waterw	ORAGE IN	ners. If necess appropriate	local or p	er all drain provincial	s and dike v authorities fo	vell ahead or assistan
.1	work & Hygiene Practice Wash hands thorouskin contact. Storage & Handling: Store at temperature	runoff into sewers, d quirements. 7. H ghly after using this p res between 59 °F ar	ANDLING & STO	ORAGE IN ting, drinking,	appropriate IFORMAT or smoking. I	ION	er all drain provincial	s and dike value of the second	vell ahead or assistan nt prolong
2	work & Hygiene Practice Wash hands thorouskin contact. Storage & Handling: Store at temperatuopen flame, and of	runoff into sewers, d quirements. 7. H ghly after using this p res between 59 °F ar	ANDLING & STO	ORAGE IN ting, drinking,	appropriate IFORMAT or smoking. I	ION	er all drain provincial	s and dike value of the second	vell aheac or assistar nt prolong
	work & Hygiene Practice Wash hands thorouskin contact. Storage & Handling: Store at temperatuopen flame, and of	runoff into sewers, dequirements. 7. H ghly after using this p res between 59 °F ar her sources of ignition nay contain product r	ANDLING & STO	ORAGE IN ting, drinking, 5 °C) in a dry -3 years.	IFORMAT or smoking. I	ION Remove so	er all drain provincial piled clothi	s and dike value of the second	vell ahead or assistan nt prolong
2	work & Hygiene Practice Wash hands thorouskin contact. Storage & Handling: Store at temperatuopen flame, and of	runoff into sewers, dequirements. 7. H ghly after using this p res between 59 °F ar her sources of ignition ay contain product r 8. EXPOS	ANDLING & STO	ORAGE IN ting, drinking, 5 °C) in a dry -3 years.	IFORMAT or smoking. I	ION Remove so	er all drain provincial piled clothi	s and dike value of the second	vell ahead or assistar nt prolong
3	work & Hygiene Practice Wash hands thorous kin contact. Storage & Handling: Store at temperature open flame, and of special Precautions: Empty containers in Ventilation & Engineering Use with adequate	runoff into sewers, dequirements. 7. H ghly after using this p res between 59 °F ar her sources of ignition ay contain product r 8. EXPOS Controls: e ventilation (e.g., of	ANDLING & STO	ORAGE IN ting, drinking, 5 °C) in a dry 3 years.	IFORMAT or smoking. I , well-ventila	ION Remove so	er all drain provincial biled clothi	s and dike vauthorities for authorities for au	nt prolong
3	work & Hygiene Practice Wash hands thorous kin contact. Storage & Handling: Store at temperature open flame, and of special Precautions: Empty containers in Ventilation & Engineering Use with adequate	runoff into sewers, dequirements. 7. H ghly after using this p res between 59 °F ar her sources of ignition ay contain product r 8. EXPOS Controls: e ventilation (e.g., of	ANDLING & STO	ORAGE IN ting, drinking, 5 °C) in a dry 3 years.	IFORMAT or smoking. I , well-ventila	ION Remove so	er all drain provincial biled clothi	s and dike vauthorities for authorities for au	nt prolong
3	work & Hygiene Practice Wash hands thorous kin contact. Storage & Handling: Store at temperatu open flame, and of Special Precautions: Empty containers in Ventilation & Engineering Use with adequate equipment is availar Respiratory Protection:	runoff into sewers, dequirements. 7. H ghly after using this p res between 59 °F ar her sources of ignition ay contain product r 8. EXPOS Controls: e ventilation (e.g., of	ANDLING & STO	ORAGE IN ting, drinking, 5 °C) in a dry 3 years.	IFORMAT or smoking. I , well-ventila	ION Remove so	er all drain provincial biled clothi	s and dike vauthorities for authorities for au	nt prolong
3	work & Hygiene Practice Wash hands thorous kin contact. Storage & Handling: Store at temperature open flame, and of special Precautions: Empty containers in Ventilation & Engineering Use with adequate equipment is availate Respiratory Protection: None required, who	runoff into sewers, dequirements. 7. H ghly after using this p res between 59 °F ar her sources of ignition ay contain product r 8. EXPOS Controls: e ventilation (e.g., op able (e.g., sink, safety) en used with adequat	ANDLING & STO	ORAGE IN ting, drinking, 5 °C) in a dry -3 years. S & PERSO ows, local exation).	IFORMAT or smoking. I , well-ventila	ION Remove so	er all drain provincial biled clothi	s and dike vauthorities for authorities for au	nt prolong
3 1 2 3	work & Hygiene Practice Wash hands thorous kin contact. Storage & Handling: Store at temperature open flame, and of special Precautions: Empty containers in Ventilation & Engineering Use with adequate equipment is availate Respiratory Protection: None required, who eye Protection: Wear safety glasses	runoff into sewers, dequirements. 7. H ghly after using this p res between 59 °F ar her sources of ignition ay contain product r 8. EXPOS Controls: e ventilation (e.g., op able (e.g., sink, safety) en used with adequat	ANDLING & STO	ORAGE IN ting, drinking, 5 °C) in a dry -3 years. S & PERSO ows, local exation).	IFORMAT or smoking. I , well-ventila	ION Remove so	er all drain provincial biled clothi	s and dike vauthorities for authorities for au	nt prolong
3	work & Hygiene Practice Wash hands thorous kin contact. Storage & Handling: Store at temperatu open flame, and of Special Precautions: Empty containers in Ventilation & Engineering Use with adequate equipment is availar Respiratory Protection: None required, who experies the safety glasses. Hand Protection:	runoff into sewers, dequirements. 7. H ghly after using this p res between 59 °F ar her sources of ignition ay contain product r 8. EXPOS Controls: e ventilation (e.g., ophole (e.g., sink, safety) en used with adequates with side shields (AN er normal conditions	ANDLING & STO	ORAGE IN ting, drinking, 5 °C) in a dry -3 years. S & PERSO ows, local exation).	IFORMAT or smoking. I , well-ventila DNAL PRO haust ventila	ION Remove so ted location TECTIO tion). Ens	er all drain provincial biled clothi on. Keep	ng to preve away from	nt prolong heat, spai



Page 4 of 7
MSDS-E-GX2

rep	pared to OSHA, ACC, ANSI, WHI	MIS & 2001/58 EC Standards	MSDS Revision: 1.0	MSDS Revision Date: 11/15/2005
		0 DHVSICAL 8. CH	IEMICAL PROPERTIES	
.1	Density:	0.72	IEIVIICAL PROPERTIES	
.2	Boiling Point:	> 280 °C (536 °F)		
3	Melting Point:	` ′		
4	Evaporation Rate:	NA NA		
5	Vapor Pressure:			
5	Molecular Weight:	< 0.01 mm Hg @ 20 °C (68 °F)		
7	Appearance & Color:	NA Light valley		
3	Odor Threshold:	Light yellow		
9	Solubility:	Ethereal/hydrocarbon odor		
10	Ph	Not soluble in water		
11		NA		
	Viscosity:	5.4 – 7.5 cSt @ 104 °F	- (
12	Other Information:	Surface protection up to 537 °C	C (1000 °F)	
		10. STABILITY	/ & REACTIVITY	
).1	Stability:	Stable under normal condition	s of use (see section 7).	
0.2	Hazardous Decomposition Products:		osure to ultraviolet light or e	exceeding shelf life. Will not degrade
0.3	Hazardous Polymerization:	Will not occur.		
0.4	Conditions to Avoid:			F) or other heat sources, and proximity
0.5	Incompatible Substances:	Strong oxidizers.		
1.1	Toxicity Data:	<u> </u>	oduct, which are found in the	cological data. There are toxicology da scientific literature. These data have
1.2	Acute Toxicity:	See section 3.5		
1.3	Chronic Toxicity:	See section 3.6		
.4	Suspected Carcinogen:	NE		
.5	Reproductive Toxicity:	This product is not reported to	produce reproductive toxicity	in humans.
	Mutagenicity:	This product is not reported to		
	Embryotoxicity:	This product is not reported to		
	Teratogenicity:	This product is not reported to		
	Reproductive Toxicity:	This product is not reported to	produce reproductive effects	in humans.
1.6	Irritancy of Product:	See Section 3.3		
1.7	Biological Exposure Indices:	NE		
.8	Physician Recommendations:	Treat symptomatically.		
		12. FCOLOGIC	AL INFORMATION	
2.1	Environmental Stability:			this product will slowly decompose in
2.2	Effects on Plants & Animals:	There is no specific data availa	able for this product.	
2.3	Effects on Aquatic Life:			to be harmful or fatal to overexpos
		13. DISPOSAI (CONSIDERATIONS	
3.1	Waste Disposal:	n federal, state or local regulation		
			-3-	



Page 5 of 7

MSDS-E-GX2

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 11/15/2005 14. TRANSPORTATION INFORMATION The basic description (proper shipping name, hazard class & division, ID Number, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): 14.1 **NOT REGULATED** 14 2 IATA (AIR) **NOT REGULATED** 14.3 IMDG (OCN): **NOT REGULATED** 14.4 TDGR (Canadian GND): **NOT REGULATED** 14.5 ADR/RID (EU): **NOT REGULATED** 15. REGULATORY INFORMATION SARA Reporting Requirements: 15.1 15.2 SARA Threshold Planning Quantity: 15.3 TSCA Inventory Status: All chemical substances of this product are listed on the TSCA inventory or are otherwise exempt from inventory status. 15.4 CERCLA Reportable Quantity (RQ): NA Other Federal Requirements: 15.5 NΑ 15.6 Other Canadian Regulations This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. 15.7 State Regulatory Information: The primary component of this product is not listed on the following state lists: California OSHA; California Proposition 65; Massachusetts Right to Know List of Chemicals; New Jersey Right to Know List 8:59 Appendix A; Pennsylvania Hazardous Substances List 34 323 Appendix A; Wisconsin Hazardous Substances List NR 605.09; Minnesota Hazardous Substances List; and Florida Toxic Substances List. 15.8 67/548/EEC (European Union) Requirements: The primary component of this product is not listed in Annex I of EU Directive 67/548/EEC.



http://www.shipmate.com/

MATERIAL SAFETY DATA SHEET

Page 6 of 7

MSDS-E-GX2

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 11/15/2005 16. OTHER INFORMATION 16.1 Other Information: NΑ 16.2 Terms & Definitions: See page 7 of this MSDS. 16.3 This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & CAIG Laboratories, Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not quaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. Prepared for: 16.4 CAIG Laboratories, Inc. 12200 Thatcher Court Poway, CA 92064-6876 +1 (800) CAIG-123 (244-4123) phone +1 (858) 486-8398 fax http://www.caig.com/ 16.5 Prepared by: ShipMate, Inc. 18436 Hawthorne Blvd., Suite 201 Torrance, CA 90504 310-370-3600 phone 310-370-5700 fax



Page 7 of 7

MSDS-E-GX2

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 11/15/2005

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDs. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS NO. Chemical Abstract Service Number	CAS No.	Chemical Abstract Service Number
--	---------	----------------------------------

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
TLV	Threshold Limit Value
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
IDLH	Immediately Dangerous to Life and Health

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person
	whose heart has stopped receives manual chest
	compressions and breathing to circulate blood and provide
	oxygen to the body.


HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:


0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:







OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus


NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:

Autoignition	Minimum temperature required to initiate combustion
Temperature	in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by
	volume, that will explode or ignite in the presence of
	an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air,
	by volume, that will explode or ignite in the presence of
	an ignition source

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
-₩ -	Use No Water
OX	Oxidizer



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{lo}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or
TC, TC _o , LC _{lo} , & LC _o	toxic effects
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL _m	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				

EC INFORMATION:

T.		*	*		&	X	X
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful