Issued: Jun-06-2013

SAFETY DATA SHEET

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product Name: Biaxin Filmtab 250mg

Synonyms: Biaxin 250 mg Tablets; Biaxin Tablets; Clarithromycin tablets, 250 mg; KLARICID

250 mg; Claritromicina 250 mg; KLACID 250 mg; ZECLAREN 250 mg; ZECLAR

250 mg

List Number: 3368; B3368; 8813; 4338; L214

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Pharmaceuticals

1.3 Details of the supplier of the safety data sheet

Supplier: AbbVie Inc.

1 North Waukegan Road North Chicago, IL 60064

USA

1-800-255-5162 +1-847-937-7433

Customer Service Telephone: 1-800-255-5162 (US and Canada only)

+1-847-937-7433

E-mail Address: AbbVie.SDS@abbvie.com

1.4 Emergency telephone number

Emergency Telephone: CHEMTREC: 1(800) 424-9300 (in USA and Canada)

or +1-703-527-3887 (international)

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Regulation (EC) No 1272/2008

Acute oral toxicity Category 4

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Indication of danger: Xn - Harmful

Risk Phrases: R22 - Harmful if swallowed

2.2 Label elements

Issued: Jun-06-2013

Section 2. Hazards identification



Signal Word: Warning

Hazard Statements: H302 - Harmful if swallowed

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if

you feel unwell P330 - Rinse mouth

P501 - Dispose of contents/container to an approved waste disposal plant

2.3 Other hazards

Not determined

Section 3. Composition/information on ingredients

Chemical Name	Percent	EINECS/ELINCS Number	EEC Classification	EU - GHS Substance Classification	REACH No.
Clarithromycin 81103-11-9	40-60	NA	Xn, R22	Acute Tox. 4 (H302)	No data available
Cellulose Microcrystalline 9004-34-6	10-20	Present		Not Hazardous*	No data available
Starch 9005-25-8	0-20	Present		Not Hazardous*	No data available
Croscarmellose Sodium 9000-11-7	1-10	NA		Not Hazardous*	No data available
Kollidon 9003-39-8	1-10	NA		Not Hazardous*	No data available
Talc, Nonasbestos Containing 14807-96-6	1-10	Present		Not Hazardous*	No data available
Stearic Acid 57-11-4	1-5	Present		Not Hazardous*	No data available
Hydroxypropyl Methylcellulose 9004-65-3	0-5	NA		Not Hazardous*	No data available
Propylene Glycol 57-55-6	1-5	Present		Not Hazardous*	No data available
Colloidal Silicon Dioxide 7631-86-9	1-5	Present		Not Hazardous*	No data available
Magnesium Stearate 557-04-0	1-5	Present		Not Hazardous*	No data available
Titanium Dioxide 13463-67-7	0.1-1	Present		Not Hazardous*	No data available

Issued: Jun-06-2013

Not Hazardous* - Based on available data, not classified as hazardous according to the criteria of the Globally Harmonized System.

For the full text of the R-phrases mentioned in this Section, see Section 16

For the full text of the H-Statements mentioned in this Section, see Section 16

Section 4. First aid measures

4.1 Description of first aid measures

Eye Contact: Remove from source of exposure. Flush with copious amounts of water. If irritation

persists or signs of toxicity occur, seek medical attention. Provide

symptomatic/supportive care as necessary.

Skin Contact: Remove from source of exposure. Flush with copious amounts of water. If irritation

persists or signs of toxicity occur, seek medical attention. Provide

symptomatic/supportive care as necessary.

Inhalation: Remove from source of exposure. If signs of toxicity occur, seek medical attention.

Provide symptomatic/supportive care as necessary.

Ingestion: Remove from source of exposure. If signs of toxicity occur, seek medical attention.

Provide symptomatic/supportive care as necessary.

Protection of First-aiders: Use personal protective equipment

4.2 Most important symptoms and effects, both acute and delayed

Signs and Symptoms: None known from occupational exposure. Clinical data suggests the following:

diarrhea, nausea, vomiting, headaches, abnormal liver function, abnormal kidney

function, gastrointestinal upset, taste alterations.

Medical Conditions

Aggravated by Exposure:

None known from occupational exposure. Data suggest any pre-existing ailments in

the following organs: kidney, liver, gastrointestinal system. Hypersensitivity to the

material and/or similar materials. Pregnancy.

4.3 Indication of any immediate medical attention and special treatment needed

Notes To Physician: Treat symptomatically

Additional Information: Clarithromycin: Pseudomembranous colitis has been reported with use of nearly all

antibiotics including clarithromycin.

Section 5. Firefighting measures

5.1 Extinguishing Media

Suitable Extinguishing Media: Use extinguishing agent suitable for type of surrounding fire

Unsuitable Extinguishing Media: Not determined

5.2 Special hazards arising from the substance or mixture

Special Exposure Hazards: Not determined

5.3 Advice for firefighters

Issued: Jun-06-2013

Protective Equipment and Precautions for Firefighters:

As in any fire, wear self-contained breathing apparatus and full protective gear

Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions: For personal protection see section 8

6.2. Environmental precautions

Environmental Precautions: Contain material and prevent release to waterways or soil.

6.3. Methods and material for containment and cleaning up

Methods for Cleaning Up: Recover product and place in an appropriate container for disposal.

6.4. Reference to other sections

Refer to Sections 8, 12, and 13 for further information.

Section 7. Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Store according to label instructions

7.3. Specific end use(s)

Recommended use: Pharmaceuticals

Section 8. Exposure controls/personal protection

8.1. Control parameters

Exposure limits:

Chemical Name	Employee Exposure Limit	Skin Notation
Clarithromycin 81103-11-9	1 mg/m ³	None
Cellulose Microcrystalline 9004-34-6	Not Applicable	None
Starch 9005-25-8	Not Applicable	None
Croscarmellose Sodium 9000-11-7	Not Applicable	None
Kollidon 9003-39-8	Not Applicable	None
Talc, Nonasbestos Containing 14807-96-6	Not Applicable	None
Stearic Acid 57-11-4	Not Applicable	None

Product Name: Biaxin Filmtab 250mg Issued: Jun-06-2013

Hydroxypropyl Methylcellulose 9004-65-3	Not Applicable	None
Propylene Glycol 57-55-6	Not Applicable	None
Colloidal Silicon Dioxide 7631-86-9	Not Applicable	None
Magnesium Stearate 557-04-0	Not Applicable	None
Titanium Dioxide 13463-67-7	Not Applicable	None

Chemical Name	ACGIH TLV	France	German MAK	Ireland	Italy
Cellulose Microcrystalline	10 mg/m ³ total dust	TWA: 10 mg/m ³		20 mg/m ³ (STEL)	
9004-34-6		•		10 mg/m ³ (TWA)	
				4 mg/m ³ (TWA)	
Starch	10 mg/m ³ total dust for			10 mg/m ³ (TWA)	
9005-25-8	Starch			4 mg/m³ (TWA)	
				10 mg/m ³ (TWA)	
Croscarmellose Sodium	10 mg/m ³ as nuisance				
9000-11-7	dust, 3 mg/m ³ for				
	respirable particulate				
Kollidon	10 mg/m ³ for nuisance				
9003-39-8	dust; 3 mg/m ³ respirable				
	particulate				
Talc, Nonasbestos Containing	2 mg/m ³ , respirable dust			10 mg/m ³ (TWA)	
14807-96-6				0.8 mg/m³ (TWA)	
Stearic Acid	10 mg/m ³ for nuisance				
57-11-4	dust; 3 mg/m ³ respirable				
	particulate				
Hydroxypropyl Methylcellulose	10 mg/m ³ total dust; 3				
9004-65-3	mg/m³ respirable dust				
Propylene Glycol				150 ppm (TWA)	
57-55-6				470 mg/m ³ (TWA)	
				10 mg/m ³ (TWA)	
Colloidal Silicon Dioxide	10 mg/m ³ for nuisance		4 mg/m³ TWA	6 mg/m³ (TWA)	
7631-86-9	dust; 3 mg/m ³ respirable			2.4 mg/m ³ (TWA)	
	particulate			$6 \text{ mg/m}^3 \text{ (TWA)}$	
Magnesium Stearate	10 mg/m³ total dust				
557-04-0					
Titanium Dioxide	10 mg/m³ TWA	TWA: 10 mg/m ³		10 mg/m ³ (TWA)	
13463-67-7				$4 \text{ mg/m}^3 \text{ (TWA)}$	

Chemical Name	The Netherlands	Spain	Switzerland	UK OEL/MEL
Cellulose Microcrystalline		10 mg/m ³ (TWA)	3 mg/m³ (TWA)	20 mg/m³ (STEL)
9004-34-6				12 mg/m³ (STEL)
				20 mg/m ³ (STEL)
				$10 \text{ mg/m}^3 \text{ (TWA)}$
				4 mg/m³ (TWA)
Starch		$10 \text{ mg/m}^3 \text{ (TWA)}$	$3 \text{ mg/m}^3 \text{ (TWA)}$	$30 \text{ mg/m}^3 \text{ (STEL)}$
9005-25-8				12 mg/m ³ (STEL)
				$30 \text{ mg/m}^3 \text{ (STEL)}$
				10 mg/m ³ (TWA)
				4 mg/m ³ (TWA)
Talc, Nonasbestos Containing	$0.25 \text{ mg/m}^3 \text{ (TWA)}$	$2 \text{ mg/m}^3 \text{ (TWA)}$	$2 \text{ mg/m}^3 \text{ (TWA)}$	3 mg/m ³ (STEL)
14807-96-6				1 mg/m ³ (TWA)
Propylene Glycol				450 ppm (STEL)
57-55-6				1422 mg/m ³ (STEL)
				30 mg/m ³ (STEL)
				150 ppm (TWA)
				474 mg/m ³ (TWA)
				10 mg/m ³ (TWA)
Colloidal Silicon Dioxide			$0.3 \text{ mg/m}^3 \text{ (TWA)}$	18 mg/m ³ (STEL)
7631-86-9				7.2 mg/m ³ (STEL)
				18 mg/m ³ (STEL)
				6 mg/m³ (TWA)
				$2.4 \text{ mg/m}^3 \text{ (TWA)}$

Issued: Jun-06-2013

Chemical Name	The Netherlands	Spain	Switzerland	UK OEL/MEL
Titanium Dioxide		10 mg/m ³ (TWA)	3 mg/m³ (TWA)	30 mg/m ³ (STEL)
13463-67-7		_	_	12 mg/m³ (STEL)
				10 mg/m ³ (TWA)
				4 mg/m ³ (TWA)

8.2. Exposure controls

Engineering Controls: No special provisions are required under normal product use conditions.

When handling bulk formulation, use in a well-ventilated area.

Respiratory Protection: Respiratory protection is not needed during normal product use. When handling the

bulk formulation, an approved respirator (i.e. NIOSH, EN, etc.) should be worn when

exposures are expected to exceed the applicable limits.

Eyes: Eye protection not needed during typical product use conditions. Wear eye

protection as appropriate when handling the bulk formulation.

Gloves: Gloves not required during normal product use conditions. Wear impervious gloves

when handling the bulk formulation.

Other PPE Data: Wear appropriate body coverings if contact may occur.

Slight vanillin odor.

Not determined.

Environmental Exposure

Controls:

Odor:

Not determined

Section 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance: Pale Yellow Ovaloid tablet

Odor Threshold: Not determined Not determined. pH: Not determined. **Boiling Pt.** @ 760 mm Hg (°C): **Melting/Freezing Point (°C):** Not determined Flash Point (°C): Not determined. **Evaporation Rate at 20°C:** Not determined. Flammability (Solid): Not determined. **Lower Explosive Limit:** Not determined. **Upper Explosive Limit:** Not determined. **Vapor Pressure (mm Hg):** Not determined. Vapor Density (Air = 1): Not determined. **Specific Gravity:** Not determined. **Solubility(ies):** Not determined.

octanol/water

Partition coefficient: n-

Autoignition Temp. (°C): Not determined.

Decomposition temperature (°C): Not determined.

Viscosity (centipoise): Not determined.

Explosion Severity: Not determined.

Oxidizer Properties: Not determined.

Issued: Jun-06-2013

9.2. Other information

Not determined

Section 10. Stability and reactivity

10.1. Reactivity

Not determined

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

Hazardous reactions: Not determined.

10.4. Conditions to avoid

Not determined.

10.5 Incompatible materials

Not determined

10.6 Hazardous decompostion products

Not determined.

Section 11. Toxicological information

11.1. Information on toxicological effects

Routes of Exposure:

Oral: Clinical Route

Dermal: Yes **Inhalation:** Unlikely

Acute Toxicity - Oral: Data for component (s) given below.

Chemical Name	Acute Test	Value	Units	Species
Clarithromycin	LD50 >=	1230	mg/kg	Rats
81103-11-9				Mice
Cellulose Microcrystalline	LD50 >	5000	mg/kg	Rats
9004-34-6				
Croscarmellose Sodium	LD50 >	5050	mg/kg	Rats
9000-11-7				
Kollidon	LD50 =	100000	mg/kg	Rats
9003-39-8		1040		Rabbits
	LD50 >	40000		Mice
Stearic Acid	LD50 >	4640	mg/kg	Rats
57-11-4				
Hydroxypropyl Methylcellulose	LD50 >	2250	mg/kg	Rats
9004-65-3				
Propylene Glycol	LD50 =	10,000-33,700	mg/kg	Animals
57-55-6				
Colloidal Silicon Dioxide	LD50 =	3160	mg/kg	Rats
7631-86-9				

Issued: Jun-06-2013

Acute Toxicity - Dermal: Data for component (s) given below.

Chemical Name	Acute Test	Value	Units	Species	
Cellulose Microcrystalline 9004-34-6	LD50 >	2000	mg/kg	Rabbits	
Croscarmellose Sodium 9000-11-7	LD50 >	2000	mg/kg	Rabbits	
Stearic Acid 57-11-4	LD50 >	5000	mg/kg	Rabbits	
Propylene Glycol 57-55-6	LD50 =	20,800	mg/kg	Rabbits	

Acute Toxicity - Inhalation: Data for component (s) given below.

Chemical Name	Test	Value	Units	Species
Cellulose Microcrystalline 9004-34-6	LC 50 >	5800	mg/m ³ , 4 hour	Rats
Croscarmellose Sodium 9000-11-7	LC 50 >	0.13	mg/L , 4 hour	Rats
Colloidal Silicon Dioxide 7631-86-9	LC 50 >	200	mg/L, 1 hour	Rats
Magnesium Stearate 557-04-0	LC 50 >	2000	mg/m ³ , 1 hour	Rats

Corrosivity: Not determined.

Dermal Irritation: Not determined.

Eye Irritation: Not determined.

Sensitization: Not determined.

Toxicokinetics/Metabolism: Not determined.

Target Organ Effects: Data for component (s) given below.

Chemical Name	Target	Species	Dosage	Units	Route	Duration
	Organs:					
Clarithromycin	Liver Kidney Eyes	Monkeys	100	mg/kg	Oral	28 days
81103-11-9	Gastrointestinal	Dogs	100			1 Month
	Tract	Rats	600			30 days
Colloidal Silicon Dioxide	Respiratory System	Rats	126	mg/L	Inhalation	2 years
7631-86-9				_		
Titanium Dioxide	Lungs	Rats	10,000	mg/L	Inhalation	2 years
13463-67-7						

Reproductive Effects: Active Ingredient : In animals adverse reproductive effects include: fetal

abnormalities, fetal toxicity. Based on these experimental results, protection against maternal toxicity will provide adequate protection against potential embryo-fetal

toxicity and teratogenicity

Data for component (s) given below.

Chemical Name	Species	Dosage	Units	Route	Duration
Clarithromycin	Mice	1000	mg/kg	Oral	During Gestation
81103-11-9	Rats	160			•

Carcinogenicity: Data for component(s) given below.

Chemical Name	Site of Tumors	Species	Dosage	Route	Units	Duration
Talc, Nonasbestos Containing 14807-96-6	Lungs	Rats	18	Inhalation	mg/m³, 6 hours	2 years
Titanium Dioxide 13463-67-7	Lungs	Rats	250,000	Inhalation	mg/L	2 years

Product Name:

Biaxin Filmtab 250mg

Issued:

Jun-06-2013

Mutagenicity:

Data for component (s) given below.

Chemical Name	Micronucleus Assay	Ames Test:	Mouse Lymphoma	Chromosomal Abbr.
			Assay	Assay
Clarithromycin	Negative	Negative	Negative	Negative
81103-11-9	_	-	_	-

Aspiration hazard: Not determined

Notes:

1. ALD: Approximate lethal dosage

2. LC50: Concentration in air that produces 50% mortality3. LD50: Oral or dermal dosage that produces 50% mortality

Section 12. Ecological information

12.1. Toxicity

Data for component (s) given below.

Chemical Name	Percent	LC 50 (mg/l)	Species	Duration
Colloidal Silicon Dioxide	1-5	5000	Brachydanio rerio	96 Hours
7631-86-9			-	

Chemical Name	Percent	EC 50 (mg/l)	Species	Duration
Colloidal Silicon Dioxide	1-5	7600	Daphnia magna	48 Hours
7631-86-9				

Chemical Name	Percent	EB 50/ErC 50 (mg/l)	Species	Duration
Colloidal Silicon Dioxide	1-5	440	Unicellular Green Algae	72 Hours
7631-86-9				

12.2. Persistence and degradability

Not determined.

12.3. Bioaccumulative potential

Not determined

12.4. Mobility in soil

Not determined.

12.5. Results of PBT or vPvB assessment

Chemical safety report is not required for this substance/product.

12.6. Other adverse effects

Do not allow undiluted material or large quantities to reach groundwater, bodies of water or sewer system.

Issued: Jun-06-2013

Notes:

1. EC50: Concentration in water that produces 50% mortality in Daphnia sp.

2. LC50: Concentration in water that produces 50% mortality in fish.

3. EbC50/ErC50: Concentration in water that produces 50% inhibition of growth and in algae.

Section 13. Disposal considerations

13.1 Waste treatment methods

Waste Disposal Methods: Disposal should be made in accordance with country, federal, state and local

regulations.

Section 14. Transport information

ADR, DOT, ICAO/IATA, IMDG/IMO

Status: Not regulated

14.1. UN Number: Not applicable
14.2. Proper shipping name: Not applicable
14.3. Hazard class: Not applicable
14.4. Packing group: Not applicable
14.5. Environmental hazard: Not applicable
14.6. Special Provisions: Not applicable
14.7. Transport in bulk according Not applicable

to Annex II of MARPOL 73/78

and the IBC Code:

Section 15. Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Chemical Name	EINECS/ ELINCS	TSCA	DSL	NDSL	PICCS
Clarithromycin 81103-11-9	-	-	-	Not listed.	-
Cellulose Microcrystalline 9004-34-6	Present	X	X	Not listed.	X
Starch 9005-25-8	Present	X	X	Not listed.	X
Croscarmellose Sodium 9000-11-7	-	X	X	Not listed.	X
Kollidon 9003-39-8	-	X	X	Not listed.	X
Talc, Nonasbestos Containing 14807-96-6	Present	X	X	Not listed.	X
Stearic Acid 57-11-4	Present	X	X	Not listed.	X
Hydroxypropyl Methylcellulose 9004-65-3	-	X	X	Not listed.	X
Propylene Glycol 57-55-6	Present	X	X	Not listed.	X
Colloidal Silicon Dioxide 7631-86-9	Present	X	X	Not listed.	X
Magnesium Stearate 557-04-0	Present	X	X	Not listed.	X

Product Name: Biaxin Filmtab 250mg Jun-06-2013 **Issued:**

Titanium Dioxide	Present	X	X	Not listed.	X
13463-67-7					

Chemical Name	ENCS	ISHL	IECSC	AICS	KECL	New Zealand
Clarithromycin 81103-11-9	-	Present	-	-	-	HSR007090
Cellulose Microcrystalline 9004-34-6	Present	-	X	X	Present	
Starch 9005-25-8	Present	-	X	X	Present	
Croscarmellose Sodium 9000-11-7	Present	-	X	X	Present	
Kollidon 9003-39-8	Present	-	X	X	Present	
Talc, Nonasbestos Containing 14807-96-6	Present	-	X	X	Present	
Stearic Acid 57-11-4	Present	-	X	X	Present	
Hydroxypropyl Methylcellulose 9004-65-3	Present	-	X	X	Present	
Propylene Glycol 57-55-6	Present	Present	X	X	Present	
Colloidal Silicon Dioxide 7631-86-9	Present	-	X	X	Present	
Magnesium Stearate 557-04-0	Present	-	X	X	Present	
Titanium Dioxide 13463-67-7	Present	-	X	X	Present	

Legend

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances **ENCS** - Japan Existing and New Chemical Substances

ISHL - Japan Industrial Safety and Health Law IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

Carcinogenicity Rating:

Chemical Name	Percent	NTP:	IARC:	ACGIH:
Clarithromycin	40-60	Not Listed	Not Listed	Not Listed
Cellulose Microcrystalline	10-20	Not Listed	Not Listed	Not Listed
Starch	0-20	Not Listed	Not Listed	Not Listed
Croscarmellose Sodium	1-10	Not Listed	Not Listed	Not Listed
Kollidon	1-10	Not Listed	Not Listed	Not Listed
Talc, Nonasbestos Containing	1-10	Not Listed	Not Listed	Not Listed
Stearic Acid	1-5	Not Listed	Not Listed	Not Listed
Hydroxypropyl Methylcellulose	0-5	Not Listed	Not Listed	Not Listed
Propylene Glycol	1-5	Not Listed	Not Listed	Not Listed
Colloidal Silicon Dioxide	1-5	Not Listed	Not Listed	Not Listed
Magnesium Stearate	1-5	Not Listed	Not Listed	Not Listed
Titanium Dioxide	0.1-1	Not Listed	Not Listed	Not Listed

SARA 313 Information

Chemical Name	Percent	SARA 313 Chemical:	CERCLA RQ/SARA	SARA EHS TPQ (lbs):
			EHS RQ (lbs):	
Clarithromycin	40-60	No	Not Applicable	Not applicable
Cellulose Microcrystalline	10-20	No	Not Applicable	Not applicable
Starch	0-20	No	Not Applicable	Not applicable
Croscarmellose Sodium	1-10	No	Not Applicable	Not applicable
Kollidon	1-10	No	Not Applicable	Not applicable
Talc, Nonasbestos Containing	1-10	No	Not Applicable	Not applicable

Issued: Jun-06-2013

Chemical Name	Percent	SARA 313 Chemical:	CERCLA RQ/SARA	SARA EHS TPQ (lbs):
			EHS RQ (lbs):	
Stearic Acid	1-5	No	Not Applicable	Not applicable
Hydroxypropyl Methylcellulose	0-5	No	Not Applicable	Not applicable
Propylene Glycol	1-5	No	Not Applicable	Not applicable
Colloidal Silicon Dioxide	1-5	No	Not Applicable	Not applicable
Magnesium Stearate	1-5	No	Not Applicable	Not applicable
Titanium Dioxide	0.1-1	No	Not Applicable	Not applicable

Immediate Health:YesDelayed Health:NoFire:NoSudden Pressure:NoReactivity:No

RCRA Status: Not determined.

Proposition 65 Status: Chemicals known to the State of California to cause cancer or reproductive harm

listed below.

Chemical Name	Percent	Proposition 65 Listed Materials
Clarithromycin	40-60	Developmental toxicity, initial date 5/1/97

WHMIS Hazard Class: Not determined.

NFPA Rating:

Health: 1 Fire: 1 Reactivity: 0

Notes:

- $1.\ SARA = Superfund\ Amendments\ and\ the\ Reauthorization\ Act.$
- $2.\ CERCLA = Comprehensive\ Environmental\ Response,\ Compensation\ and\ Liability\ Act.$
- 3. FIFRA = Federal Insecticide, Fungicide and Rodenticide Act.
- 4. TSCA = Toxic Substances Control Act.
- 5. EC = European Community.
- 6. WHMIS = Canadian Workplace Hazardous Materials Information System.
- 7. UN GHS = United Nations Globally Harmonized System for Hazard Identification.

15.2. Chemical safety assessment

Chemical safety assessment has not been conducted on the substance/product.

Section 16. Other information

Risk Phrases: R22 - Harmful if swallowed

Document Authored By: Global Occupational Toxicology (D-03QC)

Issued: Jun-06-2013

Supersedes the SDS dated: Aug-08-2011

Product Name: Biaxin Filmtab 250mg Issued: Jun-06-2013

Disclaimer:

The information and recommendations contained herein are based upon tests believed to be reliable. However, AbbVie Inc. does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. AbbVie Inc. assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.