

# Ferdinand Bilstein GmbH + Co. KG

Date printed 16.10.2018, Revision 16.10.2018

Version 08. Supersedes version: 07 Page 1 / 10

	-	
1.1	Product identifier	
		febi 22806 automatic transmission fluid (ATF) Article number: 22806, 26681, 26680, 30018
1.2	Relevant identified uses of the	he substance or mixture and uses advised against
1.2.1	Relevant uses	
		Gearbox oil
1.2.2	2 Uses advised against	
		None known.
1.3	Details of the supplier of the	safety data sheet
	Company	Ferdinand Bilstein GmbH + Co. KG
		Wilhelmstr. 47
		58256 Ennepetal / GERMANY Phone +49 2333 911-0
		Fax +49 2333 911-444 Homepage www.febi.com
		E-mail info@febi.com
	Address enquiries to	
	Technical information	info@febi.com
	Safety Data Sheet	info@febi.com
1.4	Emergency telephone number	er
	Advisory body	+49 (0)89-19240 (24h) (English)
SEC	TION 2: Hazards identification	1
2.1	Classification of the substan	ce or mixture [REGULATION (EC) No 1272/2008]
		No classification.
2.2	Label elements	
2.2	Laber elements	The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP
	Hazard pictograms	
	Signal word	none
	Hazard statements	none
	Precautionary statements	none
	Special labelling	EUH210 Safety data sheet available on request.
		Contains: reaction product of: polyethylene-polyamine-(C16-C18)-alkylamides with monothio- (C2)-alkyl phosphonates. EUH208 May produce an allergic reaction.
2.3	Other hazards	
	Human health dangers	Frequent persistent contact with the skin can cause skin irritation.
	Other hazards	none



# Ferdinand Bilstein GmbH + Co. KG

Date printed 16.10.2018, Revision 16.10.2018

## **SECTION 3: Composition / Information on ingredients**

### Product-type:

### The product is a mixture.

	Range [%] Substance		
	30 - < 60 Lubricating oils (pe	troleum), C20-50, hydrotreated neutral oil-based	
	CAS: 72623-87-1, EINECS/ELINCS: 276-738-4, EU-INDEX: 649-483-00-5, Reg-No.: 01-2119474889-13-XXXX		
	GHS/CLP: Asp. Tox. 1: H304		
	5 - < 15 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract)		
	CAS: 72623-86-0, EINECS/ELINCS: 276-737-9, EU-INDEX: 649-221-00-X		
	GHS/CLP: Asp. Tox. 1: H304		
	0,1 - < 1 reaction product of:	polyethylene-polyamine-(C16-C18)-alkylamides with monothio-(C2)-alkyl phosphonates	
EINECS/ELINCS: 417-450-2		117-450-2	
	GHS/CLP: Skin Se	ns. 1: H317 - Aquatic Chronic 3: H412 - Eye Irrit. 2: H319 - Skin Irrit. 2: H315	
	Comment on component parts	Substances of Very High Concern SV/UC: substances are not contained or are below 0.1%	
	comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. For full text of H-statements: see SECTION 16.	
EC	TION 4: First aid measures		
.1	Description of first aid measures		
	General information	Take off contaminated clothing and wash before reuse.	
	Inhalation	Ensure supply of fresh air.	
		In the event of symptoms seek medical treatment.	
	Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.	
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
	Ingestion	Seek medical advice immediately.	
	ingeonon	Do not induce vomiting. Rinse out mouth and give plenty of water to drink.	
.2	Most important symptoms and e	ffects, both acute and delayed	
		No information available.	
3 Indication of any immediate medical attention and special treatment needed			
.3	Indication of any immediate med	ical attention and special treatment needed	
.3	Indication of any immediate med	ical attention and special treatment needed If swallowed or in the event of vomiting, risk of product entering the lungs. Forward this sheet to the doctor.	
-	Indication of any immediate med	If swallowed or in the event of vomiting, risk of product entering the lungs.	
EC		If swallowed or in the event of vomiting, risk of product entering the lungs.	
EC	TION 5: Fire-fighting measures	If swallowed or in the event of vomiting, risk of product entering the lungs.	
EC	TION 5: Fire-fighting measures Extinguishing media	If swallowed or in the event of vomiting, risk of product entering the lungs. Forward this sheet to the doctor.	
EC	TION 5: Fire-fighting measures Extinguishing media Suitable extinguishing media Extinguishing media that must not	If swallowed or in the event of vomiting, risk of product entering the lungs. Forward this sheet to the doctor. foam, dry powder, water spray jet, carbon dioxide Full water jet.	
EC	TION 5: Fire-fighting measures Extinguishing media Suitable extinguishing media Extinguishing media that must not be used	If swallowed or in the event of vomiting, risk of product entering the lungs. Forward this sheet to the doctor. foam, dry powder, water spray jet, carbon dioxide Full water jet. substance or mixture	
EC	TION 5: Fire-fighting measures Extinguishing media Suitable extinguishing media Extinguishing media that must not be used	If swallowed or in the event of vomiting, risk of product entering the lungs. Forward this sheet to the doctor. foam, dry powder, water spray jet, carbon dioxide Full water jet. substance or mixture Not combusted hydrocarbons.	
EC	TION 5: Fire-fighting measures Extinguishing media Suitable extinguishing media Extinguishing media that must not be used	If swallowed or in the event of vomiting, risk of product entering the lungs. Forward this sheet to the doctor.	
EC	TION 5: Fire-fighting measures Extinguishing media Suitable extinguishing media Extinguishing media that must not be used	If swallowed or in the event of vomiting, risk of product entering the lungs. Forward this sheet to the doctor. foam, dry powder, water spray jet, carbon dioxide Full water jet. substance or mixture Not combusted hydrocarbons. Risk of formation of toxic pyrolysis products.	



	dinand Bilstein GmbH + Co. KG printed 16.10.2018, Revision 16.10.2018		Version 08. Supersedes version: 07	Page 3 / 10	
5.3	Advice for firefighters	Do not inhale explosion and/or combus			
		Use self-contained breathing apparatus Cool containers at risk with water spray Fire residues and contaminated firefigh the local regulations.	/ jet.	ordance within	
SEC	TION 6: Accidental release measur	es			
6.1	Personal precautions, protective	equipment and emergency procee	dures		
		High risk of slipping due to leakage/spil Forms slippery surfaces with water.	lage of product.		
6.2	Environmental precautions				
		Prevent spread over a wide area (e.g. b Do not discharge into the drains/surface			
6.3	Methods and material for containment and cleaning up				
		Take up with absorbent material (e.g. g Dispose of absorbed material in accord			
6.4	Reference to other sections	See SECTION 8+13			
SEC	TION 7: Handling and storage				
7.1	Precautions for safe handling				
		No special measures necessary if used	I correctly.		
		The product is combustible. Fire class (DIN EN 2): B			
		Do not eat, drink or smoke when using Use barrier skin cream.	this product.		
		Wash hands before breaks and after w	ork.		
		Cloths contaminated with product shou Contaminated work clothing should not			
		Take off contaminated clothing and was			
7.2	Conditions for safe storage, inclu	ding any incompatibilities			
		Keep only in original container. Prevent penetration into the ground.			
		Do not store together with food and ani Do not store together with oxidizing age			
		Keep container tightly closed. Keep container in a well-ventilated plac Protect from heat/overheating.	e.		
7.3	Specific end use(s)				
		See product use, SECTION 1.2			



# Ferdinand Bilstein GmbH + Co. KG

Date printed 16.10.2018, Revision 16.10.2018

Page 4 / 10 Version 08. Supersedes version: 07

## **SECTION 8: Exposure controls / personal protection**

### 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not applicable

#### DNEL

ubstance	
ubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1	
ndustrial, inhalative, Long-term - local effects: 5.6 mg/m³ .6 mg/m³.	
ndustrial, dermal, Long-term - systemic effects: 1 mg/kg bw/day .6 mg/m³.	
ndustrial, inhalative, Long-term - systemic effects: 2.7 mg/m <sup>3</sup> .	
eneral population, oral, Long-term - systemic effects: 0.74 mg/kg bw/day .6 mg/m³.	

#### PNEC

Substance	
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1	
oral (food), 9,33 mg/kg.	

### 8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances. General exposure limit for oil mist should be noted.
Eye protection	If there is a risk of splashing: Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3). > 0,4 mm: Neoprene, >480 min (EN 374-1/-2/-3).
Skin protection	Light protective clothing.
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
Respiratory protection	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.



## Ferdinand Bilstein GmbH + Co. KG

Date printed 16.10.2018, Revision 16.10.2018

Version 08. Supersedes version: 07 Page 5 / 10

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Form	liquid
Color	red violet
Odor	characteristic
Odour threshold	No information available.
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	No information available.
Flash point [°C]	> 170 (DIN ISO 2592)
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	< 0,01 (20°C)
Density [g/ml]	ca. 0,85 (DIN 51757) (15 °C / 59,0 °F)
Bulk density [kg/m <sup>3</sup> ]	not applicable
Solubility in water	immiscible
Partition coefficient [n-octanol/water]	No information available.
Viscosity	ca. 33 mm²/s (40°C) (DIN 51562/T1)
Relative vapour density determined in air	No information available.
Evaporation speed	No information available.
Melting point [°C]	ca42 (DIN ISO 3016)
Autoignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.

## 9.2 Other information

No information available.

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reactions known if used as directed.

#### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

Reactions with strong acids. Reactions with strong oxidizing agents.

### 10.4 Conditions to avoid

Strong heating, because the thermal decomposition starts from > 100°C.

#### 10.5 Incompatible materials

Oxidizing agent

#### 10.6 Hazardous decomposition products

No hazardous decomposition products known.



# Ferdinand Bilstein GmbH + Co. KG

Date printed 16.10.2018, Revision 16.10.2018

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### Acute toxicity

Product
oral, Based on the available information, the classification criteria are not fulfilled .:
inhalative, Based on the available information, the classification criteria are not fulfilled .:
dermal, Based on the available information, the classification criteria are not fulfilled .:

Substance
ubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 6-0
D50, dermal, Rabbit: > 2000 mg/kg.
D50, inhalative, Rat: > 2500 mg/m³ (4h).
D50, oral, Rat: > 5000 mg/kg.
ubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
D50, dermal, Rabbit: >= 2000 mg/kg (OECD 402).
D50, oral, Rat: >= 5000 mg/kg (OECD 401).
C50 inholotive Bot: $z = 5.52 \text{ mg/l}$ (OECD 402)

LC50, inhalative, Rat: >= 5,53 mg/l (OECD 403).

Serious eye damage/irritation	Based on the available information, the classification criteria are not fulfilled.
Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.
Respiratory or skin sensitisation	Toxicological data of complete product are not available. May produce an allergic reaction. Calculation method
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	
	Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

## **SECTION 12: Ecological information**

### 12.1 Toxicity

Product	
Based on the availabl	e information, the classification criteria are not fulfilled.:
Substance	
Lubricating oils (petro 86-0	leum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-
EC50, (48h), Daphnia	a magna: > 1000 mg/l.
Lubricating oils (petro	leum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
EL50, (24h), Daphnia	magna: >10000 mg/l (OECD).
LL50, (96h), Pimepha	les promelas: >100 mg/l (OECD).
NOEL, (72h), Pseudo	kirchneriella subcapitata: >100 mg/l (OECD).
NOEL, (21d), Daphnia	a magna: 10 mg/l (OECD).



## Ferdinand Bilstein GmbH + Co. KG

Date printed 16.10.2018, Revision 16.10.2018

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	Can be separated out mechanically in purification plants.
Biological degradability	The product is not readily biodegradable.

## 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

#### 12.6 Other adverse effects

Do not discharge product unmonitored into the environment or into the drainage.

#### **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### Product

1

	Dispose of as hazardous waste.
Waste no. (recommended)	130205* mineral-based non-chlorinated engine, gear and lubricating oils
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
Waste no. (recommended)	150102 150104 150110*

# **SECTION 14: Transport information**

UN number	
Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable
Marine transport in accordance with IMDG	not applicable
	Transport by land according to ADR/RID Inland navigation (ADN) Marine transport in accordance with

Air transport in accordance with IATA not applicable



# Ferdinand Bilstein GmbH + Co. KG

Date printed 16.10.2018, Revision 16.10.2018

14.2	UN proper shipping name Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"
14.3	Transport hazard class(es) Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.4	Packing group Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
14.6	Special precautions for user	
-	Relevant information under SECTION 6	to 8.

# 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable



## Ferdinand Bilstein GmbH + Co. KG

Date printed 16.10.2018, Revision 16.10.2018

Version 08. Supersedes version: 07

Page 9 / 10

SEC	TION 15: Regulatory information	
15.1	Safety, health and environmental	regulations/legislation specific for the substance or mixture
	EEC-REGULATIONS	1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014
	TRANSPORT-REGULATIONS	DOT-Classification, ADR (2017); IMDG-Code (2017, 38. Amdt.); IATA-DGR (2018).
	NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011).
	- Observe employment restrictions for people	no
	- VOC (2010/75/CE)	not applicable
15.2	Chemical safety assessment	
		not applicable
SEC	TION 16: Other information	
16.1	Hazard statements (SECTION 03)	
		H304 May be fatal if swallowed and enters airways.
		H315 Causes skin irritation.
		H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects.
		H317 May cause an allergic skin reaction.
16.2	Abbreviations and acronyms:	
		ADR = Accord européen relatif au transport international des marchandises Dangereuses par
		Route RID = Règlement concernant le transport international ferroviaire de marchandises
		dangereuses
		ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
		ATE = acute toxicity estimate
		CAS = Chemical Abstracts Service
		CLP = Classification, Labelling and Packaging DMEL = Derived Minimum Effect Level
		DNEL = Derived No Effect Level
		EC50 = Median effective concentration ECB = European Chemicals Bureau
		EEC = European Economic Community
		EINECS = European Inventory of Existing Commercial Chemical Substances
		ELINCS = European List of Notified Chemical Substances GHS = Globally Harmonized System of Classification and Labelling of Chemicals
		IATA = International Air Transport Association
		IBC-Code = International Code for the Construction and Equipment of Ships carrying
		Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50%
		IMDG = International Maritime Code for Dangerous Goods
		IUCLID = International Uniform ChemicaL Information Database LC50 = Lethal concentration, 50%
		LD50 = Median lethal dose
		LC0 = lethal concentration, 0%
		LOAEL = lowest-observed-adverse-effect level MARPOL = International Convention for the Prevention of Marine Pollution from Ships
		NOAEL = No Observed Adverse Effect Level
		NOEC = No Observed Effect Concentration PBT = Persistent, Bioaccumulative and Toxic substance
		PNEC = Predicted No-Effect Concentration
		REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
		STP = Sewage Treatment Plant TLV®/TWA = Threshold limit value – time-weighted average
		TLV®STEL = Threshold limit value – short-time exposure limit
		VOC = Volatile Organic Compounds
		vPvB = very Persistent and very Bioaccumulative



# Ferdinand Bilstein GmbH + Co. KG

Date printed 16.10.2018, Revision 16.10.2018

Modified position

none

Version 08. Supersedes version: 07 Page 10 / 10