
Product name	DUR-O-SET® TX-835 Emulsion (786399)		EMNA/EN
MSDS number	85716	Revision Date	Oct.22.2012
Revision Number	3	Issuing date	Oct.22.2012

1. Product and company identification

Celanese Ltd.

222 W. Las Colinas Blvd., Suite 900N
Irving, TX 75039
United States
Phone: 972 443 4000
Internet: www.celanese.com

Transportation emergency phone numbers:

For Chemical Emergency: Spill Leak Fire Exposure or Accident
Call CHEMTREC Day or Night
DOMESTIC NORTH AMERICA: 800-424-9300
INTERNATIONAL, CALL +1 703-527-3887 (collect calls accepted)

2. Hazards identification

Emergency Overview

This product is considered non-hazardous under the OSHA Hazard Communication Standard (29CFR1910.1200)

Product Description

Appearance

Form	liquid
Odor	sweet
Color	milky white

Potential health effects

Routes of exposure Skin, eyes, ingestion

Immediate effects

Skin	Prolonged or repeated exposure may cause: skin irritation
Eyes	May cause eye irritation
Ingestion	May cause gastrointestinal irritation.

Product name	DUR-O-SET® TX-835 Emulsion (786399)	EMNA/EN
MSDS number	85716	Revision Date Oct.22.2012
Revision Number	3	Issuing date Oct.22.2012

3. Composition/information on ingredients

Components	CAS-No	Percent %
Vinyl Acetate - Ethylene Copolymer		59 - 61
Water	7732-18-5	39 - 41

4. First aid measures

General Information

Remove contaminated, soaked clothing immediately and dispose of safely.

Skin

Wash off with soap and water. If symptoms persist, call a physician.

Eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.

Inhalation

Move to fresh air. If symptoms persist, call a physician.

Ingestion

If swallowed, seek medical advice immediately and show this container or label. If conscious, drink plenty of water. Do not induce vomiting without medical advice.

5. Fire-fighting measures

Suitable extinguishing media

The product in solution form does not burn. The product will burn only after the water it contains is driven off. For dry polymer, use alcohol resistant foam, carbon dioxide (CO2) or dry chemical.

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

Other Information

This is a water-based product and presents no particular fire or explosion hazard

6. Accidental release measures

Personal precautions

Contaminated surfaces will be extremely slippery. Avoid contact with the skin and the eyes.

Environmental precautions

Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

Product name	DUR-O-SET® TX-835 Emulsion (786399)	EMNA/EN
MSDS number	85716	Revision Date Oct.22.2012
Revision Number	3	Issuing date Oct.22.2012

Methods for cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Contaminated equipment (brushes, rags) must be cleaned immediately with water. Dispose of in accordance with local regulations.

7. Handling and storage

Handling

Advice on safe handling

Product may contain hazardous volatile ingredients which could accumulate in the unvented headspace of drums or containers. Open containers in ventilated area. Do not breathe vapor.

Protection - fire and explosion:

No special protective measures against fire required.

Storage

Technical measures/Storage conditions

Keep tightly closed in a dry and cool place. No special technical protective measures required.

Material storage

Protect from frost. To maintain product quality, do not store in heat or direct sunlight. Keep at temperatures between 5 and 35 °C (40 and 95 F).

Incompatible products

No special restrictions on storage with other products

8. Exposure controls / personal protection

OSHA Exposure Limits

No exposure limits established.

ACGIH Exposure Limits

No exposure limits established.

Mexico National Exposure Limits

No exposure limits established

Exposure controls

Engineering measures

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Product name	DUR-O-SET® TX-835 Emulsion (786399)	EMNA/EN
MSDS number	85716	Revision Date Oct.22.2012
Revision Number	3	Issuing date Oct.22.2012

Protective equipment

A safety shower and eyebath should be readily available.

General advice

Avoid contact with skin and eyes.

Skin protection:

Wear impervious clothing and gloves when there is a reasonable chance for skin contact..

Eye/face protection:

safety glasses with side-shields.

9. Physical and chemical properties

Appearance

Form	liquid
Color	milky white
Odor	sweet.
Boiling Point	100 °C (212°F)
Bulk Density	9 lbs/gal
pH	4.0 - 5.0
Method	ISO 976

Viscosity	<200 cPs
Specific Gravity	1.0804
Vapor pressure	24 hPa @ 20°C
Water solubility	miscible

10. Stability and reactivity

Reactivity

Stable under recommended storage conditions

Conditions to avoid

Do not freeze

Incompatible Materials

Materials that react with water

Possibility of hazardous reactions

No hazards to be especially mentioned.

11. Toxicological information

Toxicological data are not available. Observe the usual hygienic measures for handling chemicals.

Product name	DUR-O-SET® TX-835 Emulsion (786399)		EMNA/EN
MSDS number	85716	Revision Date	Oct.22.2012
Revision Number	3	Issuing date	Oct.22.2012

12. Ecological information

Ecotoxicological data are not available. According to experience, the material has no harmful effect on the environment.

13. Disposal considerations

Disposal considerations

Dispose of spilled material in accordance with state and local regulations for waste that is non-hazardous by Federal definition. Note that this information applies to the material as manufactured; processing, use, or contamination may make this information inappropriate, inaccurate, or incomplete.

Note that this handling and disposal information may also apply to empty containers, liners and rinsate. State or local regulations or restrictions are complex and may differ from federal regulations. This information is intended as an aid to proper handling and disposal; the final responsibility for handling and disposal is with the owner of the waste.

14. Transport information

US Department of Transportation Not regulated

ICAO/IATA Not restricted

IMDG Not regulated

15. Regulatory Information

US State Regulations

Chemicals associated with the product which are subject to the state right-to-know regulations are listed along with the applicable state(s):

California Prop. 65

WARNING: This product contains the following chemicals that are known to the State of California to cause cancer, birth defects or other reproductive harm.

Unless a concentration is specified in Section 3 of the MSDS, the chemical/s below are present in trace amounts.

Formaldehyde (50-00-0)

Acetaldehyde (75-07-0)

U.S. FEDERAL REGULATIONS

Material Safety Data Sheet



Product name	DUR-O-SET® TX-835 Emulsion (786399)		EMNA/EN
MSDS number	85716	Revision Date	Oct.22.2012
Revision Number	3	Issuing date	Oct.22.2012

TSCA Inventory

This product complies with the U.S. Toxic Substances Control Act (TSCA).

SARA 313 Chemicals

Contains no substances at or above the reporting threshold under Section 313.

CANADIAN REGULATIONS

WHMIS Classification:

Not a WHMIS controlled product.

All components are listed on the Canadian Domestic Substance List (DSL)

16. Other information

Health: 1 Flammability: 0

Physical Hazard: 0

Prepared By

Product Stewardship Department
Celanese

For more information, consult the Technical Data Sheet (www.celanese-emulsions.com)

Sources of key data used to compile the datasheet

Information contained in this safety data sheet is based on Celanese owned data and public sources deemed valid or acceptable. The absence of data elements required by ANSI or 1907/2006/EC indicates that no data meeting these requirements is available.

Other Information:

Traces of residual monomers can be found in the product:

Vinyl acetate

Changes against the previous version are marked by ***

For industrial use only. The information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. Celanese makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances. Effects can be aggravated by other materials and/or this material may aggravate or add to the effects of other materials. This material may be released from gas, liquid, or solid materials made directly or indirectly from it. User has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. User must meet all applicable safety and health standards. Material safety data sheets are provided on the Internet by Celanese as a service to its customers. Possession of an Internet MSDS does not indicate that the possessor of the MSDS was a purchaser or user of the subject product.