

# MATERIAL SAFETY DATA SHEET

---

## Section 1. Product and Company Identification

---

Product Name:	Ardell LashTite Adhesive For Individual Lashes - Clear	DATE:	1/19/2011
Formula:	30-2650	REV.	03
Item#:	130131, 65058; 87-2551		

Manufacturer: American International Industries  
 2220 Gaspar Ave  
 Los Angeles, CA 90040  
 Chem-Tel: (800) 255-3924

---

## Section 2. Composition / Information on Ingredients

---

### Hazardous Ingredients:

Component	CAS #	%	Exposure Limits ppm ACGIH-TWA / OSHA-PEL
Methoxyisopropyl Acetate	108-65-6	>38%	OSHA PEL: 800ppm
Alcohol Denat.	9004-70-0	<35%	OSHA PEL: 1000ppm
Nitrocellulose	N/A	<35%	ACGIH-TWA: 400ppm

---

## Section 3. Hazardous Identification

---

### Potential Health Effects, Signs and Symptoms of Exposure:

**Eye:** Liquid and vapor may cause irritation. Splashes may cause temporary pain and blurred vision.  
**Skin:** May cause irritation, cracking, flaking and defatting of skin. Avoid contact with damaged skin.  
**Ingestion:** Can cause depression of Central Nervous System, nausea, vomiting, and diarrhea.  
**Inhalation:** May cause irritation to mucous membranes of the upper respiratory tract. Excess exposure may cause headache, drowsiness, and inability to concentrate.

---

## Section 4. First Aid Measures

---

**First Aid for Eye:** Irrigate with gently flowing water immediately and continuously for up to 15 minutes while holding eyelids open. Consult medical personnel if irritation persists.

**First Aid for Skin:** Flush with plenty of water for at least 15 minutes and wash with mild soap. Launder contaminated clothing before reuse. Consult physician if irritation persists.

**First Aid for Inhalation:** If ill effects occur, remove to fresh air. If breathing has stopped, perform artificial respiration. Seek medical attention as needed.



## **MATERIAL SAFETY DATA SHEET**

---

First Aid for Ingestion: If conscious and able to swallow, victim should drink plenty of water to dilute. Call physician or Poison Control Center immediately.

---

### **Section 5. Fire Fighting Measures**

---

Flash Point (°F/°C): 54°F / (12.2°C) TCC

Flammable Limit (vol%): Not available

Auto-ignition Temp. (vol%): None Established

Extinguisher Media: Use water, "alcohol" foam, dry chemical, or carbon dioxide.

Fire Fighting Procedures: Attempt to contain and/or cool product with water spray. Wear full bunker gear while controlling fire in confined areas.

Unusual Fire and Explosion Hazards: Keep containers cool and away from flames, and sources of ignition. Do not crush or puncture containers. Closed containers exposed to excessive heat may rupture. Vapors may travel across the ground and reach remove ignition sources causing a flashback. Do not allow bulk product to dry as Nitrocellulose is highly dangerous in dry state.

---

### **Section 6. Accidental Release Measures**

---

Spill or Release Procedures: For small spills or leaks, contain spill with inert material; sweep up, and place in a disposal container. For large spills, dike far ahead of spill for later disposal. Do not release into sewers or water-ways.

---

### **Section 7. Handling and Storage**

---

Handling & Storing: Practice good personal hygiene after handling this product. Protect containers from physical damage, shield them from direct sunlight, and store in cool, dry area.

---

### **Section 8. Exposure Controls / Personal Protective Equipment**

---

#### **For Manufacturing Use Only:**

Ventilation: Use local Exhaust.

Protective Gloves: Neoprene gloves.

Eye Protection: Include splash guards and side shields.

Respiratory Protection: Use with adequate Ventilation and avoid breathing vapors.



# MATERIAL SAFETY DATA SHEET

Clothing: Coveralls.

Other Protective Eye bath and shower.

## Section 9. Physical and Chemical Properties

<b>Appearance @ 25°C:</b>	Transparent, Semi-Viscous Pale Straw to Light Yellow Liquid	<b>Viscosity (RVT):</b>	1,000 - 4,000
<b>Odor @ 25°C:</b>	Characteristic	<b>Vapor Pressure:</b>	Not Available
<b>pH</b>	Not applicable	<b>Vapor Density:</b>	Not Available
<b>Specific Gravity:</b>	0.97 - 0.990		
<b>Ignition:</b>	Not applicable		
<b>Melting Point:</b>	Not applicable		
<b>Boiling Range:</b>	>78°C / 172.4°F		
<b>Solubility in Water</b>	Dispersible		

## Section 10. Stability and Reactivity

**Stability:** Stable

**Hazardous Decomposition Products:**

Excessive heat may cause carbon monoxide, carbon dioxide, oxides of nitrogen, and unidentified organic compounds to be released.

**Incompatibility (Materials to Avoid):**

Heat, sparks, flame, strong acids, and contact with strong oxidizing agents.

**Hazardous Polymerization:**

Will not occur

## Section 11. Toxicological Information

Results of component toxicity test performed:  
No data

Human experience:  
No data

## Section 12. Ecological Information

Ecological Information:  
No data



# **MATERIAL SAFETY DATA SHEET**

---

Chemical Fate Information:

No data

---

## **Section 13. Disposable Considerations**

Disposal requirements are dependent on hazard classification and will vary by location and the type of disposal selected. It is suggested that all local, state, and federal regulations concerning health and pollution be reviewed to determine approved disposal methods.

---

## **Section 14. Transportation Information**

### **<DOT Information>**

Shipping Name: CONSUMER COMMODITY

Hazard Class: ORM-D

UN ID Number UN 1993

---

## **Section 15. Regulatory Information**

Addition Regulatory Information available upon request.

---

## **Section 16. Other Information**

No additional information available.