

## SAFETY DATA SHEET

# 1206

Product Name **1.25% HYDROGEN, 2.5% HYDROGEN SULPHIDE, BALANCE NITROGEN**

### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Supplier Name** BOC LIMITED (AUSTRALIA)  
**Address** 10 Julius Avenue, North Ryde, NSW, AUSTRALIA, 2113  
**Telephone** 131 262, (02) 8874 4400  
**Fax** 132 427 (24 hours)  
**Emergency** 1800 653 572 (24/7) (Australia only)  
**Web Site** <http://www.boc.com.au/>  
**Synonym(s)** 1206 - MSDS NUMBER · PRODUCT CODES: 292 · SPECIAL GAS MIXTURE  
**Use(s)** CALIBRATION · INDUSTRIAL APPLICATIONS  
**SDS Date** 26 April 2012

### 2. HAZARDS IDENTIFICATION

CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

#### RISK PHRASES

R26 Very toxic by inhalation.

#### SAFETY PHRASES

S9 Keep container in a well ventilated place.  
S16 Keep away from sources of ignition - No smoking.  
S36 Wear suitable protective clothing.  
S38 In case of insufficient ventilation, wear suitable respiratory equipment.  
S45 In case of accident or if you feel unwell seek medical advice immediately (show the label where possible).  
S61 Avoid release to the environment. Refer to special instructions/safety data sheets.

CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

**UN Number** 1955 **DG Division** 2.3  
**Packing Group** None Allocated **Subsidiary Risk(s)** None Allocated  
**Hazchem Code** 2RE

### 3. COMPOSITION/ INFORMATION ON INGREDIENTS

Ingredient	Identification	Classification	Content
HYDROGEN SULPHIDE	CAS: 7783-06-4 EC: 231-977-3	F+;R12 T+;R26 N;R50	2.5%
HYDROGEN	CAS: 1333-74-0 EC: 215-605-7	F+;R12	1.25%
NITROGEN	CAS: 7727-37-9 EC: 231-783-9	Not Available	Remainder

### 4. FIRST AID MEASURES

**Eye** If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

**Product Name 1.25% HYDROGEN, 2.5% HYDROGEN SULPHIDE, BALANCE NITROGEN**

<b>Inhalation</b>	If inhaled, remove from contaminated area. To protect rescuer, use an Air-line respirator or Self Contained Breathing Apparatus (SCBA). Apply artificial respiration if not breathing. Give oxygen if breathing is difficult. Seek immediate medical attention. For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor.
<b>Skin</b>	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.
<b>Ingestion</b>	Due to product form and application, ingestion is considered unlikely.
<b>Advice to Doctor</b>	If inhalation has occurred observe for premonitory signs of pulmonary oedema. Otherwise, treatment is symptomatic and supportive. Treat for cold burns if severe liquid contact. Hyperbaric oxygen treatment at 2 to 2.5 atmospheres reduces the biological half life of carboxyhaemoglobin to 24 minutes. Avoid stimulant drugs including carbon dioxide. Do not inject methylene blue. Absolute bed rest for at least 48 hours should be ensured.

---

**5. FIRE FIGHTING MEASURES**

---

<b>Flammability</b>	Non flammable gas. May evolve toxic gases (sulphur oxides) when heated to decomposition. Do not expose to heat and ignition sources.
<b>Fire and Explosion</b>	Temperatures in a fire may cause cylinders to rupture. Cool cylinders or containers exposed to fire by applying water from a protected location. Remove cool cylinders from the path of the fire. Evacuate the area if unable to keep cylinders cool. Do not approach cylinders or containers suspected of being hot.
<b>Extinguishing</b>	Stop flow of gas if safe to do so, such as by slowly closing the cylinder valve.
<b>Hazchem Code</b>	2RE 2 Water Fog (or fine water spray if fog unavailable) R Full protective equipment including Self Contained Breathing apparatus. E Evacuation of people in the vicinity of the incident should be considered.

---

**6. ACCIDENTAL RELEASE MEASURES**

---

<b>Spillage</b>	If the cylinder is leaking, evacuate area of personnel. Inform manufacturer/supplier of leak. Use personal protective equipment. Carefully move material to a well ventilated remote area, then allow to discharge. Do not attempt to repair leaking valve or cylinder safety devices.
-----------------	--

---

**7. STORAGE AND HANDLING**

---

<b>Storage</b>	Do not store near incompatible materials. Cylinders should be stored below 45°C in a secure area, upright and restrained to prevent cylinders from falling. Cylinders should also be stored in a dry, well ventilated area constructed of non-combustible material with firm level floor (preferably concrete), away from areas of heavy traffic and emergency exits.
<b>Handling</b>	Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Do not drag, drop, slide or roll cylinders. The uncontrolled release of a gas under pressure may cause physical harm. Use a suitable hand truck for cylinder movement.

---

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

---

**Exposure Standards**

Ingredient	Reference	TWA		STEL	
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Hydrogen	SWA (AUS)	Asphyxiant			
Hydrogen sulfide	SWA (AUS)	10	14	15	21
Nitrogen	SWA (AUS)	Asphyxiant			

**Biological Limits** No biological limit allocated.

**Product Name** 1.25% HYDROGEN, 2.5% HYDROGEN SULPHIDE, BALANCE NITROGEN

**Engineering Controls** Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical explosion proof extraction ventilation is recommended. Flammable or explosive vapours may accumulate in confined or poorly ventilated areas. Vapours may travel some distance to an ignition source and flash back. Maintain atmospheric levels below the recommended exposure standard.

**PPE**

**Eye / Face** Wear splash-proof goggles.  
**Hands** Wear rubber gloves.  
**Body** Wear safety boots.  
**Respiratory** Wear Self Contained Breathing Apparatus (SCBA) or an Air-line respirator.



---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

<b>Appearance</b>	COLOURLESS GAS
<b>Odour</b>	ROTTEN EGG ODOUR
<b>Flammability</b>	NON FLAMMABLE
<b>Flash point</b>	NOT RELEVANT
<b>Boiling point</b>	NOT AVAILABLE
<b>Melting point</b>	NOT AVAILABLE
<b>Evaporation rate</b>	NOT APPLICABLE
<b>pH</b>	NOT APPLICABLE
<b>Vapour density</b>	NOT AVAILABLE
<b>Specific gravity</b>	NOT APPLICABLE
<b>Solubility (water)</b>	2.3 L/L (Hydrogen sulphide)
<b>Vapour pressure</b>	NOT AVAILABLE
<b>Upper explosion limit</b>	NOT RELEVANT
<b>Lower explosion limit</b>	NOT RELEVANT
<b>Autoignition temperature</b>	NOT AVAILABLE
<b>Decomposition temperature</b>	NOT AVAILABLE
<b>Viscosity</b>	NOT AVAILABLE
<b>Partition coefficient</b>	NOT AVAILABLE
<b>% Volatiles</b>	100 %
<b>Cylinder pressure (when full)</b>	9010 kPa @ 15°C

---

## 10. STABILITY AND REACTIVITY

---

<b>Chemical Stability</b>	Stable under recommended conditions of storage.
<b>Conditions to Avoid</b>	Avoid shock, friction, heavy impact, heat, sparks, open flames and other ignition sources.
<b>Material to Avoid</b>	Incompatible with oxidising agents (eg. hypochlorites), metals, metal oxides, nitrogen trichloride, alkalis (eg. soda lime), heat and ignition sources. Corrodes most materials when moist.
<b>Hazardous Decomposition Products</b>	May evolve toxic gases (sulphur oxides) when heated to decomposition.
<b>Hazardous Reactions</b>	Polymerization will not occur.

---

## 11. TOXICOLOGICAL INFORMATION

---

<b>Health Hazard Summary</b>	Very toxic by inhalation - severe irritant. Over exposure to hydrogen sulphide may result in headache, nausea, vomiting, diarrhea, vertigo, amnesia, dizziness, apnea, palpitations, tachycardia, hypotension, muscle cramps, weakness, disorientation, and coma. Higher concentrations may also result in respiratory paralysis, asphyxial seizures, and death. Cold burns may be caused by evaporating liquid. Persons with potential exposure should not wear contact lenses.
<b>Eye</b>	Severe irritant. Inflammation and irritation can occur at concentrations below 10 vppm. Above 50 vppm, there is intense tearing, blurring of vision and photophobia. Most symptoms disappear when exposure ceases, however in serious cases permanent eye damage can occur. Cold burns may be caused by evaporating liquid. Persons with potential exposure should not wear contact lenses.

**Product Name** 1.25% HYDROGEN, 2.5% HYDROGEN SULPHIDE, BALANCE NITROGEN

<b>Inhalation</b>	Very toxic by inhalation - severe irritant. Exposure to concentrations approaching 250 ppm causes irritation of mucus membranes, conjunctivitis, photophobia, lacrimation, corneal opacity, rhinitis, bronchitis, cyanosis, and acute lung injury. At concentrations of 250 ppm to 500 ppm, signs and symptoms include headache, nausea, vomiting, diarrhea, vertigo, amnesia, dizziness, apnea, palpitations, tachycardia, hypotension, muscle cramps, weakness, disorientation, and coma. At concentrations of 750 ppm to 1000 ppm, victims may experience abrupt physical collapse or "knock down". Higher concentrations may also result in result in respiratory paralysis, asphyxial seizures, and death.
<b>Skin</b>	Irritant. Over exposure to hydrogen sulphide may result in pain, and erythema, especially in moist areas. Cyanosis may be noted following severe exposure.
<b>Ingestion</b>	Ingestion is considered unlikely due to product form. However, ingestion of liquid may result in burns to the mouth and throat.
<b>Toxicity Data</b>	HYDROGEN SULPHIDE (7783-06-4) LC50 (inhalation) 444 ppm (rat)

---

## 12. ECOLOGICAL INFORMATION

---

<b>Environment</b>	Microorganisms in soil and water are involved in oxidation-reduction reactions which oxidise hydrogen sulphide to elemental sulphur. Not anticipated to bioaccumulate or concentrate in the food chain.
--------------------	---

---

## 13. DISPOSAL CONSIDERATIONS

---

<b>Waste Disposal</b>	Return to manufacturer for recycling/ reuse. Contact Waste Disposal Authorities in your state for further details and required approvals.
<b>Legislation</b>	Dispose of in accordance with relevant local legislation.

---

## 14. TRANSPORT INFORMATION

---

CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE



	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
<b>UN Number</b>	1955	-	-
<b>Proper Shipping Name</b>	COMPRESSED GAS, TOXIC, N.O.S.	-	-
<b>DG Class/ Division</b>	2.3	-	-
<b>Subsidiary Risk(s)</b>	None Allocated	-	-
<b>Packing Group</b>	None Allocated	-	-
<b>GTEPG</b>	2B1		
<b>Hazchem Code</b>	2RE		
<b>Other Information</b>	Ensure cylinder is separated from driver and foodstuffs. Refer to Commonwealth, State and Territory Dangerous Goods Legislation which contain requirements which affect gas storage and transport.		

---

## 15. REGULATORY INFORMATION

---

<b>Poison Schedule</b>	A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)
<b>Inventory Listing(s)</b>	<b>AUSTRALIA: AICS (Australian Inventory of Chemical Substances)</b> All components are listed on AICS, or are exempt.

---

## 16. OTHER INFORMATION

---

**Product Name** 1.25% HYDROGEN, 2.5% HYDROGEN SULPHIDE, BALANCE NITROGEN

**Additional Information** The storage of significant quantities of gas cylinders must comply with AS4332 The storage and handling of gases in cylinders.

APPLICATION METHOD: Gas withdrawal: regulator of suitable pressure and flow rating fitted to cylinder or manifold with low pressure gas distribution to equipment. Application Method: Gas regulator of suitable pressure and flow rating fitted to cylinder valve or manifold with low pressure gas distribution to equipment.

**PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:**

The recommendation for protective equipment contained within this ChemAlert report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

**HEALTH EFFECTS FROM EXPOSURE:**

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a ChemAlert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

**Abbreviations**

ACGIH	American Conference of Governmental Industrial Hygienists
CAS #	Chemical Abstract Service number - used to uniquely identify chemical compounds
CNS	Central Nervous System
EC No.	EC No - European Community Number
GHS	Globally Harmonized System
IARC	International Agency for Research on Cancer
mg/m <sup>3</sup>	Milligrams per Cubic Metre
PEL	Permissible Exposure Limit
pH	relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).
ppm	Parts Per Million
REACH	Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals
STOT-RE	Specific target organ toxicity (repeated exposure)
STOT-SE	Specific target organ toxicity (single exposure)
SUSMP	Standard for the Uniform Scheduling of Medicines and Poisons
TLV	Threshold Limit Value
TWA/OEL	Time Weighted Average or Occupational Exposure Limit

**Revision History**

Revision	Description
1.0	Standard SDS Review.

**Report Status**

This document has been compiled by RMT on behalf of the manufacturer of the product and serves as the manufacturer's Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

**Prepared By**

Risk Management Technologies  
5 Ventnor Ave, West Perth  
Western Australia 6005  
Phone: +61 8 9322 1711  
Fax: +61 8 9322 1794  
Email: info@rmt.com.au  
Web: www.rmt.com.au

**Product Name** 1.25% HYDROGEN, 2.5% HYDROGEN SULPHIDE, BALANCE NITROGEN

**Revision:** 1  
**SDS Date:** 26 April 2012

**End of SDS**