

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® WAX MELTS (FIERY ROUGE™)**

Version 1.2

Print Date 04/03/2015

Revision Date 02/24/2015

SDS Number 350000026299

**1. PRODUCT AND COMPANY IDENTIFICATION**

**Product information**

- Product name** : **GLADE® WAX MELTS (FIERY ROUGE™)**
- Recommended use** : Air Freshener
- Manufacturer, importer, supplier** : S.C. Johnson & Son, Inc.  
1525 Howe Street  
Racine WI 53403-2236
- Telephone** : +18005585252
- Emergency telephone number** : 24 Hour Medical Emergency Phone: (866)231-5406  
24 Hour International Emergency Phone: (703)527-3887  
24 Hour Transport Emergency Phone: (800)424-9300

**2. HAZARDS IDENTIFICATION**

**Classification of the substance or mixture**

**Globally Harmonized System (GHS) Classification**

This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.

**Labelling**

- Precautionary statements**
- Other hazards** : None identified

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS-No.	Weight percent
Paraffin waxes and Hydrocarbon waxes	8002-74-2	60.00 - 100.00
Fragrance - Trade Secret	Mixture	3.00 - 7.00
Octabenzene	1843-05-6	0.10 - 1.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see [www.whatsinsidescjohnson.com](http://www.whatsinsidescjohnson.com).

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® WAX MELTS (FIERY ROUGE™)**

Version 1.2

Print Date 04/03/2015

Revision Date 02/24/2015

SDS Number 350000026299

---

**4. FIRST AID MEASURES**

- Eye contact** : No special requirements
- Skin contact** : No special requirements
- Inhalation** : No special requirements.
- Ingestion** : No special requirements

---

**5. FIREFIGHTING MEASURES**

- Suitable extinguishing media** : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Further information** : Fight fire with normal precautions from a reasonable distance. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing apparatus.

---

**6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions** : Wash thoroughly after handling.
- Environmental precautions** : Outside of normal use, avoid release to the environment.
- Methods and materials for containment and cleaning up** : Sweep up and shovel into suitable containers for disposal. Clean residue from spill site.

---

**7. HANDLING AND STORAGE**

- Handling**
- Precautions for safe handling** : Avoid contact with skin, eyes and clothing. For personal protection see section 8. KEEP OUT OF REACH OF CHILDREN AND PETS.
- Advice on protection** : Normal measures for preventive fire protection.

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



## GLADE® WAX MELTS (FIERY ROUGE™)

Version 1.2

Print Date 04/03/2015

Revision Date 02/24/2015

SDS Number 350000026299

**against fire and explosion**

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Occupational Exposure Limits

Components	CAS-No.	mg/m <sup>3</sup>	ppm	Non-standard units	Basis
Paraffin waxes and Hydrocarbon waxes	8002-74-2	2 mg/m <sup>3</sup>	-	-	ACGIH TWA

#### Personal protective equipment

**Respiratory protection** : No special requirements.

**Hand protection** : No special requirements.

**Eye protection** : No special requirements.

**Skin and body protection** : No special requirements.

**Hygiene measures** : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Form** : Wax.

**Color** : red

**Odor** : spicy

**Odour Threshold** : Test not applicable for this product type

**pH** : Test not applicable for this product type

**Melting point/freezing point** : Test not applicable for this product type

**Initial boiling point and** : Test not applicable for this product type

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® WAX MELTS (FIERY ROUGE™)**

Version 1.2

Print Date 04/03/2015

Revision Date 02/24/2015

SDS Number 350000026299

**boiling range**

**Flash point** :  $\geq 135$  °C  
                  :  $\geq 275$  °F  
                  Method: ASTM D 93

**Evaporation rate** : Test not applicable for this product type

**Flammability (solid, gas)** : Sustains combustion

**Upper/lower flammability or explosive limits** : Test not applicable for this product type

**Vapour pressure** : Test not applicable for this product type

**Vapour density** : Test not applicable for this product type

**Relative density** : Test not applicable for this product type

**Solubility(ies)** : insoluble

**Partition coefficient: n-octanol/water** : Test not applicable for this product type

**Auto-ignition temperature** : Test not applicable for this product type

**Decomposition temperature** : Test not applicable for this product type

**Viscosity, dynamic** : Test not applicable for this product type

**Viscosity, kinematic** : Test not applicable for this product type

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® WAX MELTS (FIERY ROUGE™)**

Version 1.2

Print Date 04/03/2015

Revision Date 02/24/2015

SDS Number 350000026299

- Oxidizing properties** : Test not applicable for this product type
- Volatile Organic Compounds Total VOC (wt. %)\*** : 0.4 % - additional exemptions may apply  
\*as defined by US Federal and State Consumer Product Regulations
- Other information** : None identified :

---

**10. STABILITY AND REACTIVITY**

- Possibility of hazardous reactions** : Stable under recommended storage conditions.
- Possibility of hazardous reactions** : Stable under recommended storage conditions.
- Conditions to avoid** : Direct sources of heat.
- Incompatible materials** : None known.
- Hazardous decomposition products** : Thermal decomposition can lead to release of irritating gases and vapours.

---

**11. TOXICOLOGICAL INFORMATION**

- Emergency Overview** : This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.
- Acute oral toxicity** : LD50 estimated > 5,000 mg/kg
- Acute inhalation toxicity** : LC50 estimated > 5 mg/l
- Acute dermal toxicity** : LD50 estimated

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



### GLADE® WAX MELTS (FIERY ROUGE™)

Version 1.2

Print Date 04/03/2015

Revision Date 02/24/2015

SDS Number 350000026299

> 2,000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	-
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

**Aggravated Medical Condition** : None known.

## 12. ECOLOGICAL INFORMATION

**Product** : The product itself has not been tested.

### Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

### Toxicity to fish

Components	End point	Species	Value	Exposure time
Paraffin waxes and Hydrocarbon waxes	LC50	Fish	> 100 mg/l	

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200

**GLADE® WAX MELTS (FIERY ROUGE™)**

Version 1.2

Print Date 04/03/2015

Revision Date 02/24/2015

SDS Number 350000026299

Fragrance - Trade Secret	No data available			
Octabenzene	static test LC50	Danio rerio (zebra fish)	> 100 mg/l	96 h

**Toxicity to aquatic invertebrates**

Components	End point	Species	Value	Exposure time
Paraffin waxes and Hydrocarbon waxes	EC50 No data available	Daphnid	> 10,000 mg/l	
	NOEC	Daphnia	10 mg/l	
Fragrance - Trade Secret	No data available			
Octabenzene	EC50 Measured	Daphnia magna (Water flea)	52 mg/l	24 h

**Toxicity to aquatic plants**

Components	End point	Species	Value	Exposure time
Paraffin waxes and Hydrocarbon waxes	NOEC No data available	Algae	> 100 mg/l	
Fragrance - Trade Secret	No data available			
Octabenzene	EC50	Desmodesmus subspicatus (green algae)	> 100 mg/l	72 h

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200

**GLADE® WAX MELTS (FIERY ROUGE™)**

Version 1.2

Print Date 04/03/2015

Revision Date 02/24/2015

SDS Number 350000026299

**Persistence and degradability**

Component	Biodegradation	Exposure time	Summary
Paraffin waxes and Hydrocarbon waxes	No data available		Not readily biodegradable.
Fragrance - Trade Secret	No data available		
Octabenzone	5 %	28 d	Not readily biodegradable.

**Bioaccumulative potential**

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Paraffin waxes and Hydrocarbon waxes	No data available	No data available
Fragrance - Trade Secret	No data available	No data available
Octabenzone	89 - 190 Measured	7.6 Calculated

**Mobility**

Component	End point	Value
Paraffin waxes and Hydrocarbon waxes	No data available	
Fragrance - Trade Secret	No data available	
Octabenzone	Koc	63750 Calculated

**PBT and vPvB assessment**

Component	Results
Paraffin waxes and Hydrocarbon waxes	Not fulfilling PBT and vPvB criteria
Fragrance - Trade Secret	Not fulfilling PBT and vPvB criteria
Octabenzone	Not fulfilling PBT and vPvB criteria

**Other adverse effects** : None known.



**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® WAX MELTS (FIERY ROUGE™)**

Version 1.2

Print Date 04/03/2015

Revision Date 02/24/2015

SDS Number 350000026299

---

**13. DISPOSAL CONSIDERATIONS**

Consumer may discard empty container in trash, or recycle where facilities exist.

---

**14. TRANSPORT INFORMATION**

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

**Land transport**

Not classified as dangerous in the meaning of transport regulations.

**Sea transport**

Not classified as dangerous in the meaning of transport regulations.

**Air transport**

Not classified as dangerous in the meaning of transport regulations.

---

**15. REGULATORY INFORMATION**

**Notification status** : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

**California Prop. 65** : This product is not subject to the reporting requirements under California's Proposition 65.

---

**16. OTHER INFORMATION**

**HMIS Ratings**

<b>Health</b>	0
<b>Flammability</b>	1
<b>Reactivity</b>	0

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® WAX MELTS (FIERY ROUGE™)**

Version 1.2

Print Date 04/03/2015

Revision Date 02/24/2015

SDS Number 350000026299

**NFPA Ratings**

<b>Health</b>	0
<b>Fire</b>	1
<b>Reactivity</b>	0
<b>Special</b>	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

**Further information**

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
-------------	--